






10  
T. C. ...  
IN MEMORIAM  
FLORIAN CAJORI



EX LIBRIS







THE  
**RATIONAL ARITHMETIC,**

IN WHICH THE  
SCIENCE IS FULLY DEVELOPED,

THE  
ART CLEARLY EXPLAINED,

AND BOTH COMBINED IN NUMEROUS ILLUSTRATIONS;

ADAPTED TO LEARNERS  
OF EVERY CAPACITY.

THE WHOLE ENFORCED BY A GREAT VARIETY OF  
INTERESTING AND PRACTICAL PROBLEMS.

TO WHICH IS APPENDED,

**A KEY,**

CONTAINING THE ANSWERS TO THE PROBLEMS.

---

BY J. S. RUSSELL,  
TEACHER OF MATHEMATICS IN THE LOWELL HIGH SCHOOL.

---

SECOND EDITION.

LOWELL:  
PUBLISHED BY THOMAS BILLINGS.  
BOSTON: B. B. MUSSEY.  
1847.

Entered according to Act of Congress, in the year 1846, by  
J. S. RUSSELL,  
In the Clerk's Office of the District Court of Massachusetts.

---

o Stereotyped by  
GEORGE A. CURTIS;  
NEW ENGLAND TYPE AND STEREO TYPE FOUNDRY

21102  
78  
127

## P R E F A C E .

---

**EVERY** public school may be divided, in respect to the study of Arithmetic, into three classes. The first and smallest class either possess by nature, or have happily acquired, a taste, and, consequently, a talent for the study. For them there is no imperious necessity of adding another to the numerous treatises already in use; for, although they will meet with much difficulty, through indefinite and confused modes of expression and incomplete demonstrations, in arriving at the philosophy of the subject, yet, in spite of these obstacles, they will eventually comprehend the important principles of Arithmetic, and, what is remarkable, adopt the same modes of expression which have so much opposed their own progress.

To this class the Rational Arithmetic, though not indispensable, will be of very essential service. Had all learners been of this class, however, the author would have been spared the labor and expense he has devoted to this work.

But there is a class of medium ability, including about one half, who may be saved incalculable labor and vexation, by using this book, while pursuing this difficult study.

It is expected, however, that the third class will most truly appreciate this work. They include about one third, and consist of those unfortunate scholars whose minds act too slowly for the patience of teachers, and are too obtuse to derive much advantage from the textbooks so ill-adapted to their wants.

It is for these two classes, the last in particular, that the Rational Arithmetic is prepared; to their wants it is thought to be well adapted; and it is expected that they will hereafter assume a more just relative standing with their schoolmates; not waiting, as heretofore, for the results of business life to prove them possessed of minds, less active indeed, yet not inferior in strength and capacity of improvement.

The author knows no other written Arithmetic that is adapted to learners; they seem to him rather books of reference for those who already understand the subject, and are able to perceive the princi-

ples without explanation. Some, indeed, have *attempted* to meet the wants of learners, by introducing the several subjects by a page or two of puerile questions which are seldom noticed either by teachers or scholars. Others found the principles upon the imaginary answers to be given to such questions by those acknowledged to be ignorant. Such must be a very uncertain foundation, especially so when, as sometimes happens, these leading questions are so misformed as to lead astray. Instance the following: "In 11, how *much more* does the 1 in the tens' place stand for than the 1 in the unit's place? In 880, how *much more* does the 8 in the hundreds' place stand for than the 8 in the tens' place? It is just so in all cases; therefore, *A figure at the left of another stands for ten times as much as it would in the place of that other figure.*" The simple learner will, probably, understand these questions literally, and give for answers, so far as he is able, 9 more, 720 more, &c., between which and the principle purporting to be derived from them, there is no direct connection. Had these questions been thus, *How many times as much* \_\_\_\_\_ as \_\_\_\_\_? instead of "*How much more* \_\_\_\_\_ than \_\_\_\_\_?" they would have led the intelligent mind directly to the principle. In presence of the teacher to correct false answers, to sum up and enforce the conclusion, such questions *properly* asked are well enough; but otherwise, they are extremely vexatious and discouraging, and most scholars will pass over them without adding to their knowledge.

In the Rational Arithmetic it has been the object to prepare matter for the *intelligent study of the learner by himself*, that in due time he may, in a well conducted recitation, exhibit with credit and pleasure, both to himself and teacher, his *thorough knowledge of the lesson*. Such results are far different from ordinary experience. Teachers who have desired to *ground their pupils in the principles* of the science, while the text-books have failed to afford the necessary instruction, have, by *oral instruction*, and *black-board illustrations*, endeavored, with only partial success, to effect this object, at present, so indispensable. Such instruction, though efficient with the more intelligent and active minds, proves insufficient for a large portion of every school. It is expected that the Rational Arithmetic will come to the relief of such teachers, enabling them with less labor to secure much happier results.

The *peculiarities of the Rational Arithmetic* are: 1st, A *philosophical arrangement*, and *systematic treatment* of the several subjects. Multiplication and Division, being only particular cases of Addition and Subtraction, respectively, follow their heads in the natural order, in the fundamental principles; but in fractions and compound numbers, from the greater convenience, they resume the common order again. The subjects under the head of Percentage, being applications of the principle of Proportion, very properly follow Proportion. The study of Arithmetic being now so extensive, it is no longer necessary to place Interest nearer the beginning of the book than its



proper place, to insure a knowledge of it. Indeed, all the subjects are so arranged that each is explained on principles previously taught.

2d. *A complete development of the fundamental principles.* Numeration, in particular, both integral and fractional, the foundation of the whole superstructure, has received especial attention.

3d. *A full description and thorough explanation* of the various applications of the fundamental principles.

4th. *A constant regard to the abridgment of labor*, by viewing numbers through their factors, and relations, canceling common factors when both multiplication and division are involved in the same process; and always operating upon fractions in a manner to secure the simplest terms in results.

5th. *The giving of a reason for everything stated*, and in such style that the repetition of the language will induce in the learners the understanding of the reason which it embodies.

6th. *Numerous references to other parts of the book* for information bearing upon the subject in hand.

7th. *An exclusion of all such indefinite expressions* as "5 times greater," "seven times too large," "seven times too small," "increases it ten times," "5 times too great," "100 times larger or smaller;" and all such provoking expressions as "it is obvious," "it is plain," "evidently," &c., whose office is only to occupy the place of an inconvenient reason. These peculiar excellences, it is thought, warrant the title assumed for the book.

*It is recommended to teachers*, although the author knows no written arithmetic so easily understood, that the younger pupils, previously to taking up this book, shall have well studied Colburn's First Lessons, or some other intellectual arithmetic; but when it is taken up, that they accommodate their speed to thoroughness; that they take special notice of the numerous references to other parts of the book, where their memories may be refreshed with necessary information upon the present subject.

Teachers will, of course, as far as circumstances admit, classify their pupils, assign lessons, and hear recitations in this, as in other studies. Although each is left to his own experience and tact in conducting recitations, yet we may urge the importance of *securing in some way a thorough analysis of everything, the giving of a reason for each step in the solution of problems, showing its bearing upon, or tendency towards the final result.* In the author's experience, it has proved well to require the pupils to bring to the recitation, not only the results, but the written process of their work; also to exhibit their skill in the solution of problems upon a black-board sufficiently ample to accommodate the whole class. The problems may be those of the ordinary lesson, or such as may be suggested on the occasion; and the recitation should be such as shall exhibit the scholar's knowledge of the principles involved in the process.

The impossibility of preventing the access of the scholars to the

“Key published for the use of teachers *only*,” the immense injury done to the moral sense by the futile attempt, the securing of greater faithfulness on the part of teachers, and, on the other hand, the accommodation of the better scholars, who dislike to have the answers obtruded upon their notice before they shall have given the problem a fair trial, with other reasons, have induced the author to append the Key to the Arithmetic, where it may be conveniently, and *innocently* accessible to all. But should any prefer the book and key separate, by signifying their desire to the publisher, it may be gratified.

To the numerous friends who advised this undertaking, who have encouraged its progress, and are ready to receive it, and give it “a start in the world,” the author takes this occasion to express his gratitude. He also acknowledges his obligations to the numerous authors whose works he has consulted; yet few will discover anything heretofore published, except a few select problems, as the Rational Arithmetic is chiefly derived from an experience of more than ten years’ teaching of the mathematics, half of which has been devoted exclusively to arithmetic.

LOWELL, October 1846.

# TABLE OF CONTENTS.

---

## NUMERATION.

	SECTION.
Definitions, . . . . .	1
Formation of Numbers, . . . . .	2
Arabic Figures, . . . . .	3
Expression of Numbers, . . . . .	4 to 11
Absolute and Relative Value of Units, . . . . .	12
Reading of Numbers, . . . . .	13 — 14
Writing of Numbers, . . . . .	15 — 16

## ADDITION.

Definitions, and Use of Signs, . . . . .	17 — 18
Addition Table, . . . . .	19
Written Process and Proof of Addition, . . . . .	20 — 23

## MULTIPLICATION.

Definitions, . . . . .	24 — 25
Multiplication Table, . . . . .	26
Multiplying by one Digit, . . . . .	27 — 28
Composite and Prime Numbers, . . . . .	29 — 31
Factors being Abstract Numbers, . . . . .	32 — 33
Multiplying by one Unit of any order, . . . . .	34 — 35
Multiplying by any number of Units of the same order, . . . . .	36 — 37
Inverting the Order of the Factors, . . . . .	38 — 39
Proof of Multiplication, . . . . .	40 — 41
General Explanation of Multiplication, . . . . .	42 — 45
Factors expressing Units of the higher orders, . . . . .	46 — 48
General Exercises, . . . . .	49

## SUBTRACTION.

Subtraction Illustrated, . . . . .	50
Definitions, . . . . .	51
Subtraction Table, . . . . .	52
Proof of Subtraction, . . . . .	53 — 54
Subtraction without Reduction, . . . . .	55
Subtraction requiring Reduction, . . . . .	56 — 60

## DIVISION.

Division Illustrated, and Definitions, . . . . .	61 — 64
Division Table, . . . . .	65
Dividend expressing Units of any one order, . . . . .	66 — 67
Division requiring Reduction, . . . . .	68 — 69

	SECTION.
Written Process and Proof of Division, . . . . .	70 to 76
Short Process of Division, . . . . .	77—78
Long Process of Division, . . . . .	79—80
General Exercises, . . . . .	81

## FRACTIONS.

Origin and Mode of writing Fractions, . . . . .	82 & 85
Definitions, . . . . .	83
Reading of Fractions, . . . . .	84
Expression of Division, . . . . .	86 to 88
Finding the Whole from a Part, . . . . .	89—90
Finding a Part from the Whole, . . . . .	91—93
Modes of considering and reading Fractions, . . . . .	94
Expression, Definitions, and Reduction of Fractions, . . . . .	95—97
Reduction of Mixed Numbers to Improper Fractions, . . . . .	98—99
Multiplication of Fractions by Integral Numbers, . . . . .	100—109
Division of Fractions by Integral Numbers, . . . . .	110—116
Dividing by the Factors of the Divisor, . . . . .	117—119
Reduction of Fractions to lower terms. . . . .	120—130
Factoring of Numbers, . . . . .	123—124
Greatest common Factor, . . . . .	128—130
Least common Multiple and Denominator, . . . . .	131—140
Addition and Subtraction of Fractions, . . . . .	141—143
Multiplying by Fractions, . . . . .	144—150
Dividing by Fractions, . . . . .	151—157
Review of Multiplication of Fractions by Fractions, . . . . .	158—159
Review of Division of Fractions by Fractions, . . . . .	160—161

## DECIMAL FRACTIONS.

Similarity of Decimal Fractions and Integral Numbers, . . . . .	162
Local Value of Decimal Figures, . . . . .	163
Reading of Decimal Numbers, . . . . .	164—165
Writing of Decimal Numbers, . . . . .	166—168
Federal Money expressed by Decimal Numbers, . . . . .	169
Reduction of Federal Money, . . . . .	170—172
Addition and Subtraction of Decimals, . . . . .	173—174
Multiplication of Decimals, . . . . .	175—177
Reduction of Common Fractions to Decimals, . . . . .	178—179
Dividing by Units of the higher orders, . . . . .	180—182
Infinite Decimals, . . . . .	183—187
Division of Decimals, . . . . .	188—191

## COMPOUND NUMBERS.

Definitions, . . . . .	192
Tables, . . . . .	193—206
Reduction of Compound Numbers, . . . . .	207—233
Addition of Compound Numbers, . . . . .	234—236
Subtraction of Compound Numbers, . . . . .	237—239
Multiplication of Compound Numbers, . . . . .	240—24
Division of Compound Numbers, . . . . .	242—243

	SECTION.
Using of Numbers variously expressed, . . . . .	244 to 245
Finding the Difference of Time between Dates, . . . . .	246 — 247
Reduction of Compound Numbers for Multiplication, . . . . .	248 — 249
Mensuration of Surfaces and Solids, . . . . .	250 — 251
Abridged Solutions of Problems, . . . . .	252 — 253
Reduction of Currencies, . . . . .	254 — 255
Practice, or the Use of Aliquot Parts, . . . . .	256 — 263

## PROPORTION.

Ratio, . . . . .	264 — 265
Multiplying by Ratios, . . . . .	266 — 271
Multiplying by Inverse Ratios, . . . . .	272 — 275
Proportion, . . . . .	276 — 278
Inverse Proportion, . . . . .	279 — 280
Compound Proportion, . . . . .	281 — 284
Conjoined Proportion, . . . . .	285 — 286
Barter, . . . . .	287 — 290
Fellowship, . . . . .	291 — 292
Compound Fellowship, . . . . .	293 — 294

## PERCENTAGE.

Percentage, . . . . .	295 — 297
Commission, . . . . .	298 — 300
Stocks, . . . . .	301 — 302
Insurance, . . . . .	303 — 304
Assessment of Taxes, . . . . .	305
Duties, . . . . .	306 — 309
Interest, . . . . .	310 — 313
Interest on Partial Payments, . . . . .	314 — 316
Banking, . . . . .	317 — 320
Compound Interest, . . . . .	321 — 323
Compound Interest on Partial Payments, . . . . .	324 — 325
Problem to find the Time, . . . . .	326 — 328
Problem to find the Per Cent., . . . . .	329 — 331
Problem to find the Rate Per Cent., . . . . .	332 — 334
Problem to find the Principal, . . . . .	335 — 337
Problem to find the Present Worth, . . . . .	338 — 340
Problem to find the Discount, . . . . .	341 — 343
Problem to find the Face of a Discounted Note, . . . . .	344 — 346
Problem for the Equation of Payments, . . . . .	347 — 349

## ALLIGATION.

Problem to find the Average of Ingredients, . . . . .	350 — 352
Problem to find the Quantities of Ingredients, . . . . .	353 — 356
Problem to mix Ingredients partially limited, . . . . .	357 — 359
Problem to mix a Limited Compound, . . . . .	360 — 362

## POWERS AND ROOTS.

Definitions and Illustrations, . . . . .	363 — 364
Extraction of the Square Root, . . . . .	365 — 372
Extraction of the Cube Root, . . . . .	373 — 381

## SERIES.

	SECTION.
Definitions in Series by Difference, . . . . .	382
Problem to find either Extreme and the Sum, . . . . .	383 to 385
Problem to find the Common Difference and Sum, . . . . .	386 — 388
Problem to find the Number of Terms and Sum, . . . . .	389 — 391
Definitions in Series by Quotient, . . . . .	392
Problem to form Series, . . . . .	393 — 396
Problem to find either Extreme and Power of the Ratio, . . . . .	397 — 400
Problem to find the Sum, . . . . .	401 — 403
Infinite Series, . . . . .	404 — 406
Compound Interest by Series, . . . . .	407 — 409
Compound Discount by Series, . . . . .	410 — 412
Annuities defined, . . . . .	413
Annuities at Simple Interest, . . . . .	414 — 419
Annuities at Compound Interest, . . . . .	420 — 428

## MENSURATION.

Definitions, . . . . .	429
Mensuration of the Parallelogram and Triangle, . . . . .	430 — 433
Mensuration of the Circle, . . . . .	433 — 435
Mensuration of the Prism, . . . . .	436 — 437
Mensuration of the Cylinder, . . . . .	438 — 439
Mensuration of the Pyramid, Cone, and Wedge, . . . . .	440 — 441
Mensuration of the Frustum of the Pyramid and Cone, . . . . .	442 — 443
Mensuration of the Sphere, . . . . .	444 — 445
Gauging of Casks, . . . . .	446 — 447

## REVIEW.

Review of Fractions, . . . . .	448
Review of Compound Numbers, . . . . .	449
Review of Proportion, . . . . .	450
Review of Percentage, . . . . .	451
Review of Alligation, . . . . .	452
Review of Powers and Roots, . . . . .	453
Review of Series, . . . . .	454
Review of Mensuration, . . . . .	455
Curious Problems, . . . . .	456

## KEY.

Containing the Answers to all the Problems.

# ARITHMETIC.

---

## I. NUMERATION.

### 1. ARITHMETIC DEFINED.

Arithmetic is the science of numbers, and the art of computing by them.

As a science, arithmetic explains the nature and properties of numbers; and demonstrates the principles and rules for the practice of the art.

As an art, arithmetic explains the methods of working by numbers for the solution of numerical problems.

### 2. FORMATION OF NUMBERS.

A single thing of any kind is called a unit, or One.

The larger numbers are *formed* by the successive addition of units. Thus, if to one, another unit of the same kind be added, the collection forms the number, Two.

The collection of two and one forms the number, Three.

The collection of three and one forms the number, Four.

The collection of four and one forms the number, Five.

The collection of five and one forms the number, Six.

The collection of six and one forms the number, Seven.

The collection of seven and one forms the number, Eight.

The collection of eight and one forms the number, Nine.

In like manner, the addition of one unit to any number, forms the next larger number.

### 3. ARABIC FIGURES.

Among the various methods of *expressing* numbers, the Arabic is superior; and is now in general use. According to this method, all numbers can be expressed by different combinations of one, or more, of ten figures.

The figures are, 1, 2, 3, 4, 5, 6, 7, 8, 9, 0.

The first nine figures are also called *digits*. And each digit, expressing one of the first nine numbers, has the same name as the number which it expresses.

Thus: One is expressed by this figure, 1, called One.  
 Two is expressed by this figure, 2, called Two.  
 Three is expressed by this figure, 3, called Three.  
 Four is expressed by this figure, 4, called Four.  
 Five is expressed by this figure, 5, called Five.  
 Six is expressed by this figure, 6, called Six.  
 Seven is expressed by this figure, 7, called Seven.  
 Eight is expressed by this figure, 8, called Eight.  
 Nine is expressed by this figure, 9, called Nine.

The other figure, 0, called Cipher, unlike the digits, does not express a number, nor have any value; but yet, as we shall see, it is not without its use.

#### 4. EXPRESSION OF TENS, OR UNITS OF THE SECOND ORDER.

There is no appropriate figure to express the next number, called ten, or any of the larger numbers; but these same digits are made to express other numbers by occupying different *places* in relation to each other. When they stand alone, or in the *first place*, each expresses a certain number of units of the *first order*. But ten units of this order are considered collectively as forming one unit of the *second order*; and the digits are made to express units of the second order, called tens, by occupying the *second place* from the right hand. Thus:

10 is one *ten*, called Ten.  
 20 is two *tens*, called Twenty.  
 30 is three *tens*, called Thirty.  
 40 is four *tens*, called Forty.  
 50 is five *tens*, called Fifty.  
 60 is six *tens*, called Sixty.  
 70 is seven *tens*, called Seventy.  
 80 is eight *tens*, called Eighty.  
 90 is nine *tens*, called Ninety.

Here the digits express ten times as much, or numbers ten times as large, as when they stand in the first place, or alone, *because they occupy the second place*, and not because there is any value in the cipher. The cipher merely occupies the first place, in order that there may *be* a second place for the digit to occupy. So always, the cipher is used to occupy places where nothing of value is needed; but which must be occupied, in order that the digits required for the expression of the number, may stand in their proper places.



**5. EXPRESSION OF NUMBERS FROM TEN TO ONE HUNDRED.**

The numbers between the tens, that is, between ten and twenty, twenty and thirty, &c., are expressed by making every digit, in succession, occupy the first place, together with each digit in the second place. Thus :

10 is one unit of the second order,	called Ten.
11 is ten and one,	called Eleven.
12 is ten and two,	called Twelve.
13 is ten and three,	called Thirteen.
14 is ten and four,	called Fourteen.
15 is ten and five,	called Fifteen.
16 is ten and six,	called Sixteen.
17 is ten and seven,	called Seventeen.
18 is ten and eight,	called Eighteen.
19 is ten and nine,	called Nineteen.
20 is two tens, or two units of the second order,	called Twenty
21 is two tens and one,	called Twenty-one.
22 is two tens and two,	called Twenty-two.
23 is two tens and three,	called Twenty-three.
24 is two tens and four,	called Twenty-four.
25 is two tens and five,	called Twenty-five.
26 is two tens and six,	called Twenty-six.
27 is two tens and seven,	called Twenty-seven.
28 is two tens and eight,	called Twenty-eight.
29 is two tens and nine,	called Twenty-nine.
30 is three tens, or units of the second order,	called Thirty.
31 is three tens and one,	called Thirty-one.
32 &c., is three tens and two,	called Thirty-two.
41 &c., is four tens and one,	called Forty-one.
51 &c., is five tens and one,	called Fifty-one.
61 &c., is six tens and one,	called Sixty-one.
71 &c., is seven tens and one,	called Seventy-one.
81 &c., is eight tens and one,	called Eighty-one.
91 &c., is nine tens and one,	called Ninety-one.
99 is nine tens and nine,	called Ninety-nine.

**6. EXPRESSION OF HUNDREDS, OR UNITS OF THE THIRD ORDER.**

Ninety-nine is the largest number that can be expressed by two figures. The next larger number is ten tens, or ten units of the second order, which are considered collectively as forming one unit of the third order, called one hundred.

This unit is also expressed by the first digit; but, it being a unit of the *third order*, the digit is put in the *third place*. And the other digits, by occupying the third place, are made to express units of the third order, or hundreds. Thus:

100 is One hundred.	600 is Six hundred.
200 is Two hundred.	700 is Seven hundred.
300 is Three hundred.	800 is Eight hundred.
400 is Four hundred.	900 is Nine hundred.
500 is Five hundred.	

### 7. EXPRESSION OF NUMBERS FROM ONE HUNDRED TO ONE THOUSAND.

The numbers between the hundreds are expressed, by making all the numbers less than one hundred, in succession, occupy their own places at the right of each digit in the third place. Thus:

101 is one hundred and one.
210 is two hundred and ten.
311 is three hundred and eleven.
425 is four hundred and twenty-five.
543 is five hundred and forty-three.
608 is six hundred and eight.
717 is seven hundred and seventeen.
876 is eight hundred and seventy-six.
999 is nine hundred and ninety-nine.

### 8. EXPRESSION OF THOUSANDS, OR UNITS OF THE FOURTH ORDER.

Nine hundred and ninety-nine is the largest number that can be expressed by three figures. The next larger number is ten hundreds, or ten units of the third order, which are considered collectively as forming one unit of the fourth order, called *one thousand*.

To express thousands, or units of the *fourth order*, the digits are put in the *fourth place*.

### 9. EXPRESSION OF NUMBERS FROM ONE THOUSAND TO TEN THOUSAND.

Any number between the thousands is expressed by using such digits as are needed in their proper places at the right of the thousands. Thus:

1000 is one thousand.

2001 is two thousand and one.

3020 is three thousand and twenty.

4500 is four thousand and five hundred.

5055 is five thousand and fifty-five.

6107 is six thousand one hundred and seven.

7819 is seven thousand eight hundred and nineteen.

8011 is eight thousand and eleven.

9999 is nine thousand nine hundred and ninety-nine.

## 10. EXPRESSION OF TEN-THOUSANDS AND UNITS OF OTHER ORDERS.

Ten units of the *fourth order*, form one unit of the *fifth order*, called a *ten-thousand*. And the ten-thousands must occupy the *fifth place*.

In the same manner, higher orders of units are formed, to an unlimited extent; *ten units* of any order forming *one unit* of the next *higher order*, to be expressed in the next *higher place*; while the lower places are used for the expression of units of lower orders.

Whence it follows that one unit of any order equals ten units of the next lower order; this law prevailing, even below units of the first order, to an unlimited extent, as will be shown, (**163.**) Hence the law of the local value of figures is, that any digit, by each removal to the next higher place, is made to express ten times as much, and by each removal to the next lower place, one tenth as much as it would before such removal.

N. B. The term unit means a unit of the first, or lowest order, unless otherwise specified.

## 11. TABLE EXHIBITING THE FORMATION, NAME, AND EXPRESSION OF ONE UNIT OF EACH OF THE FIRST TEN ORDERS.

A single thing of any kind forms one Unit,	1.
Ten units of the same kind form one Ten,	10.
Ten tens form one Hundred,	100.
Ten hundreds form one Thousand,	1000.
Ten thousands form one Ten-thousand,	10000.
Ten ten-thousands form one Hundred-thous.	100000.
Ten hundred-thousands form one Million,	1000000.
Ten millions form one Ten-million,	10000000.
Ten ten-millions form one Hundred-million,	100000000.
Ten hundred-millions form one Billion,	1000000000.

These units of ten different orders may be expressed in one number.

Billion.	Hundred-million.	Ten-million.	Million.	Hundred-thousand.	Ten-thousand.	Thousand.	Hundred.	Ten.	Unit.
1	1	1	1	1	1	1	1	1	1

Thus :

since each unit now occupies the place appropriated to units of its own order. This number is read, One Billion, one hundred and eleven Million, one hundred and eleven Thousand, one hundred and eleven.

## 12. ILLUSTRATION OF THE ABSOLUTE AND RELATIVE VALUE OF THE UNIT OF DIFFERENT ORDERS.

Suppose there should be a country having ten states, each state having ten cities, each city having ten schools, each school having ten classes, each class having ten scholars, and each scholar having ten cents to pay for a writing-book. How many cents would it take to buy a book for a scholar?—books for a class?—for a school?—for a city?—for a state?—for the country? It would take

for one scholar, ten times	1 ct., equal to	10 cts.
for one class, ten times	10 cts., equal to	100 cts.
for one school, ten times	100 cts., equal to	1000 cts.
for one city, ten times	1000 cts., equal to	10000 cts.
for one state, ten times	10000 cts., equal to	100000 cts.
for the country, ten times	100000 cts., equal to	1000000 cts.

*Other answers.*—It would take, one cent being a unit of the first order,

- for one scholar, a Ten-cent-piece,  
which is a unit of the second order ;
- for one class, a Dollar-bill,  
which is a unit of the third order ;
- for one school, a Ten-dollar-bill,  
which is a unit of the fourth order ;
- for one city, a Hundred-dollar-bill,  
which is a unit of the fifth order ;
- for one state, a Thousand-dollar-bill,  
which is a unit of the sixth order ;
- for the country, a Ten-thousand-dollar-bill,  
which is a unit of the seventh order.

Suppose one man should make all these writing-books, and, having done them up in one package, should sell it to the president of the country; of this package the president should make ten equal packages, and sell one of them to the governor of each state; each governor should make of his package ten equal packages, and sell one of them to the mayor of each city; each mayor should make of his package ten equal packages, and sell one of them to the teacher of each school; each teacher should make of his package ten equal packages, and sell one of them to the head scholar of each class, and each head scholar, on opening his package, should find just ten books, nine of which he should sell to his class, and keep the other himself.

One book being a unit of the first order, a unit of what order would be each head scholar's package?—each teacher's package?—each mayor's package?—each governor's package?—the president's package?

How many books in the president's package?—in each governor's package?—mayor's package?—teacher's package?—head scholar's package?

Suppose each one should pay the cents for his book, or package, to the person from whom he had received it. Then each scholar would pay his head scholar nearly a handful of cents; each head scholar would pay his teacher nearly a "double handful;" each teacher would pay his mayor nearly three pints; each mayor would pay his governor nearly two pecks; each governor would pay the president nearly five bushels; and the president would pay the book-binder nearly fifty bushels, and just a *million* of cents.

It would take the book-binder's son more than two months to count them, if, instead of going to school, he should count, at the rate of one cent every second, for three hours every half day, except Saturday afternoons and Sundays.

### 13. MANNER OF READING NUMBERS.

In any number, the first three figures express so many hundreds tens and units of *Units*; the second three, so many hundreds tens and units of *Thousands*; the third three, so many hundreds tens and units of *Millions*; and each succeeding three, so many hundreds tens and units of *Billions*, *Trillions*, *Quadrillions*, *Quintillions*, *Sextillions*, *Septillions*, *Octillions*, *Nonillions*, *Decillions*, &c., respectively.

Hence, to *read* numbers, count off the figures from the right, into periods of three figures each, and beginning at the left, read each period separately, as so many hundreds tens and units, naming each period as it is read, except the right hand period, which is understood to be units without its name being called. Thus :

Thirty one Quintillion, five hundred and sixty two Quadrillion, eight hundred and ninety six Trillion, one hundred and twenty five Billion, nine hundred and forty four Million, three hundred and sixty one Thousand, two hundred and ninety nine.	Nine Quintillion, six hundred and one Quadrillion, ten Trillion, nine hundred and eighty two Billion, five Million, and six hundred.	31 562 896 125 944 361 299.      9 601 010 982 005 000 600.
--	---	---

#### 14. EXERCISES IN READING NUMBERS.

Read the following numbers,

1,	19.	10,	20907.	19,	120643790008074.
2,	70.	11,	417016.	20,	9064798030020.
3,	98.	12,	5008840.	21,	3479000019.
4,	502.	13,	40910008.	22,	80060400700091.
5,	610.	14,	136000200.	23,	811123365.
6,	847.	15,	6500004.	24,	347000016011.
7,	1005.	16,	1147865479.	25,	333311112222.
8,	5049.	17,	416000.	26,	88000066000044000.
9,	9153.	18,	900001317601.	27,	55000000100200010.

#### 15. MANNER OF WRITING NUMBERS.

To *write* numbers in figures, first write the left hand period, which may require one, two, or three figures, then, in succession, write the other periods, allowing three places for each period.

Write in figures nine quintillion, six hundred and one quadrillion, ten trillion, nine hundred eighty-two billion, five million, and six hundred,      9,601,010,982,005,000,600.

In this number, 9 only must occupy the period of quintillions, 601 the period of quadrillions, 010 the period of trillions, 982 the period of billions, 005 the period of millions, 000 the period of thousands, and 600 the period of units.

#### 16. EXERCISES IN WRITING NUMBERS.

*In like manner write the following numbers.*

1. One hundred and three.
2. Three hundred and one.

3. One thousand, and ten.
4. Two thousand, one hundred and seven.
5. Twenty thousand, and thirty.
6. Fifty thousand, seven hundred and five.
7. Three hundred thousand, and fifty.
8. Seven hundred and seven thousand, seven hundred and twenty.
9. One million, three hundred and seventy.
10. Five million, six hundred thousand, and seventy-three.
11. Five hundred ninety million, forty-seven thousand, and eight.
12. Three billion, six hundred seventy million, three hundred and two.
13. Forty-five billion, seven million, seventy thousand, and seven.
14. Fifty trillion, six hundred fifty-seven million, and five hundred.
15. Six trillion, seven hundred and three billion, twenty million, and twelve.
16. Seventy-seven million, ten thousand, and nineteen.
17. Eight billion, five hundred and thirty thousand.
18. Forty-nine billion, three hundred and sixty.
19. Eighty six quadrillion, ten billion, one hundred million, and sixty.

---

## II. ADDITION.

### 17. ADDITION DEFINED AND ILLUSTRATED.

Addition is the uniting of two, or more, numbers to form another number equal to their sum. Thus :

1. If you should place 5 cents in a pile, and on that pile put 3 more cents ; how many cents would there be in the pile ?

You are taught, (2,) that numbers are formed by successive additions of one unit ; but here you are required to form a number by the addition of 3 units. This can be done by adding the 3 units, 1 at a time ; thus, 5 cents and 1 cent are 6 cents, and 1 cent are 7 cents, and 1 cent are 8 cents, which is the whole number of cents in the pile.

2. A man paid a 5 dollar-bill for a pair of boots, and a

3 dollar-bill for a pair of shoes; how many dollars did he pay away?

To answer this question, you must add 3 dollars to 5 dollars as we added 3 cents to 5 cents in the 1st example. But if you remember what the sum of 5 and 3 is, you need not add the 3, one at a time, but all at once, saying 5 dollars and 3 dollars are 8 dollars; therefore, he paid away 8 dollars.

### 18. EXPLANATION AND USE OF SIGNS.

For convenience and brevity, *signs* are often employed in arithmetic. Thus: = *Two horizontal lines* are the sign for *equality*. It implies that what precedes the sign equals what follows it; as 100 cents = 1 dollar; read, 100 cents equal 1 dollar.

+ *The right cross* is the sign for *addition*. It implies that the number which follows the sign is to be added to what precedes it, as  $5 + 3 = 8$ ; read 5 plus 3 equal 8.

*Plus* is the Latin word for *more*, and means here the same as if you should say 5 *more* 3, or 5 and 3 *more* equal 8.

### 19. ADDITION TABLE.

In order to perform addition with facility, you will, before attempting further progress, correctly ascertain, and thoroughly commit to memory, the *sum* of each combination of two numbers in the following table.

2 & 2	are	7 & 3, or 3 & 7	are	8 & 5, or 5 & 8	are
3 & 2, or 2 & 3	are	8 & 3, or 3 & 8	are	9 & 5, or 5 & 9	are
4 & 2, or 2 & 4	are	9 & 3, or 3 & 9	are	6 & 6	are
5 & 2, or 2 & 5	are	4 & 4	are	7 & 6, or 6 & 7	are
6 & 2, or 2 & 6	are	5 & 4, or 4 & 5	are	8 & 6, or 6 & 8	are
7 & 2, or 2 & 7	are	6 & 4, or 4 & 6	are	9 & 6, or 6 & 9	are
8 & 2, or 2 & 8	are	7 & 4, or 4 & 7	are	7 & 7	are
9 & 2, or 2 & 9	are	8 & 4, or 4 & 8	are	8 & 7, or 7 & 8	are
3 & 3	are	9 & 4, or 4 & 9	are	9 & 7, or 7 & 9	are
4 & 3, or 3 & 4	are	5 & 5	are	8 & 8	are
5 & 3, or 3 & 5	are	6 & 5, or 5 & 6	are	9 & 8, or 8 & 9	are
6 & 3, or 3 & 6	are	7 & 5, or 5 & 7	are	9 & 9	are

### 20. EXPLANATION OF THE WRITTEN PROCESS OF ADDITION.

1. A man paid 25 dollars for a cow, and 3 dollars for a sheep; how many dollars did they cost?



Under the 25 write the 3, so that it shall stand in a column with the 5; and, since both the 5 and 3 express units of the *first order*, (4,) add them together, and write 8, their sum, directly under them, in the *first place*, and, the 2 expressing units of the *second order*, write it beside the 8, in the *second place*, which gives 28 dollars for the answer.

2. A man having sold the produce of his farm, received 48 dollars for potatoes, 25 dollars for wheat, 32 dollars for rye, 28 dollars for corn, and 54 dollars for hay; how many dollars did he receive?

Arrange the numbers together, so that the units of each order shall stand in a column; then ascertain the sum in the lowest column; thus, 8 and 5 are 13, and 2 are 15, and 8 are 23, and 4 are 27 units of the *first order*; but since ten units of any order make one unit of the next higher order, (10,) these 27 units of the first order will make 2 units of the second order and 7 units of the first order; hence write the 7 in the first place, and add the 2 with those of the same kind in the second column; thus, 2 and 4 are 6, and 2 are 8, and 3 are 11, and 2 are 13, and 5 are 18 units of the second order, making 8 units of the second order, and 1 unit of the third order; therefore, write the 8 in the second place, and the 1 in the third place, which gives 187 dollars for the answer.

## 21. PROOF OF ADDITION.

To prove the correctness of any operation in addition, repeat the operation, combining the figures of each column in the *opposite order*. If the two results agree, probably both are correct.

## 22. MODEL OF A RECITATION.

What is the sum of the following numbers, 35468, 503, 2300, 95 and 90072?

Arrange these numbers together, so that the units of each order shall stand in a column; 2 and 5 are 7, and 3 are 10, and 8 are 18 *units*, equal to 8 units, which write in the *units' place*, and 1 ten, which add with the tens; 1 and 7 are 8, and 9 are 17, and 6 are 23 *tens*, equal to 3 tens, which write in the *tens' place*, and 2 hundreds, which add with the other hundreds; 2 and 3 are 5, and 5 are 10, and 4 are 14 *hundreds*, equal to 4 hun-

$$\begin{array}{r}
 35468 \\
 503 \\
 2300 \\
 95 \\
 90072 \\
 \hline
 128438
 \end{array}$$

dreds, which write, and 1 thousand, which add with the other thousands; 1 and 2 are 3, and 5 are 8 *thousands*, which write; 9 and 3 are 12 *ten-thousands*, equal to 2 ten-thousands, which write, and 1 hundred-thousand, which write, giving 128438, the sum required.

*Hence, OBSERVE; that in addition, the units of each order, beginning with the lowest, are added separately, and reduced, (208,) as far as may be, to, and added with units of the next higher order, writing in each place only the excess over exact units of the next higher denomination.*

### 23. EXERCISES IN ADDITION.

*In like manner, solve and explain the following problems.*

1. Mr. Sampson sold 6 loads of potatoes, measuring, severally, 36, 34, 38, 28, 29, and 33 bushels; how many bushels did he sell?

2. Mr. Mason bought 5 hogs, weighing, severally, 375, 358, 416, 410, and 400 pounds; how many pounds did all weigh?

3. Mr. Thomson's wagon weighed 2097 pounds, and the load of hay on the wagon, 1988 pounds; what was the weight of both?

4. Mr. Wilson sold 6 fat oxen, weighing, severally, 907, 1216, 1189, 1075, 899, and 934 pounds; what was the weight of all?

5. How many strokes does a clock, which strikes the hours, strike in 12 hours.

6. How many days in a year, there being in January 31 days; in February 28; in March 31; in April 30; in May 31; in June 30; in July 31; in August 31; in September 30; in October 31; in November 30; and in December 31?

7. Mr. Johnson bought a farm with the buildings and stock upon it, paying 5000 dollars for the land, 2500 for the house, 975 for the barn, 507 for the other buildings, and 1650 for the stock and farming tools; how many dollars did all these things cost him?

8. Mr. Jackson paid 4150 dollars for land, 2000 dollars for a house, 725 dollars for a barn, 609 dollars for other buildings, and 1200 dollars for stock and tools; what was the whole cost?

9. Mr. Jameson paid 10000 dollars for a factory, 5967 for land, 8096 for cotton, 4870 for labor, and 908 for teaming; how many dollars do these sums amount to?

10. What is the sum of all the numbers that you speak in counting one hundred ?
11. How many square miles in the New England States, there being in Maine 35000 ; in New Hampshire 9491 ; in Vermont 8000 ; in Massachusetts 7800 ; in Rhode Island 1225 ; and in Connecticut 4764 ?
12. How many square miles in the Middle States, there being in New York 46085 ; in New Jersey 8320 ; in Pennsylvania 47000 ; and in Delaware 2100 ?
13. How many square miles in the Southern States, there being in Maryland 9356 ; in Virginia 70000 ; in North Carolina 50000 ; in South Carolina 33000 ; in Georgia 62000 ; in Alabama 51770 ; in Mississippi 48000 ; and in Louisiana 48320 ?
14. How many square miles in the Western States, there being in Tennessee 45000 ; in Kentucky 40000 ; in Ohio 44000 ; in Indiana 36400 ; in Illinois 55000 ; in Michigan 60000 ; in Missouri 64000 ; and in Arkansas 55000 ?
15. How many square miles in the 26 states, mentioned in the last four problems ?
16. If the time from the creation of the world to the deluge was 1656 years, thence to the building of Solomon's temple 1344 years, thence to the birth of Christ, 1004 years ; how old is the world in the year of our Lord 1846 ?
17. How long since the deluge ?
18. How old was the world at the birth of Christ ?
19. How long since the building of Rome, which was 753 years before Christ ?
20. How long since Lycurgus established his laws at Lacedæmon, which was 131 years before the building of Rome ?
21. How many miles from Augusta in Maine, to New Orleans in Louisiana, it being from Augusta to Portland 53 miles, thence to Boston 118 miles, to Hartford 160, to New York 123, to Philadelphia 90, to Baltimore 100, to Washington 38, to Richmond 123, to Raleigh 165, to Charleston 265, to Savannah 113, to Talahassee 331, to Mobile 320, and to New Orleans 160 ?
22. How far from Natches in Mississippi, to Boston in Massachusetts, it being to Tuscaloosa 350 miles, to Nashville 230, to Louisville 210, to Cincinnati 110, to Wheeling 230, to Pittsburg 115, to Buffalo 160, to Albany 360, and to Boston 150 ?

### III. MULTIPLICATION.

#### 24. MULTIPLICATION DEFINED AND ILLUSTRATED.

Multiplication is the producing of a number equal to as many times one given number as there are units in another given number. Thus:

In 1 bushel are 32 quarts. How many quarts in 8 bushels? Since there are 32 quarts in one bushel, in 8 bushels there are 8 times 32 quarts, the amount of which may be ascertained by addition. But when the amount of several times the *same* number is to be ascertained, it can be done by a *shorter process*. Instead of writing the 32 quarts 8 times, as

1st Operation.	2d Operation.
32	32
32	8
32	—
32	256 quarts,
32	
32	
32	
32	
32	
32	
—	
256 quarts,	

in the 1st operation, write it only once, as in the 2d operation, and under it write 8, to show how many times the 32 should be taken. Then 8 times 2 units, (which is the same in amount as the eight 2's of the units' column in the 1st operation,) are 16 units, equal (10) to 6 units, which write in the units' place, and 1 ten, which reserve to join with the other tens. 8 times 3 tens, (which is the same in amount as the eight 3's of the tens' column in the 1st operation,) are 24 tens, and the 1 ten, which was obtained from the units, are 25 tens, equal to 5 tens, which write in the tens' place, and 2 hundreds, which write in the hundreds' place; and the amount, 256 quarts, is obtained as before.

#### 25. DEFINITIONS OF TERMS, AND THE SIGN FOR MULTIPLICATION.

A *product* is a number produced by multiplication.

A *multiplicand* is a number to be multiplied.

A *multiplier* is a number showing how many times a multiplicand is taken to form a product.

Thus, the 32 in the above example, is the multiplicand, 8 the multiplier, and 256 is the product.

The multiplicand and multiplier are also called *producers*, or *factors* of their product.

Thus, 32 and 8 are *factors* of 256.

× The *oblique cross* is the sign for *multiplication*. It

implies that the number which precedes the sign, is to be multiplied by the number which follows it. Thus,  $32 \times 8 = 256$ , which is read, 32 multiplied by 8 equals 256, or 8 times 32 equals 256.

## 26. MULTIPLICATION TABLE.

In order to perform multiplication with facility, you will, before attempting further progress, correctly ascertain, and thoroughly commit to memory, the *product* of each combination of two factors in the following table.

2 times 2 equal	$7 \times 3$ , or $3 \times 7 =$	$8 \times 5$ , or $5 \times 8 =$
$3 \times 2$ , or $2 \times 3 =$	$8 \times 3$ , or $3 \times 8 =$	$9 \times 5$ , or $5 \times 9 =$
$4 \times 2$ , or $2 \times 4 =$	$9 \times 3$ , or $3 \times 9 =$	6 times 6 equal
$5 \times 2$ , or $2 \times 5 =$	4 times 4 equal	$7 \times 6$ , or $6 \times 7 =$
$6 \times 2$ , or $2 \times 6 =$	$5 \times 4$ , or $4 \times 5 =$	$8 \times 6$ , or $6 \times 8 =$
$7 \times 2$ , or $2 \times 7 =$	$6 \times 4$ , or $4 \times 6 =$	$9 \times 6$ , or $6 \times 9 =$
$8 \times 2$ , or $2 \times 8 =$	$7 \times 4$ , or $4 \times 7 =$	7 times 7 equal
$9 \times 2$ , or $2 \times 9 =$	$8 \times 4$ , or $4 \times 8 =$	$8 \times 7$ , or $7 \times 8 =$
3 times 3 equal	$9 \times 4$ , or $4 \times 9 =$	$9 \times 7$ , or $7 \times 9 =$
$4 \times 3$ , or $3 \times 4 =$	5 times 5 equal	8 times 8 equal
$5 \times 3$ , or $3 \times 5 =$	$6 \times 5$ , or $5 \times 6 =$	$9 \times 8$ , or $8 \times 9 =$
$6 \times 3$ , or $3 \times 6 =$	$7 \times 5$ , or $5 \times 7 =$	9 times 9 equal

## 27. MODEL OF A RECITATION.

1. In one hogshead are 63 gallons. How many gallons in 9 hogsheads?

Since there are 63 gallons in 1 hogshead, in 9 hogsheads there are 9 times 63 gallons, which is obtained

63 gallons,	by multiplying 63 by 9. Thus, 9 times 3
9	units are 27 units, equal to 7 units, which
567 gallons,	write, and 2 tens, which add with the tens; 9
	times 6 tens, and the 2 tens obtained from the
	units, are 56 tens, equal to 6 tens, which write,
	and 5 hundreds, which write also, giving 567 gallons for the
	answer.

## 28. EXERCISES IN MULTIPLYING WHEN THE MULTIPLIER CONSISTS OF BUT ONE FIGURE.

*In like manner, solve and explain the following problems.*

1. How many gallons in 3 hogsheads?
2. How many gallons in 7 hogsheads?
3. In 1 hour are 60 minutes. How many minutes in 5 hours?

4. How many minutes in 8 hours ?
5. If 100 cents equal 1 dollar, how many cents are equal to 6 dollars ?
6. How many cents in 4 dollars ?
7. How many cents in 9 dollars ?
8. In 1 mile are 320 rods. How many rods in 7 miles ?
9. How many rods in 5 miles ?
10. If 2240 pounds of cotton load 1 car, how many pounds will load a train of 8 cars ?
11. How many pounds will load 7 cars ?
12. If it require 40000 inhabitants to send 1 representative to Congress, how many inhabitants in a state which sends nine representatives ?
13. If 30000 persons in a year die of drunkenness, how many will die drunkards in the next 5 years, unless people become more temperate ?
14. If each of these drunkards makes seven persons unhappy, how many will thus be made unhappy in the next 5 years by their drunkenness ?
15. If sound move 1142 feet in a second, how far off is the thunder, when 6 seconds elapse between seeing the lightning and hearing the thunder ?
16. If the salary of the president be 25000 dollars a year, how much has been paid to each of the presidents ?
17. What is the product of 2796 multiplied by 4 ?
18. Multiply 675 by 5.
19. How many are  $1789 \times 7$  ?

## 29. COMPOSITE AND PRIME NUMBERS.

1. How many trees in an orchard, which has 15 rows of 18 trees each ?

Since there are 18 trees in 1 row, in 15 rows there will be 15 times 18 trees ; which is obtained by multiplying 18 by 15. This multiplier, consisting of two figures, presents a difficulty which, however, you can obviate by obtaining a part of the product at a time ; thus :—Since in 15 rows there are 3

<p>18 trees in 1 row.</p> $\begin{array}{r} 5 \\ \hline 90 \text{ trees in } 5 \text{ rows.} \\ 3 \\ \hline 270 \text{ trees in } 3 \text{ times } 5, \text{ or } 15 \text{ rows.} \end{array}$	<p>times 5 rows, multiply 18 by 5 for the trees in 5 rows, and this product by 3 for the trees in 3 times 5, or 15 rows, which will give the answer required.</p>
---	---

A number which is composed of two, or more factors, as  $15 = 5 \times 3$ , or  $42 = 7 \times 3 \times 2$ , &c., is called a *composite number*.

A *prime number* is a number which has no factors, except itself and unity; as 1, 3, 5, 7, 11, 13, 17, 19, 23, 29, &c.

Hence OBSERVE, that, when the multiplier is a composite number, the product may be obtained, as in the last example, by separating the multiplier into two, or more factors, and multiplying first by one factor, then that product by another factor, and so on, until all the factors have been used. The last product will be the product required.

### 30. MODEL OF A RECITATION.

If 1 gallon of molasses costs 42 cents, what will be the cost of 1 hogshead at the same rate?

Since 1 gallon costs 42 cents, 1 hogshead, which is 63 gallons, will cost 63 times 42 cents. This is obtained by separating the multiplier into its factors,  $9 \times 7 = 63$ , and

42 cents, the cost of 1 gallon.  

$$\begin{array}{r} 9 \\ \hline 378 \text{ cents, the cost of 9 gallons.} \\ 7 \\ \hline 2646 \text{ cents, the cost of 63 gallons.} \end{array}$$

multiplying first by 9, to obtain the cost of 9 gallons, and this product by 7, to obtain the cost of 7 times 9 gallons, or 63 gallons; which is 2646 cents, the answer required.

### 31. EXERCISES IN MULTIPLYING BY COMPOSITE NUMBERS.

*In like manner, solve and explain the following problems.*

1. How many gallons in 35 hogsheads?
2. How many gallons in 45 hogsheads?
3. How many rods in 21 miles, there being 320 in one mile?
4. How many minutes in 18 hours?
5. How many cents in 42 dollars?
6. How many rods in 63 miles?
7. What would 28 bales of cotton come to, at 75 dollars a bale?
8. What would 16 chests of tea cost, at 87 dollars a chest?
9. What would be the cost of a drove of 56 horses, at 84 dollars a piece?

### 32. MODEL OF A RECITATION.

How many are 24 times 27?

Since  $6 \times 4 = 24$ , first obtain 6 times the multiplicand,

$$\begin{array}{r} 27 \\ 6 \\ \hline 162 \end{array} = 6 \text{ times } 27.$$

$$\begin{array}{r} 4 \\ \hline 648 \end{array} = 4 \text{ times } 6 \text{ times, or } 24 \text{ times } 27.$$

which is 162, then 4 times this product, making 648, which is 4 times 6 times, or 24 times the multiplicand, as required.

### 33. EXERCISES IN MULTIPLYING WHEN BOTH FACTORS ARE ABSTRACT NUMBERS.

*In like manner, solve and explain the following problems.*

- |                                 |                             |
|---------------------------------|-----------------------------|
| 1. What is 81 times 47?         | 5. Multiply 4004 by 64.     |
| 2. What is 48 times 70?         | 6. Multiply 50000 by 35.    |
| 3. How much is $79 \times 54$ ? | 7. Multiply 908070 by 45.   |
| 4. Multiply 123 by 72.          | 8. Multiply 18273645 by 36. |

### 34. MODEL OF A RECITATION.

1. What would 10 cows cost, at 25 dollars each?

Since 1 cow costs 25 dollars, 10 cows cost 10 times 25 dollars; the amount of which is ascertained by annexing a cipher to the multiplicand, making 250 dollars; for now the figures of the multiplicand, occupying places one degree higher, express 10 times their former value, (4.)

2. If 128 dollars be paid to each of 1000 men, how many dollars would they all receive?

Since 1 man would receive 128 dollars, 1000 men would receive 1000 times 128 dollars; the amount of which is ascertained by annexing three ciphers to the multiplicand, making 128000 dollars; for thus, the figures of the multiplicand are made to occupy places three degrees higher, and, consequently, (4, 10,) express 1000 times their former value.

### 35. EXERCISES IN MULTIPLYING BY ONE UNIT OF ANY ORDER.

*In like manner, solve and explain the following problems.*

1. What will 10 yards of cloth cost, at 5 dollars a yard?
2. What must I pay for 100 sheep, at 7 dollars apiece?
3. What would be the cost of a rail-road 100 miles in length, at 5796 dollars a mile?
4. What would be the price of 10000 feet of boards at 2 cents a foot?



4. What is the stage fare for 1000 miles, at 5 cents a mile?  
 6. Multiply 161 by 10. | 10. Multiply 200 by 100.  
 7. What is 100 times 1728? | 11. Multiply 5000 by 100000.  
 8. How many are  $18 \times 1000$ ? | 12. How many are  $1020 \times 1000$ ?  
 9. What is the product of 125 and 1000? | 13. Multiply 1000 by 1000.

### 36. MODEL OF A RECITATION.

A farmer raised 84 bushels of potatoes on each of 40 acres; what was the whole number of bushels?

Since 84 bushels were raised on 1 acre, on 40 acres there were 40 times 84 bushels raised. The multiplier being a composite number, (29,) whose factors are 4 and 10, multiply

84 bushels on 1 acre.

40

3360 bushels on 40 acres.

or 40 acres, which gives 3360 bushels, as required.

first by 4, to ascertain the bushels on 4 acres, then multiply that product by 10, which is done by annexing a cipher, (4,) to ascertain the bushels raised on 10 times 4,

### 37. EXERCISES IN MULTIPLYING BY ANY NUMBER OF UNITS OF THE SAME ORDER.

*In like manner, solve and explain the following problems.*

1. What will 30 barrels of flour come to, at 7 dollars a barrel?

2. If it take 20 men 6 days to do a job, how long would it take 1 man to do it?

3. If 320 rods make a mile, how many rods in 500 miles?

4. How long would it take 1 man to do what 40 men could do in 2 days?

5. How much is 300 times 125? | 7. Multiply 1836 by 6000.

6. What is the product of 72 and 900? | 8. How much is  $700 \times 700$ ?  
 and 900? | 9. Multiply 2500 by 2500.

### 38. MODEL OF A RECITATION.

1. In 1 quart are 2 pints. How many pints in 67 quarts?

Since there are 2 pints in 1 quart, in 67 quarts there will be 67 times 2 pints; the amount of which may be ascertained by multiplying 2 pints by 67. But the multiplier, 67, being a prime number, (29,) presents a difficulty. This, however, you can obviate by *taking a different view of the question.* Thus, since there are 2 pints in 1 quart, *there will be 2 times*

67     *as many pints as quarts*, the amount of which  
 2     may be ascertained by multiplying 67 by  
 —     2, making 134 pints, which is the answer  
 134 pints.   required.

### 39. EXERCISES IN CHANGING THE ORDER OF THE FACTORS FOR MULTIPLICATION.

*In like manner, solve and explain the following problems.*

1. How many pints in 29 quarts?
2. What is the price of a bushel of nuts, at 6 cents a quart?
3. What must I give for 15 lemons, at 4 cents apiece?
4. If a man plant 6 grains of corn in a hill, how many grains will it take to plant a field having 75 rows of 100 hills each?
5. What would an ox, weighing 873 pounds, come to, at 10 cents a pound?
6. If 27 men receive 100 dollars apiece, how much do they all receive?
7. If 100 cents make a dollar, how many cents in 47 dollars?
8. If 1000 mills make a dollar, how many mills in 71 dollars?
9. How many cents in 53 dollars?
10. How many mills in 53 dollars?
11. If a man earn 10 dollars a week, how much would he earn in a year, which is 52 weeks?
12. If 2 men thresh 20 bushels of rye in a day, how much would they thresh in 23 days?
13. How many soldiers in a brigade, which consists of 32 companies of 60 soldiers each?
14. How many pounds of beef in 13 barrels of 200 pounds each?
15. How many squares on a chequer-board, there being 8 rows of squares, and 8 squares in each row?
16. If you draw straight lines across your slate, both ways, so as to make 8 rows of squares one way, and 12 rows the other way, how many squares would there be?
17. How many trees in an orchard which has 41 rows of 40 trees each?

### 40. PROOF OF MULTIPLICATION.

You may, perhaps, infer, (**26, 38,**) that *the product of two factors is the same, whichever be made the multiplier.*

This is true; and to make it still more evident, you will carefully attend, to the following demonstrations.

$$\begin{array}{r} 3 = 1 + 1 + 1 \\ \underline{7} \qquad \qquad \underline{7} \end{array}$$

$$7 \text{ times } 3 = 21 = 7 + 7 + 7 = 3 \text{ times } 7.$$

Explanation: 7 times 3 is the same as 7 times each unit in 3. The units in 3 are  $1 + 1 + 1$ , which multiplied by 7 give  $7 + 7 + 7 = 3$  times 7.

*Generally*—the product of two factors is *as many times* the multiplicand as there are units in the multiplier, (24,) and in multiplying we multiply *each unit in the multiplicand*. But multiplying *one unit*, gives the *multiplier*. Consequently, multiplying *each unit* in the multiplicand, will give *as many times the multiplier as there are units in the multiplicand*.

Hence, *to prove* the correctness of an operation in multiplication, *make the multiplicand the multiplier, and repeat the operation*. If the results agree, probably both are correct.

#### 41. EXERCISES IN PROVING MULTIPLICATION.

1. Prove that 5 times 3 is equal to 3 times 5.
2. Prove that 6 times 5 must be equal to 5 times 6.
3. Demonstrate the equality of  $6 \times 3$  and  $3 \times 6$ .
4. How many hills in a potato-field having 20 rows lengthwise, and 16 rows breadthwise?
5. How many hills in a cornfield having 50 hills one way, and 25 hills the other way?
6. Demonstrate that the *product of any two factors* will not be changed by changing the *order* of the factors.

#### 42. GENERAL EXPLANATION OF MULTIPLICATION.

1. Mr. Farmer gave 67 dollars an acre for a farm of 222 acres. What did his farm cost?

Since 1 acre cost 67 dollars, 222 acres must have cost 222 times 67 dollars. Neither of these numbers can be separated into convenient factors. But observe that the multiplier,  $222 = 200 + 20 + 2$ . Hence, you may multiply by these parts of the multiplier, separately, and then add the three products. This will give as many times the multiplicand as there are units in the multiplier, (24,) and consequently, the right answer to the question. Thus:

67 dolls. cost of 1 acre.  
 200

13400 dolls. cost of 200 acres.

134 dolls. cost of 2 acres.  
 1340 dolls. cost of 20 acres.  
 13400 dolls. cost of 200 acres.

14874 dolls. cost of 222 acres, the answer required.

67 dolls. cost of 1 acre.  
 20

1340 dolls. cost of 20 acres.

67 dolls. cost of 1 acre.  
 2

134 dolls. cost of 2 acres.

This operation may be very much abridged. Thus :

67  
 222  
 ———  
 134  
 134  
 134  
 ———  
 14874

Having written the *whole* multiplier under the multiplicand, multiply first by the 2 units, then by the 2 tens, or 20, and then by the 2 hundreds, or 200, arranging the products together, so that the units of the same orders may stand in the same columns. Multiply by the 2 units, as usual. The factors of 20 being 2 and 10, multiply by the 2, and make this product 10 times as large, (29,) by writing it one degree to the left, (4.) The factors of 200 being 2 and 100, multiply by 2, and make this product 100 times as large, by writing it two degrees to the left, (34.) The sum of these products will be the answer required.

2. Multiply 20003 by 1007.

20003  
 1007  
 ———  
 140021  
 20003  
 ———  
 20143021

First take the multiplicand 7 times, then 1 thousand times. To multiply by the 1000, write once the multiplicand, three degrees to the left, (34.) The three ciphers need not be annexed ; for, without them, each figure of this product will be in the column of units of its own order, and therefore will be added in the right place.

### 43. MODEL OF A RECITATION.

How much is 30508 times 403070 ?

403070  
 30508  
 ———  
 3224560  
 2015350  
 1209210  
 ———  
 12296859560

Here the multiplicand is to be taken 8 times, 500 times, and 30000 times. Multiply by the 8. The factors of 500 being 5 and 100, multiply by 5, and make this product 100 times as large, by writing it up two degrees. The factors of 30000 being 3 and 10000, multiply by 3, and make this product 10000 times as large, by writing it up four degrees. The

sum of these partial products, thus arranged, will be the product required.

#### 44. OBSERVATION.

OBSERVE, that in these operations (42, 43) the multiplier and is multiplied by each digit in the multiplier, that the first figure in each partial product is of the same denomination as the multiplying figure, and that the sum of the partial products is the product required.

#### 45. EXERCISES IN MULTIPLICATION.

*In like manner, solve and explain the following problems.*

1. A man travelled 26 days, at the rate of 47 miles a day. How far did he travel ?
2. If a chaise wheel turn round 346 times in 1 mile, how many times will it revolve in the 25 miles from Boston to Lowell ?
3. How much money would be required to pay 37 men 75 dollars apiece ?
4. What must I pay for 29 fat oxen, at 43 dollars apiece ?
5. What will 97 tons of iron come to, at 57 dollars a ton ?
6. If a vessel sail 158 miles a day, how far would it sail in the month of April ?
7. If 786 yards of cloth are made, daily, in a factory which runs 313 days a year, what is made annually in that factory ?
8. How much wheat can be raised on 95 acres, at 38 bushels an acre ?
9. Multiply 1728 by 144.
10. How much is 4004 times 999 ?
11. What is the product of 6075 and 67 ?
12. How much is  $160012 \times 333$  ?
13. Multiply 1836 by 1010.
14. Multiply 1111 by 2222.
15. Multiply 2222 by 1111.
16. Multiply 3000024 by 309.
17. Multiply 309 by 3000024.

#### 46. MODEL OF A RECITATION.

What is the product of 32000 and 2300 ?

$$\begin{array}{r}
 32000 \\
 2300 \\
 \hline
 96 \\
 64 \\
 \hline
 73600000
 \end{array}$$

The factors of 2300 being 23 and 100, multiply by 23, placing it under the digits of the multiplicand, and multiplying without regard to the ciphers on the right. This gives 736. But, since 23 times 32 units of *any order* will be 736 units of the *same order*, as surely as 23 times 32 things of *any kind* will give 736 things of the *same kind*; 23 times 32 *thousands* will be 736 *thousands*. Therefore annex three ciphers, (34,) that it may have the thousands' place; then annex two ciphers more, (30,) to multiply by the other factor in the multiplier; which gives the product required.

#### 47. OBSERVATION.

OBSERVE, *that, by this process, (46,) as many ciphers will be annexed to the product of the digits as there are on the right of both factors.*

#### 48. EXERCISES IN MULTIPLYING, WHEN THE FACTORS EXPRESS UNITS OF THE HIGHER ORDERS.

*In like manner, solve and explain the following problems.*

1. How far is it from Boston to Liverpool, if a vessel sail from Boston at the rate of 150 miles a day, and arrive at Liverpool in 20 days?

2. How far from the earth to the sun, if it take light 480 seconds to come from the sun, at 200000 miles a second?

3. What is the capital of Boston Bank, there being 12000 shares, at 50 dollars a share?

4. What is the capital of Massachusetts Bank, there being 3200 shares, at 250 dollars a share?

5. State Bank has 30000 shares, at 60 dollars each. What is its capital?

6. If Massachusetts' house of representatives has 500 members, and a session lasts 90 days; how much money would it take to pay 2 dollars a day to each member?

7. How many weekly newspapers will it require to furnish 30000 subscribers one year?

8. What would be the cost of a railroad, 40 miles in length, at 40000 dollars a mile?

9. Multiply 740 by 6050.

10. Multiply 6050 by 740.

11. How many are 3400 times 390 ?
12. How many are 390 times 3400 ?
13. What is the product of 140 multiplied by 140 ?
14. Multiply 1600 by itself.
15.  $55500 \times 4400$  is how much ?
16.  $1910 \times 170$  are how many ?
17. If the multiplicand be 160000, and the multiplier 2400, what will be the product ?
18.  $121212 \times 8080 = ?$

#### 49. GENERAL EXERCISES IN ADDITION AND MULTIPLICATION.

1. How many months was Andrew Jackson president ?
2. How many months was John Quincy Adams president ?
3. How many pounds of pork on 150 wagons, each loaded with 6 barrels, with 200 pounds in a barrel ?
4. If a house have 20 windows, of 24 panes each, how many panes in all the windows ?
5. What number is 9000 times 165 ?
6. What number contains 144 twelve times ?
7. What number contains one thousand and fifteen 607 times ?
8. What would be the sum of 457 set down ten thousand times, and added up ?
9. What is the cost of a road 40 miles long, of which one half cost 1750 dollars a mile, and the other half, 1800 dollars a mile ?
10. If a quantity of provisions would last 500 men 30 days, how long would it last 1 man ?
11. How many men would consume in 1 day what would last 500 men 30 days ?
12. If a bushel of wheat afford 70 ten-cent loaves, how many cent loaves may be obtained from it ?
13. How many yards of cloth, 1 quarter wide, are equal to 27 yards 5 quarters wide ?
14. How long would it take a man, working 1 hour a day, to do what he could in 26 days, working 12 hours a day ?
15. If a boy attend school constantly 3 terms of 12 weeks, and 1 term of 11 weeks ; how many hours is he in school, at 33 hours a week ?
16. How many strokes will the city clock strike in the month of June ?
17. If it take 594 bricks to pave 1 rod of side-walk, how many would it take to pave a walk a mile long ?

18. What are a man's annual expenses, who pays 3 dollars a week for board, 6 dollars a month for clothes, 10 dollars a quarter for travelling expenses, 1 dollar a week for benevolent purposes, and for other items 75 dollars?

19. What is a man's income, who receives a salary of 15 dollars a week, and 10 dollars a month interest money?

20. What is the value of a drove of cattle, consisting of 12 oxen at 55 dollars apiece, 15 cows at 30 dollars apiece, 18 heifers at 16 dollars apiece, and 14 yearlings at 10 dollars apiece?

21. What is the amount of the following bill?

Boston, April 25, 1846.

Mr. John Merchant,

	Bought of Charles Wholesale,	
27 yards of Black Broadcloth,	at \$6 a yard,	
25 " Blue	" " 7 "	
18 " Drab Cassimere,	" 3 "	
24 Vest Patterns,	" 2 a pattern,	

Received payment,

CHARLES WHOLESALER.

22. What is the foot of the following bill?

Boston, April 27, 1846.

Hanks, Harris & Co.

	Bought of Burt & Townsend,	
1200 pairs Boys' Shoes,	@ \$1 per pair,	. .
400 " Men's "	@ 2 "	. .
600 " Boots,	@ 3 "	. .

23. What is the foot of the following account?

Mr. Isaac Speculator,

1846.

	To Jonathan Farmer,	Dr.
Jan. 31.	To 17 Cords Wood,	@ \$7 per cord,
Aug. 1.	" 9 Tons Hay,	@ 15 " ton,
Oct. 12.	" 10 Loads Potatoes,	@ 8 " load,
" 15.	" 18 Barrels Apples,	@ 2 " barrel,

24. How many scholars can a school-room accommodate, in which are 4 divisions of seats, 11 rows of seats in each division, and 6 seats in a row?



25. How many are  $4 \times 11 \times 6$  ?
26. How many seats in a church, in which the body pews are in 4 rows of 18 pews each, the wall pews in 2 rows of 24 pews each, and the gallery pews in 12 rows of 4 pews each, there being 6 seats in each pew ?
27. How many shingles will cover the roof of a house, each of the two sides being 32 feet long and 16 feet wide ; if it take 3 shingles to extend a foot in each direction ?
28. What is the product of  $32 \times 3 \times 16 \times 3 \times 2$  ?
29. If the earth move in its orbit 68000 miles an hour, how far does it move in 24 hours ?
30. How far in its orbit does the earth move in the month of February ?
31. How far does the earth move in the 4 months which have 30 days each ?
32. How far does the earth move in the 7 months which have 31 days each ?
33. How many miles does the earth move in a year, as shown in the last three problems ?
34. If the moon is 240000 miles distant, and the sun is 400 times as far off, what is the distance of the sun ?
35. What number is that whose factors are 3, 5, 7 ?
36. What is the product of the first ten prime numbers ?
37. What sum of money must be divided among 27 men, so that each man may receive 115 dollars ?
38. Two men depart, in opposite directions, from the same place, one at the rate of 27, and the other 31 miles a day. How far are they apart in a week ?
39. Two men depart, in the same direction, from the same place ; but one travels 10 miles a day farther than the other. How far apart are they in a week ?
40. The product of *two equal factors* being called the *second power*, or square of that repeated factor, what is the second power of 12 ?  
 Ans.  $12 \times 12 = 144$ .
41. What is the second power of 15 ?
42. What is the second power of 30 ?
43. What is the square of 50 ?
44. What is the square of 100 ?
45. The product of *three equal factors* being called the *third power*, or cube of that repeated factor, what is the cube of 12 ?  
 Ans.  $12 \times 12 \times 12 = 1728$ .

46. What is the cube of 15?
47. What is the third power of 9?
48. What is third power of 25?
49. The product of *four equal factors* being called the *fourth power* of that repeated factor, what is the fourth power of 3? Answer,  $3 \times 3 \times 3 \times 3 = 81$ .
50. What is the fourth power of 5?
51. Any number being the first power of itself, what are the first ten powers of 2?
52. What are the first ten powers of 10?
53. Multiply 144 by the third power of 10.
54. Multiply 18 by the fifth power of 10.
55. Multiply 500 by the second power of 10.

---

## IV. SUBTRACTION.

### 50. THE PRINCIPLES OF SUBTRACTION ILLUSTRATED.

In Numeration (2) you were taught that the addition of one unit to any number, formed the next larger number.

Hence, it follows that taking one unit from any number, leaves the next smaller number.

In Addition you were taught that two or more numbers, consisting of any number of units, could be united into one larger number, equal to their sum.

Hence, it follows that *any number can be separated into two or more smaller numbers, the sum of which equals the original number.*

The father of John and Henry promised to give them 10 cents; but, as John was the older boy, he should have 7 cents, and Henry might have the remainder of them.

Henry, in trying to make his part as many as possible, studied out these curious questions.

1. *How many will remain*, when John has taken 7 from the 10 cents?

2. *How many more* are the whole 10, than John's 7 cents?

3. *How many less* than the whole 10, are John's 7 cents?

4. *How many must be added* to John's 7, to make the whole 10 cents?

5. *How many must I take from* the whole 10, to leave John's 7 cents?

6. *What is the difference between John's part, and the whole 10 cents?*

7. *What is the difference between the whole 10 cents, and John's part?*

8. *If 10 cents are separated into two parts, one of which is 7, what is the other part?*

But he found that, to answer all his questions, he had only to take 7 from 10, and that, in every case, only 3 cents remained for his part.

## 51. DEFINITIONS OF TERMS, AND THE SIGN FOR SUBTRACTION.

*Subtraction* is the taking from a number.

*Minuend* is a given number to be diminished by subtraction.

*Subtrahend* is a given number to be subtracted.

By subtraction the minuend is separated into two parts, one of which equals the subtrahend.

To ascertain the other part, is the purpose of the operation. This is done by taking the subtrahend from the minuend. The number which is left is the part required, and is called the *Remainder*. It is the *Difference* between the minuend and subtrahend.

Observe, in the questions above, (50,) that 10 is the given number to be separated into two parts, and, therefore, is the *Minuend*; that 7 is the given part of the minuend, and, therefore, is the *Subtrahend*; that 3 is the other part, or *Remainder* of the minuend, and, that the two parts of the minuend,  $7 + 3 = 10$ , the whole minuend.

Observe also, in these questions, the different uses of subtraction.

— One horizontal line is the sign for subtraction. It implies that the number which follows the sign, is to be taken from what precedes it, thus:  $10 - 7 = 3$ , which is read, 10 minus 7 equals 3. *Minus* is the Latin word for less, and, here, means the same as if you should say 10 less 7, or 7 less than 10 equals 3. 10 is the minuend, 7 the subtrahend; and 3 is the difference.

## 52. SUBTRACTION TABLE.

In order to perform subtraction with facility, you will, before attempting further progress, correctly ascertain, and

thoroughly commit to memory, the *difference* between the two numbers of each combination in the following table.

2—2==	3—3==	4—4==	5—5==
3—2==	4—3==	5—4==	6—5==
4—2==	5—3==	6—4==	7—5==
5—2==	6—3==	7—4==	8—5==
6—2==	7—3==	8—4==	9—5==
7—2==	8—3==	9—4==	10—5==
8—2==	9—3==	10—4==	11—5==
9—2==	10—3==	11—4==	12—5==
10—2==	11—3==	12—4==	13—5==
11—2==	12—3==	13—4==	14—5==
6—6==	7—7==	8—8==	9—9==
7—6==	8—7==	9—8==	10—9==
8—6==	9—7==	10—8==	11—9==
9—6==	10—7==	11—8==	12—9==
10—6==	11—7==	12—8==	13—9==
11—6==	12—7==	13—8==	14—9==
12—6==	13—7==	14—8==	15—9==
13—6==	14—7==	15—8==	16—9==
14—6==	15—7==	16—8==	17—9==
15—6==	16—7==	17—8==	18—9==

### 53. MODEL OF A RECITATION.

1. A man bought a farm for 2325 dollars, and sold it for 2548 dollars. How many dollars did he gain?

He gained the difference between what he gave, and what he received for his farm.

Here, 2548 is the minuend, (as the *larger* of the two given numbers, when there is any difference between them, *is always the minuend*,) and 2325 is the subtrahend. It will be most convenient to take the units of each order from units of

2548 Minuend.  
 2325 Subtrahend.  
 ———  
 223 Remainder.

the same order, beginning with the lowest. Therefore, write the subtrahend under the minuend, placing the units of each order under those of the same order. Take 5 units from 8 units, and 3 units remain,

which write in the units' place; 2 tens from 4 tens, 2 tens remain, which write in the tens' place; 3 hundreds from 5 hundreds, 2 hundreds remain, which write in the hundreds'

place; and 2 thousands from 2 thousands, nothing remains. Consequently, 223 dollars is the answer required.

#### 54. PROOF OF SUBTRACTION.

To *prove* the correctness of this, or any operation in subtraction, add together the remainder and subtrahend. If this sum agree with the minuend, probably the operation is correct; for the remainder and subtrahend, being the two parts into which the minuend is separated, the reünion of these parts *ought* to reproduce the minuend.

#### 55. EXERCISES IN SUBTRACTING WHEN NO FIGURE OF THE SUBTRAHEND EXCEEDS THE CORRESPONDING FIGURE OF THE MINUEND.

*In like manner, solve and explain the following problems.*

1. Charles having 25 cents, gave 12 of them for a book. How many cents had he left?
2. Charles paid 25 cents for a book and slate, 13 cents was the price of the slate, what was the price of the book?
3. John said he was 25 years younger than his father, who was 37 years old. How old was the boy?
4. A merchant 35 years old, had traded 14 years. How old was he when he commenced business?
5. In a school of 84 scholars, only 33 are girls. How many boys in that school?
6. A man sold a chaise and harness for 198 dollars; but the price of the chaise was 163 dollars. What was the price of the harness?
7. A house and the land on which it stood cost 2350 dollars; but the house cost all but 350 dollars. What was the cost of the house?
8. If I deposite in a bank 1675 dollars, and afterwards draw out 1000, how much have I then remaining in the bank?
9. Mr. Walker's farm is worth 3000 dollars, and Mr. Dole's farm is worth 2000 dollars; if they exchange farms, what should Mr. Dole pay Mr. Walker?
10. What is the difference between 5643 and 643?
11. How much more is 12345 than 2040?
12. How much less is 1620 than 1840?
13. Subtract 203040 from 516273.

**56. MODEL OF A RECITATION.**

1. A man paid \$5 dollars for a watch ; but was obliged to sell it for 67 dollars. What was his loss ?

He lost the difference between what he gave, and what he received for his watch.

Arrange the numbers and proceed as before directed.

85      7 units, however, cannot be taken from 5 units.

67      But, since (**10**) 1 unit of any order, equals 10 units of the next lower order, reduce (**208**) one of

—      the 8 tens to units, making 10 units, which, united with the 5 units, make 15 units, from which take

18      the 7 units, 8 units remain, which write in the units' place, and take the 6 tens, *not* from 8 tens, for one of them has been reduced to units and disposed of; but take 6 tens from 7 tens, 1 ten remains, which write in the tens' place. Hence, 18 dollars is the answer required.

2. What is the difference between 9342 and 5739 ?

Reduce one of the 4 tens to units, making ten units, which, united with the 2 units, make 12 units,

9342      from which take the 9 units, 3 units remain ;

5739      take the 3 tens of the subtrahend from the other 3 tens of the minuend, nothing remains ; there-

—      fore, write a cipher in the tens' place ; reduce one of the 9 thousands to hundreds, making 10

hundreds, which, united with the 3 hundreds, make 13 hundreds, from which take the 7 hundreds, 6 hundreds remain ; take the 5 thousands from the other 8 thousands, 3 thousands remain. Hence, the whole difference is 3603.

**57. EXERCISES IN SUBTRACTING, WHEN SOME FIGURES OF THE SUBTRAHEND EXCEED THE CORRESPONDING FIGURES OF THE MINUEND.**

*In like manner, solve and explain the following problems.*

1. A man gave 5 dollars for a hat, and 20 dollars for a coat. How much less did his hat cost than his coat ?

2. Dr. Franklin died A. D. 1790, and was 84 years old. In what year was he born ?

3. George Washington was born A. D. 1732, and died in 1799. How old was he when he died ?

4. The Puritans landed at Plymouth in 1620. How many years since ?

5. How long since Columbus discovered America in 1492?
6. How many years since the declaration of Independence by the United States in 1776?
7. The Rocky Mountains are 12500, and the Andes 21440 feet high; how much higher are the Andes than the Rocky Mountains?
8. The Mississippi river is 3600 miles long, and the Missouri river is 4500 miles long; how much longer is the latter than the former?
9. In Massachusetts are 7800 square miles, and in New Hampshire 9491; how much more land in New Hampshire than in Massachusetts?
10. How much larger is New York, which contains 46085 square miles, than Massachusetts, which has 7800 square miles?
11. Subtract 147 from 222.
12. From 671 take 584.
13. How much is  $746 - 475$ ?
14. What must be added to 999, to make 1492?
15. What must be subtracted from 1840, to leave 1776?

### 58. MODEL OF A RECITATION.

1. A man obtained at a bank, 300 dollars, but at the same time, he paid back 18 dollars for interest; how many dollars had he left?

He had left the difference between what he received and what he paid back, which is ascertained by subtracting 18 from 300.

Here there are no units from which to take the 8 units, neither is there any ten to reduce to units; therefore, reduce one of the 3 hundreds to tens, (**56**,) making 10 tens; leaving 9 of these tens, reduce the other to units, making 10 units, from which take the 8 units; 2 units remain. Take the 1 ten in the subtrahend, from those 9 tens that you left unused; 8 tens remain. There is nothing to take from the other 2 hundreds; therefore, write them in the hundreds' place. Hence, 282 dollars is the answer required.

2. Subtract 30206, from 5000000.

$$\begin{array}{r} 300 \\ - 18 \\ \hline 282 \end{array}$$

Reduce one of the 5 millions to hundred-thousands, making 10; one of which, (leaving 9,) reduce to ten-thousands, making 10; one of which, (leaving 9,) reduce to thousands, making 10; one of which, (leaving 9,) reduce to hundreds, making 10; one of which, (leaving 9,) reduce to tens, making 10; one of which, (leaving 9,) reduce to units, making 10 units, from which subtract the 6 units; 4 units remain. Subtract the other figures of the subtrahend from the 9s that were left; saying, cipher from 9 tens leaves 9 tens; 2 hundreds from 9 hundreds leaves 7 hundreds; cipher from 9 thousands leaves 9 thousands; 3 ten-thousands from 9 ten-thousands leaves 6 ten-thousands; blank from 9 hundred-thousands leaves 9 hundred-thousands; and blank from 4 millions leaves 4 millions. Hence, the whole remainder is 4969794.

### 59. OBSERVATION.

OBSERVE, in these operations, that the units of each order in the subtrahend, beginning with the lowest, are subtracted from the units of the same order, in the minuend, when possible; otherwise, one of the units expressed by the next higher digit in the minuend, is mentally reduced (leaving 9s in the intervening places) to the order of the deficient figure, and united with it, when the subtraction is made from what then remains in the several places of the minuend.

### 60. GENERAL EXERCISES IN SUBTRACTION.

*In like manner, solve and explain the following problems.*

1. The top of a flag-staff, 25 feet long, which was fastened to the top of a liberty-pole, was 104 feet high; how high was the liberty-pole?

2. If 17 feet should be broken from the top of a tree, 100 feet high, how high would be the stump?

3. The bell on a church is 75 feet from the ground, but the vane is 102 feet from the ground; how many feet from the bell to the vane?

4. If the Creation was 4004 years B. C., and the Deluge 2348 years B. C., how many years from the Creation to the Deluge?

5. How many years from the Creation, 4004 years B. C. was Saul made the first king over Israel, in 1095, B. C.?



6. In 1820, New Orleans had 27176 inhabitants; in 1825, 35000 inhabitants; what was the increase in five years?

7. In A. D. 1825, New Orleans had 35000 inhabitants; in 1830, 46310; what was the increase in five years?

8. In A. D. 1830, New Orleans had 46310 inhabitants; in 1835, 60000; what was the increase in these five years?

9. In A. D. 1835, New Orleans had 60000 inhabitants; and Charleston, S. C., had 34500; how many more inhabitants in New Orleans, than in Charleston, S. C., in 1835?

10. In A. D. 1820, Philadelphia had 119325 inhabitants; in 1825, 140000; what was the increase in these five years?

11. In A. D. 1825, Philadelphia had 140000 inhabitants; in 1830, 167811; what was the increase in these five years?

12. In A. D. 1830, Philadelphia had 167811 inhabitants; in 1835, 200000; what was the increase in these five years?

13. In A. D. 1820, Boston had 43298 inhabitants; in 1825, 58277; what was the increase in these five years?

14. In A. D. 1825, Boston had 58277 inhabitants; in 1830, 61381; what was the increase in these five years?

15. In A. D. 1830, Boston had 61381 inhabitants; in 1835, 78613; what was the increase in these five years?

16. In A. D. 1820, New York city had 123706 inhabitants; in 1830, 203007; what was the increase in these ten years?

17. In A. D. 1835, New York city had 269873 inhabitants; Boston had 78613; how many more inhabitants had New York than Boston?

18. How much farther through the middle of the sun than through the middle of the earth; the former being 883217 miles, and the latter being 7916 miles?

19. What is the difference between the diameters of the Earth and Jupiter; the former being 7916 miles, and the latter 89170 miles?

20. How much faster does the Earth move than Jupiter; the former moving 68000 miles an hour, the latter 30000 miles an hour?

21. How much is 1000 — 999?

22. How much more is 380064 than 87065?

23. How much smaller is 8756 than 37005078?

24. How much must you add to 7643, to make 16487?

25. How much must you subtract from 2483, to leave 527?

26. What is the difference between 487068 and 24703?

27. If you divide 3880 dollars between two men, giving one 1907 dollars; how much will you give the other?

28. Subtract 2222 from 3111.

29. Subtract 9 from 1000.

30. Seven millions, minus seventeen, is how much?

## V. DIVISION.

### 61. THE PRINCIPLES OF DIVISION ILLUSTRATED.

1. A butcher having 35 sheep, began Monday morning, and killed 5 every morning as long as they lasted; how many days did they last?

Since he killed 5 sheep each day, they would last as many days as there are times 5 sheep in 35 sheep.

After he had killed 5, Monday, 30 remained; Tuesday, 25 remained; Wednesday, 20 remained; Thursday, 15 remained; Friday, 10 remained; Saturday, 5 remained; and, Sunday, he killed the last 5; and none remained. Hence they lasted 7 days.

But when it is to be ascertained how many times a given number can be subtracted from another given number, that is, how many times a subtrahend is contained in a minuend, it can be done by a *shorter* process than subtracting *once* the subtrahend at a time.

Write 35, the minuend; draw a line on each side, to distinguish it from the other numbers to be written with it, and at the left

hand, write 5, the subtrahend. Now, *think* how many 5s there are in 35, and place the number at the right hand. To ascertain whether you thought the *right* number, subtract so many times 5 *all at once*. If there is *nothing* left, your number is *right*; for, if there are exactly 7 fives in 35, then the sum of 7 times 5, subtracted from 35, *should* leave nothing.

number is *right*; for, if there are exactly 7 fives in 35, then the sum of 7 times 5, subtracted from 35, *should* leave nothing.

2. A teacher having 48 scholars studying arithmetic, separated them into classes of 12 scholars each; how many classes did he make?

Since he put 12 scholars into each class, he would make as many classes as there are times 12 scholars in 48 scholars.

Write the 48; draw a line on each side; and write the 12 at the left hand.

12) 48 (4 classes. side; and write the 12 at the left hand.  
 48  
 —  
 00

Now, how many 12s do you *think* there are in 48? Four 12s. Very well! Place the 4 at the right hand, and ascertain whether 4 such classes take exactly

all of the 48 scholars.

3. A butcher killed 35 sheep in 7 days; how many would that be each day?

Killing *one* each day would require 7 sheep; therefore, he would kill as many each day, as he had times 7 sheep.

Write the 35, draw the lines, and write the 7 at the left hand, *think* how many 7s there are in 35, and place the number at the right hand. This number is the answer required, if 7 multiplied by it make exactly 35.

7) 35 (5 sheep a day.  
 35  
 —  
 00

4. A teacher having 48 scholars studying arithmetic, separated them into 4 equal classes; how many could he put into each class?

Putting *one* into each class would require 4 scholars; therefore, he could put as many into each class, as he had times 4 scholars.

Arrange the two given numbers, *think* how many 4s there are in 48, and place the number at the right hand for the answer required. Then ascertain whether 4

4) 48 (12 scholars a class.  
 48  
 —  
 00

multiplied by this number, take exactly all the scholars.

## 62. OBSERVATION.

OBSERVE, in the first and second examples, (61,) that the purpose is to divide a number into equal parts of a GIVEN SIZE, to ascertain the NUMBER of such parts; but in the third and fourth, that the purpose is to divide a number into a

GIVEN NUMBER of equal parts, to ascertain the SIZE of such parts.

Observe, also, that each of these purposes is effected by ascertaining HOW MANY TIMES ONE GIVEN NUMBER IS CONTAINED IN ANOTHER.

### 63. DEFINITION OF TERMS, AND THE SIGN FOR DIVISION.

*Division* is the separating of a number into equal parts of a given size, or into a given number of equal parts.

*Dividend* is a number to be divided into equal parts of a given size, or into a given number of equal parts.

*Divisor* is a number which expresses either the size, or number of the equal parts to be made of the dividend.

*Quotient* is the required number which must express either the number, or size of the equal parts made of the dividend.

÷ A horizontal line between two dots, is the sign for division. It implies, that what precedes the sign is to be divided by the number which follows it.

Thus;  $35 \div 5 = 7$ , which is read, 35 divided by 5 equals 7; or, 5 in 35, 7 times. Here 35 is the dividend, 5 the divisor, and 7 the quotient.

### 64. EXERCISES FOR ILLUSTRATING THE PRINCIPLES OF DIVISION.

Solve and explain the following problems on the left, like the first and second; and those on the right, like the third and fourth of the preceding examples, (61.)

1. If a man have 15 apples, to how many boys could he give 3 apples apiece?

3. How many oranges, at 6 cents apiece, can you buy for 24 cents?

5. How many apples, at 3 cents apiece, can you buy for 18 cents?

7. How many barrels of flour, at 8 dollars a barrel, could you buy for 40 dollars?

2. A man gave 15 apples equally to 5 boys; how many would that be for each boy?

4. If you should pay 24 cents for 4 oranges, how much would they cost apiece?

6. If 6 apples cost 18 cents, what is the cost of each apple?

8. If you should pay 40 dollars for 5 barrels of flour, what would be the price of each barrel?

9. If 6 shillings make a dollar, how many dollars in 42 shillings?

11. If beef cost 9 cents a pound, how much could be bought for 54 cents?

13. Mr. Jones bought sugar at 7 cents a pound, expending 49 cents; how many pounds did he get?

15. How many pews would accommodate 63 persons, if 7 persons could sit in one pew?

17. If 8 ninepences make one dollar, how many dollars in 72 ninepences?

19. How many classes, of 10 scholars each, in a school of 80 scholars?

21. How many sections could be made in a company of 64 soldiers, if 8 soldiers make a section?

23. How many 3s are there in 12?

25. How many 3s can be subtracted from 15?

27. How many times can 3 be subtracted from 18?

29. How many times is 3 contained in 21?

31. How many times 4 equal 20?

33. Into how many parts of 4 each, can 24 be separated?

35. Into *how many parts* of 10 each, can 30 be separated?

37. Into *how many parts* of 5 each can 35 be divided?

10. How many shillings in a dollar, if 42 shillings make 7 dollars?

12. What would be the cost of 1 pound of beef, if 6 pounds cost 54 cents?

14. If Mr. Jones should expend 49 cents for 7 pounds of sugar, how much would that be a pound?

16. If 63 persons would fill 9 pews, how many persons would be accommodated in one pew?

18. If 72 ninepences make 9 dollars, how many ninepences make one dollar?

20. If 80 scholars be put into 8 equal classes, how large would be the classes?

22. Make 8 equal sections of 64 soldiers, and tell me how many soldiers you put into a section?

24. Four times what number makes 12?

26. Five times what number will amount to 15?

28. What number taken 6 times will equal 18?

30. What number taken 7 times makes 21?

32. Five times what number equals 20?

34. If 24 be separated into 6 equal parts, how many in each part?

36. If 30 be separated into 3 equal parts, *how large is each part?*

38. If 35 be divided into 7 equal parts, *how large is each part?*

39. Into *how many parts* of 5 each can 45 be divided ?
40. If 45 be divided into 9 equal parts, *how large is each part* ?
41. What number must 6 be multiplied by to make 48 ?
42. What number multiplied by 8 will make 48 ?
43. What number must 7 be multiplied by to make 56 ?
44. What number multiplied by 8 will make 56 ?
45. Divide 63 into equal parts of 7 each. How many are the parts ?
46. Divide 63 into 9 equal parts. How large are the parts ?

### 65. DIVISION TABLE.

In order to perform Division with facility, you will, before attempting further progress, correctly ascertain, and thoroughly commit to memory the *quotient* of each combination of two numbers in the following table.

$2 \div 2 =$	$3 \div 3 =$	$4 \div 4 =$	$5 \div 5 =$
$4 \div 2 =$	$6 \div 3 =$	$8 \div 4 =$	$10 \div 5 =$
$6 \div 2 =$	$9 \div 3 =$	$12 \div 4 =$	$15 \div 5 =$
$8 \div 2 =$	$12 \div 3 =$	$16 \div 4 =$	$20 \div 5 =$
$10 \div 2 =$	$15 \div 3 =$	$20 \div 4 =$	$25 \div 5 =$
$12 \div 2 =$	$18 \div 3 =$	$24 \div 4 =$	$30 \div 5 =$
$14 \div 2 =$	$21 \div 3 =$	$28 \div 4 =$	$35 \div 5 =$
$16 \div 2 =$	$24 \div 3 =$	$32 \div 4 =$	$40 \div 5 =$
$18 \div 2 =$	$27 \div 3 =$	$36 \div 4 =$	$45 \div 5 =$

$6 \div 6 =$	$7 \div 7 =$	$8 \div 8 =$	$9 \div 9 =$
$12 \div 6 =$	$14 \div 7 =$	$16 \div 8 =$	$18 \div 9 =$
$18 \div 6 =$	$21 \div 7 =$	$24 \div 8 =$	$27 \div 9 =$
$24 \div 6 =$	$28 \div 7 =$	$32 \div 8 =$	$36 \div 9 =$
$30 \div 6 =$	$35 \div 7 =$	$40 \div 8 =$	$45 \div 9 =$
$36 \div 6 =$	$42 \div 7 =$	$48 \div 8 =$	$54 \div 9 =$
$42 \div 6 =$	$49 \div 7 =$	$56 \div 8 =$	$63 \div 9 =$
$48 \div 6 =$	$56 \div 7 =$	$64 \div 8 =$	$72 \div 9 =$
$54 \div 6 =$	$63 \div 7 =$	$72 \div 8 =$	$81 \div 9 =$

### 66. MODEL OF A RECITATION.

1. How many quarts are there in 600 pints ?

Since there are 2 pints in a quart, there will be as many quarts as there are times 2 pints in 600 pints.

2 is contained 3 times in 6 units of the *first* order, but, in 6 units of the *third* order, which are 100 times as large, (6,) it must be contained 100 times as often, which is 300 times. 300 quarts, at 2 pints each, take 600 pints, which subtracted from 600 pints, nothing remains. Hence, 300 quarts is the answer required.

### 67. EXERCISES IN DIVIDING UNITS OF ANY ONE ORDER.

*In like manner, solve and explain the following problems.*

1. If in a certain school-room 2 scholars sit at a desk, how many desks will accommodate 200 scholars?
2. If in a certain school there are 80 scholars, and 2 teachers, how many scholars are there for each teacher?
3. If a man pay 3 dollars apiece for hats, how many hats can he buy for 90 dollars?
4. If Mr. Farmer sell 2 cows for 40 dollars, how much is that apiece?
5. At 4 dollars a yard for cloth, how many yards can be bought for 80 dollars?
6. If 800 dollars a year be paid to 4 female teachers, how much is that apiece?
7. At the rate of 5 miles an hour, how long would it take to travel 500 miles?
8. If 6 shares in a bank cost 600 dollars, how much is that a share?
9. At an average of 7 persons to a family, how many families in a town of 7000 persons?
10. If 90000 dollars be the cost of 3 miles of rail-road, what is the cost per mile?

### 68. MODEL OF A RECITATION.

1. A hatter made in a year 560 hats, and packed them for market in boxes holding 8 hats apiece. How many boxes would he need?

Since each box would hold 8 hats, he would need as many boxes as there are times 8 hats in 560 hats. But, one unit

of any order making ten units of the next lower order, (**10**) the 5 hundreds are equal to 50 tens, which with the 6 tens, make 56 tens; 8 is contained 7 times in 56 units of the *first* order, but in 56 units of the *second* order, which are 10 times as large, (**4**,) it must be contained 10 times as often, which is 70 times; 70 boxes at 8 hats each, would take 560 hats, which subtracted from 560 hats, nothing remains. Hence, 70 boxes is the answer required.

$$\begin{array}{r} 8 \ ) \ 560 \ ( \ 70 \ \text{boxes.} \\ \underline{560} \\ \phantom{0} \end{array}$$

### 69. EXERCISES IN REDUCING UNITS OF A HIGH TO A LOWER ORDER FOR DIVISION.

*In like manner, solve and explain the following problems.*

1. How many pairs of boots could be bought for 150 dollars at 3 dollars a pair?
2. If 350 dollars be paid for 5 horses, how much is that apiece?
3. How many hours will it take to travel 350 miles at 7 miles per hour?
4. If a stage travel 120 miles in 12 hours, how far is that an hour?
5. How many times is 5 contained in 450?
6. Into how many parts of 9 each can 6300 be divided?
7. If 3200 be divided into 8 equal parts, how large are the parts?
8. Divide 2500 into 5 parts; how large is each part?
9. What number must 7 be multiplied by to produce 4900?
10. What number multiplied by 3 will produce 27000?
11. Divide 100 by 4.
12. Divide 1000 by 8.
13. If 1800 be the dividend and 9 the divisor, what will be the quotient?

### 70. EXPLANATION OF THE WRITTEN PROCESS OF DIVISION.

1. How many yards are there in 9636 feet?  
Since there are 3 feet in a yard, there will be as many yards as there are times 3 feet in 9636 feet.



3 is contained 3 times in 9 units of the *first* order, but in 9 units of the *fourth* order, it must be contained 1000 times as often, (**10**), that is, 3000 times; 3000 yards at 3 feet each, take 9000 feet, which subtracted from 9636 feet, leave 636 feet; 3 is contained in 6 *units* 2 times; therefore, in 6 *hundreds*, it is contained 200 times; 200 yards at 3 feet each take 600 feet, which subtracted from 636 feet leave 36 feet; 3 is contained in 3 *units* 1 time, therefore, in 3 *tens* it is contained 10 times; 10 yards at 3 feet each take 30 feet, which subtracted from 36 feet leave 6 feet, in which 3 is contained 2 times; 2 yards at 3 feet each take 6 feet, which subtracted from 6 feet, nothing remains. Hence, 3000 yards + 200 yards + 10 yards + 2 yards = 3212 yards, is the answer required.

This operation may be abridged by omitting some unnecessary figures. Instead of the ciphers belonging to the first number in the quotient, write the digits of the other numbers as they are obtained, which will finally leave each figure in its own place.

3 ) 9636 ( 3212 yards.  
 9 ---  
 6 --  
 6 --  
 ---  
 3 -  
 3 -  
 ---  
 6  
 6  
 ---

The product of the divisor and the first quotient figure is 9 thousand; omitting the ciphers, it will be sufficient to write the 9 in the thousands' place, and subtract it from the thousands; then bring down the 6 hundreds

only, for consideration; 200 times the divisor is 6 hundreds, which being subtracted from the hundreds, bring down the 3 tens; 10 times the divisor is 3 tens, which being subtracted from the tens, bring down the 6 units; 2 times the divisor is 6 units, which being subtracted from the units, nothing more

of the dividend remains. Hence, 3212 yards is the answer required, as before.

### 71. MODEL OF A RECITATION.

Divide 2848 by 4, or find how many times 4 is contained in 2848.

4 ) 2848	( 712	
28		
—		
4		
4		
—		
8		
8		
—		

4 is contained 7 times in 28 units, but in 28 hundreds it is contained 100 times as often, (68,) or 7 hundred times; 7 hundred times 4 are 28 hundred, which subtract from the hundreds, and bring down the 4 tens; 4 is contained 1 time in 4 units, but in 4 tens it is contained 10 times as often, or 1 ten times; 10 times 4 are 4 tens, which subtract from the tens and bring down the 8 units; 4 is contained 2 times in 8 units; 2 times 4 are 8, which subtracted, nothing remains; consequently, 712 is the result required.

### 72. EXERCISES IN EXPLAINING THE WRITTEN PROCESS OF DIVISION.

*In like manner, solve and explain the following problems.*

1. How many bushels in 88 pecks?
2. How many weeks in 77 days?
3. How many dollars in 126 shillings?
4. If 4 horses are required to draw 1 wagon, how many wagons might be drawn by 168 horses?
5. If a man can travel 5 miles an hour, how many hours would it take him to travel 205 miles?
6. A drover received 248 dollars for sheep that he sold for 4 dollars a head. How many were there?
7. If 5 bushels of corn pay for a pair of boots, how many pairs would 255 bushels pay for?
8. Suppose 6 men should contribute 186 dollars, how much would that be apiece?
9. Suppose 355 dollars' bounty were paid at 5 dollars apiece to a company of soldiers. How many soldiers in the company.
10. How many weeks can a man get board for 156 dollars, at 3 dollars a week?
11. How many times is 7 contained in 637?

12. Suppose 3699 to be a dividend, and 9 a divisor, what is the quotient?
13. Divide 1836 by 3.
14. What must I multiply by 8 to make 7288?
15. Into how many parts of 5 each can 555 be divided?
16. If 567 be divided into 7 equal parts, what must be the size of each part?

**73. MODEL OF A RECITATION.**

Mr. Farmer planted 4785 grains of corn in a field, planting 5 grains in each hill. How many hills did he make?

Since he put 5 grains in each hill, he made as many hills as there are times 5 grains in 4785 grains.

Beginning at the left hand of the dividend, take into consideration the fewest figures that can contain the divisor; as 5 is not contained in 4, take 47 hundreds, in 45 of which 5 is contained 9 hundreds times, (10,) 900 hills require 45 hundred grains, which subtracted from 47 hundred leave 2 hundred, with which join the 8 tens, making 28 tens, (10,) in 25 of which 5 is contained 5 tens times;	5) 4785 ( 957 hills. 45 <hr style="width: 50px; margin-left: 0;"/> 28 25 <hr style="width: 50px; margin-left: 0;"/> 35 35 <hr style="width: 50px; margin-left: 0;"/>
---	--

50 hills require 25 tens grains, which subtracted from 28 tens leave 3 tens, with which join the 5 units, making 35 units, in which 5 is contained 7 times; 7 hills require 35 grains, which subtracted from 35 grains, nothing remains. Hence, 957 hills is the answer required.

**74. OBSERVATION.**

OBSERVE, (73,) that the division is commenced, by dividing the fewest figures on the left of the dividend that will contain the divisor, that the quotient figure will be of the same denomination as that part of the dividend from which it is obtained, that each succeeding figure of the dividend will require an additional figure in the quotient, a cipher if nothing larger, that the products of the divisor, by each quotient figure, are to be subtracted from those parts of the dividend from which the respective quotient figures are obtained, that the remainder in each case is reduced (208) and united to the units of the next lower order, for division,

*and that the sum of these partial products, or the product of the divisor by the whole quotient, is equal to the dividend.*

### 75. PROOF OF DIVISION.

To *prove* the correctness of an operation in Division, multiply the divisor and quotient together; if their product equals the dividend, probably the operation is correct; for, the correct quotient, expressing how many times the divisor there are in the dividend, (**61**), is *one*, and the divisor the *other* of two factors, whose product *should* be the dividend.

### 76. EXERCISES REQUIRING SOME UNITS OF EACH ORDER TO BE REDUCED TO A LOWER ORDER FOR DIVISION.

*In like manner, solve and explain the following problems.*

1. If 9 hills of potatoes yield a bushel, how many bushels of potatoes in a field of 1296 hills?

2. If an army of 2048 men were marching in sections, having 8 men in each section, how many sections would be there?

3. If in an army every ninth man is an officer, how many officers in an army of 4608 men?

4. If a general should divide his army of 12096 men into 7 equal divisions, how many men would be in each division?

5. How many weeks in 364 days?

6. How many Sabbath days in 12852 days?

7. If an acre of land pasture 5 sheep, how many acres could pasture 315 sheep?

8. How many times is 6 contained in 738?

9. How many times is 4 contained in 20012?

10. Divide 3606 by 3.

11. Divide 25634 by 2.

12. If 28028 be a dividend, and 7 a divisor, what is the quotient?

13. If 18675 be a product, and 5 one factor, what is the other factor?

14. What must 11889 be divided by, to give 9 for a quotient?

15. What must 8 be multiplied by, to produce 2496?

### 77. MODEL OF A RECITATION.

1. If in the month of July a rail-road company received

6284 dollars from passengers, at 2 dollars apiece, how many passengers rode in the cars in that month?

Since each passenger paid 2 dollars, there were as many passengers as there are times 2 dollars in 6284 dollars.

To obtain the answer by a still shorter process, write the dividend and divisor as heretofore, but perform the operation in your mind, writing only the quotient, and write that under the dividend, with each figure under that of its own order.

2) 6284

3142 passengers.

Thus, 2 in 6 thousands 3 thousand times, therefore, write 3 in the thousands' place; 2 in 2 hundreds 1 hundred times, therefore, write 1 in the hundreds' place; 2 in 8 tens 4 tens times, therefore, write 4 in the tens' place; 2 in 4 units 2 times, therefore, write 2 in the units' place: making 3142 times 2 dollars. Hence, 3142 passengers is the answer required.

2. If a stage run 6 miles an hour, how many hours would it take the stage to run 1848 miles?

Since in one hour it runs 6 miles, it will take as many hours as there are times 6 miles in 1848 miles.

6) 1848

308 hours.

6 in 18 hundreds 3 hundreds times; write 3 in the hundreds' place. If 6 were contained in the 4, which is tens, the quotient figure would be tens, but as 6 is not contained in 4, there are no tens in the quotient, therefore, write a cipher in the tens' place, and reduce the 4 tens to units, making 40 units, which, joined with the 8 units, make 48 units, in which 6 is contained 8 times, therefore, write 8 in the units' place: making 308 times 6. Hence, 308 hours is the answer required.

## 78. EXERCISES IN ABRIDGING THE PROCESS OF DIVISION.

*In like manner, solve and explain the following problems.*

1. If 306 dollars be divided among 3 men, what is each man's share?

2. If 4 shares of a bank cost 416 dollars, what would one share cost?

3. If six brothers receive a legacy of 1512 dollars, what would be the share of each?

4. Paid 150 dollars for 6 tons of hay. How much was that for a ton?

5. If there are 1280 inhabitants in a town, and the families average 8 persons apiece, how many families in that town?
6. How many yards of cloth can be bought for 1155 dollars, at 7 dollars a yard?
7. Find a number, which, multiplied by 9, will produce 63234.
8. What number, multiplied by 8, will produce 2464?
9. What number, divided by 9, will give 72 for a quotient?
10. If 7 be a divisor, and 42014 a dividend, what is the quotient?
11. How many times is 5 contained in 1204500890?
12. How many times does 540010 contain 5?
13. How many times 8 are there in 25648?
14. Divide 4004 by 4.
15. Divide 16800 by 8.
16. Divide 36900 by 3.
17. Divide 1800108 by 9.
18. Divide 105105 by 7.
19. If 1836 be a dividend, and 9 the divisor, what is the quotient?
20. If 1728 be divided by 9, what would be the quotient?
21. If 72 be a dividend, and 9 the quotient, what is the divisor?
22. If 63 be a dividend, and 7 the quotient, what is the divisor?

### 79. MODEL OF A RECITATION.

1. How many days in 1728 hours?

Since in one day there are 24 hours, there must be as many days as there are times 24 hours in 1728 hours.

24) 1728 (72 days. 168 — 48 48 — 0	24 is contained in 172 tens 7 tens times; 70 times 24 make 168 tens, which, subtracted from 172 tens, leave 4 tens, to which bring down the 8 units, making 48 units, in which 24 is contained 2 times; 2 times 24 make 48, which subtracted from 48, nothing remains. Hence, as there
--	--

are 72 times 24 hours, 72 days is the answer required.

2. How many times is 64237 contained in 436940074?

The many figures in this divisor, present a difficulty in ascertaining any quotient figure. The best way is to seek

how many times the highest figure only, of the divisor, is contained in the highest one, or two, figures of the dividend ; this quotient figure will either be right, or one or two too large ; for the greater certainty, however, before multiplying the whole divisor by it, multiply mentally only one or two of the highest figures of the divisor, and compare the product with the highest figures of the dividend from which this part of the product is to be subtracted ; if the appearance is satisfactory, proceed with this quotient figure, otherwise take a smaller figure, and proceed.

If at any time a product prove too large to be subtracted, the last quotient figure is too large ; or, if a remainder be larger than the divisor, the last quotient figure is too small. In either case, erase it, and try another figure.

64237 ) 436940074 (6802 times.

385422

515180

513896

128474

128474

6 is contained 7 times in 43, but 7 times 64 is greater than 436 ; therefore, 7 is too large for the first quotient figure ; write 6 in the quotient, and subtract 6 thousand times the divisor, that is, 6 times the divisor from the thousands, and to the remainder bring down the next

figure of the dividend ; 6 is contained 8 times in 51, and 8 times 64 being less than 515, subtract 8 hundred times the divisor ; that is, 8 times the divisor from these hundreds, and to the remainder bring down the next figure ; this number being smaller than the divisor, there can be no tens in the quotient ; therefore, write a cipher in the tens' place, (77,) and bring down the next figure ; 6 is contained in 12 twice ; subtract 2 times the divisor, and nothing remains. Hence, 6802 times, is the answer required.

## 80. GENERAL EXERCISES IN DIVISION.

*In like manner, solve and explain the following problems.*

1. How many days in 360 hours ?
2. If a man travel 45 miles a day, in how many days will he travel 1125 miles ?
3. A butcher gave 875 dollars for 35 cows. What was the cost of each cow ?

4. If a field of 34 acres produce 1020 bushels of corn, how much would that be per acre ?

5. Suppose an acre of land to produce 38 bushels of corn, how many acres must be cultivated to produce 4902 bushels ?

6. How many horses, at 75 dollars apiece, can be bought for 1125 dollars ?

7. A school-district paid a teacher 144 dollars for teaching, at 36 dollars a month. How long was the school kept ?

8. If a man's income be 1095 dollars for 365 days, how much is that per day ?

9. How many hogsheads, of 63 gallons each, can be filled from 8379 gallons ?

10. How many years in 8395 days, if 365 days be called a year ?

11. If 1512 dollars be divided among some brothers, so that each may receive 252 dollars, how many are the brothers ?

12. How many bank shares can be purchased with 2912 dollars, at 112 dollars each ?

13. How many acres of land will yield 6996 bushels of potatoes, if 212 bushels grow on one acre ?

14. How many barrels must a man have to fill from 125440 pounds of flour, if each barrel hold 196 pounds ?

15. A man put 17484 pounds of tea into 186 chests. How much in each chest ?

16. How many times can 48 be subtracted from 5040 ?

17. How many times is 75 contained in 23025 ?

18. How many times 25 is equal to 23025 ?

19. How many times does 105735 contain 105 ?

20. How many times does 105735 contain 1007 ?

21. Divide 144144 into 144 equal parts ; what is each part ?

22. Divide 172800 nuts among some boys, giving them 1440 nuts apiece. How many boys can you supply with them ?

23. What number, multiplied by 754, will produce 18850 ?

24. The product of two factors is 612060. If one factor is 303, what is the other factor ?

25. Divide a city of 78612 inhabitants into 12 equal wards. How many inhabitants in each ward ?

26. How many equal parts can be made of 1048576, if 1024 be one of the parts ?

27. How many times 4096 is equal to 262144 ?



28. If 2048 be one of a certain number of equal parts of 31072, how many are the parts ?

### 31. GENERAL EXERCISES IN THE FUNDAMENTAL PRINCIPLES OF ARITHMETIC.

1. There are two numbers, of which the greater is 27 times the less, and the less is contained 9 times in 27. What are the numbers ?

2. A was born when B was 26 years old. How old will A be when B is 45 ?

3. If the sum of 3 numbers be 500, the difference between the least and the greatest be 174, and the difference between the middle number and the sum of the 3 numbers be 350, what are the numbers ?

4. A man bought 5 pieces of cloth at 44 dollars each, 974 pairs of shoes at 2 dollars a pair, 600 pieces of calico at 6 dollars each, and sold the whole for 6000 dollars. How much did he gain, or lose ?

5. A man exchanged 6 cows at 15 dollars each, a yoke of oxen at 67 dollars, for a horse at 50 dollars, and a chaise. What did the chaise cost ?

6. A boy bought some apples, and, after giving away 10, and buying 34 more, he divided half of what he then had among 4 companions, giving them 8 apiece. How many apples did he buy at first ?

7. What is that number, to which, if 4 be added, from which 7 be subtracted, the remainder multiplied by 8, and the product divided by 3, the quotient will be 64 ?

8. A man bought a farm at 25 dollars an acre, and sold half of it, at the same rate, for 1850 dollars. How many acres did he buy ?

9. Five men and three boys were paid a sum of money, so large that each man had 43 dollars, and each boy 25 dollars. What was the whole sum ?

10. If a trader gain 160 dollars on 544 barrels of flour, that cost him 6 dollars a barrel, besides 25 dollars that he paid for storage ; what would he receive for the flour ?

11. Suppose 5 bushels of wheat make a barrel of flour, how many barrels can be made from the wheat raised on 75 acres, at 29 bushels per acre ?

12. How many times 5 in 75 times 29 ?

13. A farmer exchanges 44 acres of land, worth 36 dollars

an acre, for 66 acres of land in another place. What does his land cost him per acre?

14. A man who owned 520 acres, bought 375 acres more, and, reserving 95 acres for himself, divided the remainder into 8 equal farms, and sold them for 2500 dollars apiece. How much did he get per acre for his land?

15. If a man's income be 1349 dollars a year, and his expenses 20 dollars a week, how much would he save in a year?

16. A merchant's business brought him, in a year, 2500 dollars; but his expenses were 1772 dollars. How much did he save per week?

17. If I buy 245 hogsheads of molasses, at 18 dollars each, how much do I gain, or lose, in selling it for 4000 dollars?

18. If a man's expenses be 2 dollars a day, and his income 17 dollars a week, how many weeks will it take him to save 156 dollars?

19. If a lot of land be divided into 8 farms, each of 150 acres, and the farms be sold for 3000 dollars apiece, what would one acre cost?

20. A gentleman bought 2 pieces of land, one contained 96 acres, the other 103 acres. If he should sell 47 acres, at 25 dollars an acre, how much would the rest of the land be worth at the same rate?

21. A merchant bought a cask of molasses containing 119 gallons, and sold to one man 10 gallons, to another 9 gallons, to another 25 gallons. How much is the remainder worth, at 40 cents a gallon?

22. What is the difference between 17 times 105 and 3417 divided by 17?

23. What is the difference between 20 times 210 and 7 times 2500 divided by 175?

24. If I purchase 1200 pounds of butter for 15600 cents, how must I sell it per pound to gain 2400 cents?

25. If I buy 375 pounds of pork at 7 cents a pound, and sell it for 3000 cents, how much do I gain on a pound?

26. How many quintals of fish, at 2 dollars each, will pay for 500 hogsheads of salt, at 5 dollars a hogshead?

27. How much flour, at 7 dollars a barrel, will pay for 224 cords of wood, at 8 dollars a cord?

28. How many days must 3 brothers work to receive 2475

cents, if one earn 42 cents a day, the second 32 cents, and the youngest 25 cents ?

29. If a man earn 6 dollars a week, and his two boys earn 3 dollars apiece a week, how many weeks will it take them all to earn 624 dollars ?

30. If a hogshead hold 252 quarts, and two boys work together to fill it with water, one having a pail which holds 12 quarts, the other having a pail which holds 9 quarts, how many times must they empty their pails to fill the hogshead ?

31. If a full hogshead should begin to leak in 3 places, at once, from one hole 4 quarts a day, from another 2 quarts a day, and from the other 1 quart a day, how many days before the hogshead would be emptied ?

32. A man bought some sheep and calves, and of each an equal number, for 165 dollars, giving for the sheep 7 dollars apiece, and for the calves 4 dollars apiece. How many were there of each sort ?

33. How many coats, pantaloons and vests, of each an equal number, can be made from 405 yards, if it take 5 yards for a coat, 3 yards for a pair of pantaloons, and 1 yard for a vest ?

34. If 9000 men march in a column of 750 deep, how many march abreast ?

35. A man left his estate, valued at 8956 dollars, to his wife and daughters, giving his wife 4688 dollars, and his daughters 1067 dollars apiece. How many daughters had he ?

36. The factors of a certain number are the difference between 1632 and 1700, and between 94 and 5 dozen. What is that number ?

37. Paid 57600 cents for eggs, at 12 cents a dozen. How many eggs did I buy ?

38. A boy bought a sled for 96 cents, exchanged it for 8 quarts of nuts, sold half of his nuts at 12 cents a quart, and gave the rest of his nuts for a penknife, which he sold for 34 cents. How much did he gain, or lose ?

39. Three men owned farms situated together; the first had 64 acres, the second had 20 acres more than the first, and the third had as many acres as both the first and second; the three farms were worth 7400 dollars. What is that per acre ?

40. If a man owe 728 dollars to Mr. Saveall, and works for him to pay the debt; how many years, of 52 weeks each, will it take him, if he pay only one dollar a week ?

41. If a man earn 40 dollars a month, and spend 13 dollars of it each month, how long will it take him to pay for a house worth 1620 dollars?

42. A farmer sold some pork at 17 dollars a barrel to the amount of 510 dollars, and some at 19 dollars a barrel to the amount of 380 dollars, how many barrels did he sell?

43. A drover exchanged 42 horses worth 72 dollars apiece, for cows worth 36 dollars apiece, and for his cows he received 36 yoke of oxen, which he sold so as to gain 144 dollars, how much did he get for each yoke of oxen?

44. How much is  $72 \times 24 \div 36 + 84 \times 7 \div 12 - 11$ ?

45. Let 27 be a divisor, and 567 a dividend, what will be the quotient?

46. Suppose 25 is a quotient, and 25 a divisor of the same dividend, what is that dividend?

47. Of what dividend is 15 both divisor and quotient?

## VI. FRACTIONS.

### 82. ORIGIN OF FRACTIONS, AND MANNER OF WRITING THEM.

1. At 5 cents a quart for nuts, how many quarts can you buy for 38 cents?

Since 1 quart costs 5 cents, you can buy as many quarts as there are times 5 cents in 38 cents.

5 is contained 7 times in 35, which being subtracted from 38, there remain 3 units, which are not sufficient to contain the *whole* of 5, but if 5 be divided into 5 equal parts, each part is exactly a unit; therefore, your remainder being 3 units, will contain exactly 3 of the parts of 5, which being subtracted, nothing remains. In the quotient

5)38 (7 $\frac{3}{5}$  quarts.

35

—

3

3

—

write 7 to express the *number of whole 5s*; after it near the top write a small 3 to express the *number of parts*, and under the 3, separated by a line, write a small 5, to express the *size of these parts*, which it will do by showing *how many such parts make a unit*, or a *whole*, of which these are parts.

Hence, as 38 contains 7 times 5 and 3 such *parts* of a 5 that 5 of these parts would make a whole 5, you can buy 7 *whole*

quarts and 3 such *parts* of a quart that 5 of them would make a whole quart.

*Another Explanation.*

35 cents will buy 7 quarts, and you have 3 cents remaining, which are not sufficient to buy a *whole* quart; but if a whole quart be divided into 5 equal parts, each part will be worth exactly one cent; and as you have 3 cents remaining, you can buy 3 of *these parts*.

5) 38

—

7 $\frac{3}{5}$  quarts.

Hence, with your 38 cents, you can buy 7 *whole* quarts and 3 such *parts* of a quart that 5 of them would make a whole quart.

After the 7 (whole quarts) near the top, write a small 3 to express the *number of parts*, and under the 3 separated by a line, write a small 5 to express *the size of these parts*, which it will do by showing *how many such parts make a unit*, or whole quart.

2. If 25 apples be given to 7 boys, what would be the share of each boy?

Since giving *one* apple to each boy takes 7 apples, the share of each boy would be as many apples as there are times 7 apples in 25 apples.

7 is contained 3 times in 21, which being subtracted from 25, there remain 4 units, which are

7) 25 (3 $\frac{4}{7}$  apples.

21

—

4

4

—

not sufficient to contain the *whole* of 7; but if 7 be divided into 7 equal parts, each part will be exactly a unit; therefore the remainder, being 4 units, will contain exactly 4 of these parts of 7, which being subtracted, nothing remains. In the

quotient write 3 to express the number of *whole* 7s; after it near the top write a small 4 to express the *number of parts*, and under the 4, separated by a line, write a small 7 to express *the size of these parts*, which it will do by showing *how many such parts make a unit*, or a whole 7.

Hence, as 25 contains 3 times 7 and 4 such *parts* of a 7 that 7 of them would make a whole 7, the share of each boy would be 3 *whole* apples and 4 such *parts* of an apple that 7 of them would make a whole apple.

*Another explanation.*

21 apples will afford 3 to each boy ; but the 4 remaining apples will not afford the boys a *whole* apple apiece. If, however, each of these 4 apples be cut into 7 equal parts, they would make 28 parts, or exactly 4 *parts* for each boy.

7 ) 25

—

3 $\frac{4}{7}$  apples.

Hence, the share of each boy would be 3 *whole* apples, and 4 such *parts* of an apple that 7 of them would make a whole apple.

This answer may be expressed as before directed.

**83. DEFINITION OF TERMS.**

A *fraction* is the expression of one, or more of *the equal parts of a unit*.

A fraction is *composed* of two numbers, called the *terms* of the fraction.

The terms of a fraction are *written* one below the other, separated by a line.

The upper term—called the *numerator*—shows *how many parts* the fraction expresses.

The lower term—called the *denominator*—shows the *size of the parts* expressed by the fraction, by showing *how many such parts make the unit* of which the fraction expresses one or more parts.

**84. MANNER OF READING FRACTIONS AND MIXED NUMBERS.**

Parts take different *names*, according to their *size*, or the number of them that it takes to make a unit. Thus, the fractions  $\frac{2}{3}$ ,  $\frac{2}{5}$ ,  $\frac{2}{10}$ ,  $\frac{2}{100}$ , &c., are read, two *thirds*, 2 *fifths*, two *tenths*, 2 *hundredths*, &c.

A fraction may be *considered and read* in four different ways ; for instance,  $\frac{3}{4}$  may be considered  $\frac{3}{4}$  of 1, or  $\frac{1}{4}$  of 3, or 3 divided by 4, or 3 such parts that 4 like them would make a unit.

A number which is composed of both an integral and fractional number, is called a *mixed number*. The answers to the above problems (82)  $7\frac{2}{5}$ ,  $3\frac{4}{7}$ , are mixed numbers, which are read thus, seven and three fifths, three and four sevenths.

*Integer* is a term applied to a number which expresses only *whole* units.

**35. EXERCISES IN ORIGINATING AND WRITING FRACTIONS.**

*Solve and explain the following problems on the left, like the first, and those on the right, like the second of the above examples (82.)*

1. If 1 lead pencil cost 3 cents, how many can you buy for 8 cents?

3. If 4 cents buy an orange, how many can be bought for 25 cents?

5. If the stage fare be 6 cents a mile, how far can you ride for 41 cents?

7. How many slates at 8 cents apiece, can be bought for 93 cents?

9. How many writing books at 10 cents apiece can be bought for 125 cents?

11. How many shad at 15 cents apiece, can be bought for 218 cents?

13. At 22 cents for an inkstand, how many may be bought for 93 cents?

15. At 29 dollars a head, how many cows may be bought for 350 dollars?

17. How many acres of land at 37 dollars an acre, will 5555 dollars buy?

19. If 320 rods make a mile, how many miles in 46100 rods?

21. If a ship sail 125 miles per day, how long would it take her to sail round the world, it being 24911 miles?

2. If you divide 11 lead pencils among 3 boys, how many will each boy have?

4. How many cents does 1 lemon cost, when you give 22 cents for 5 lemons?

6. How much does a man earn a week, who receives 65 dollars for 7 weeks?

8. If 9 men do a job together, and receive 220 dollars, what is the share of each?

10. What does a single knife cost, at 295 cents a dozen?

12. What is the price of a barrel of flour, when 18 barrels cost 150 dollars?

14. If 25 apple trees yield 183 bushels of apples, how much does each tree yield?

16. If in 32 equal loads of potatoes 729 bushels were carried to market, how many bushels in each load?

18. If 1760 yards make 320 rods, how many yards make 1 rod?

20. If 1749 feet make 106 rods, how many feet in one rod?

22. If a ship sail 132 miles a day, in how many days will she sail from Boston to Liverpool, it being 3000 miles?

23. If 63 gallons of water in one hour run into a cistern containing 432 gallons, in what time will it be filled?

25. How many boxes would be required to contain 32844 oranges, if each box contain exactly 100 oranges?

27. How many days, at 175 cents a day, must a man work to earn 4500 cents?

29. At 365 days a year, how many years old is a boy who has lived 3999 days?

31. How many times 199 in 2569?

33. Divide 2864 by 14.

24. What would be the cost of 1 hogshead of molasses, if 75 hogsheads cost 2200 dollars?

26. How many bushels of wheat does a farmer raise on an acre, who raises 2400 bushels on 99 acres?

28. If a man receive 730 dollars a year, how much is that a week?

30. How many miles per hour does an engine move, which goes 2600 miles in a week?

32. Divide 4657 into 25 equal parts.

34. Divide 100000000 by 12478.

## 86. OBSERVATION.

OBSERVE, (82,) that when a number is to be divided which is smaller than the divisor, the quotient will be a fraction, of which the dividend will be the numerator and the divisor will be the denominator.

Hence, division may be expressed in a fractional form, whether the dividend be larger or smaller than the divisor, and the value of the expression will be the true quotient.

## 87. MODEL OF A RECITATION.

1. If a pie be cut into 8 equal parts, what fractions would express one, three, five, and eight of the parts?

When 8 equal parts make a unit, any number of these parts are so many *eighths*; (84) therefore, one part is  $\frac{1}{8}$  (one eighth,) three parts are  $\frac{3}{8}$  (three eighths,) 5 parts are  $\frac{5}{8}$  (five eighths,) and eight parts are  $\frac{8}{8}$  (eight eighths,) or the whole pie.

2. What fractions of a foot will express 5, 7, and 11 inches?

When a unit is divided into 12 equal parts, any number of the parts are so many *twelfths*, (84,) therefore, 5 inches



are  $\frac{1}{12}$  of a foot, 7 inches are  $\frac{7}{12}$  of a foot, and 11 inches are  $\frac{11}{12}$  of a foot.

3. What parts of 15 are 8, 14, and 19?

Since it takes 15 units to make the *whole* of 15, any number of units are so many fifteenths of 15; therefore, 8 is  $\frac{8}{15}$  of 15, 14 is  $\frac{14}{15}$  of 15, and 19 is  $\frac{19}{15}$  of 15.

### 88. EXERCISES IN EXPRESSING DIVISION.

*In like manner, solve and explain the following problems.*

1. If a pie be cut into 6 equal pieces, what fractions will express one, two, and five of the pieces?

2. Two boys divided an orange equally between themselves, what fraction will express each one's part?

3. If an acre of land be divided into 4 equal house-lots, what fractions would express one, three, and four of the lots?

4. If a piece of cloth be sufficient for 7 coats, what parts of the piece of cloth would be sufficient for 1, 3, 5, and 6 coats?

5. If you divide a barrel of flour equally among 9 men, what part of a barrel would each receive?

6. If 18 dollars be paid for a ton of hay, what parts of a ton may be bought for 5, 7, 11, and 17 dollars?

7. At 27 dollars a hogshead for molasses, what parts of a hogshead may be bought for 10, 14, 19, and 25 dollars?

8. At one hundred dollars a share in a bank, what parts of a share may be bought for 16, 29, 67, 89, and 93 dollars.

9. At 75 cents a bushel for corn, what parts of a bushel may be bought for 12, 24, 36, and 58 cents?

10. What fractions of a dollar will express 7, 23, 37, 47, 67, and 97 cents?

11. What fractions of June will express 11, 17, and 29 days?

12. What parts of July are 16, 21, and 27 days?

13. What parts of an hour are 13, 43, and 59 minutes?

14. What parts of a day are 1, 7, 19, and 23 hours?

15. 11, 21, 87, 123, and 219 rods are what parts of a mile?

16. What part of 5 dollars are 3 dollars?

17. What parts of 25 cents are 3, 7, 14, and 21 cents?

18. What parts of 63 gallons are 16, 31, and 44 gallons?

19. What parts of 365 days are 31, 60, 124, 243, and 316 days ?
20. 15 weeks are what part of 52 weeks ?
21. What fractions of a bushel will express 11, 15, 25 and 32 quarts ?
22. What part of 8 is 5 ?
23. What parts of 11 are 2, 9, 12, 14, and 21 ?
24. What parts of 33 are 5, 7, 16, 25, and 32 ?
25. How many times is 15 contained in 34 ?
26. How many times, or, (more properly,) what part of a time, is 15 contained in 8 ?
27. What part of a time is 24 contained in 7 ?
28. What part of 16 is contained in 11 ?
29. What part of 12 does 5 contain ?
30. Divide 21 by 25 ; what is the quotient ?
31. If 17 be a dividend, and 25 the divisor, what must be the quotient ?
32. If 4 apples be divided among 5 boys, what part of an apple is each boy's share ?
33. If 3 men divide a barrel of apples equally among themselves, what fractions will express the shares of 1, 2, and 3 men ?
34. If 15 bushels of potatoes cost 7 dollars, what part of a dollar would 1 bushel cost ?
35. If 2 bushels of wheat sow 3 acres, what part of a bushel would sow 1 acre ?
36. If a cord of wood last 7 weeks, what part of a cord would last 1 week ?
37. Divide 16 by 17 ; what is the quotient ?
38. If 2 be a dividend, and 21 the divisor, what must be the quotient ?
39. Divide 17 by 123.
40. Divide 84 by 1725.
41. Divide 1728 by 1837.
42. Express the division of 37 by 25.
43. Express the division of 25 by 36.
44. Express the division of 81 by 75.
45. Express the division of 16 by 9.
46. Divide 7 by 11.

### 89. MODEL OF A RECITATION.

1. If a man receive 125 dollars for  $\frac{1}{4}$  of his annual salary, what is his salary ?

Since  $\frac{1}{4}$  of anything make the *whole* of that thing, (83,) if  $\frac{1}{4}$  of his salary is 125 dollars,  $\frac{1}{4}$ , or the whole of his salary, will be 4 times 125 dollars, equal to 500 dollars, which is the answer required.

2. 18 is  $\frac{1}{8}$  of what number?

Since  $\frac{1}{8}$  of any number make the whole of that number, if one eighth of some number is 18, the whole of that number will be 8 times 18, equal to 144, which is the answer required.

### 90. EXERCISES IN FINDING THE WHOLE OF A QUANTITY FROM A SINGLE PART OF IT.

*In like manner, solve and explain the following problems.*

1. If  $\frac{1}{2}$  of a bushel of corn cost 42 cents, what is that a bushel?

2. 42 is  $\frac{1}{2}$  of what number?

3. If  $\frac{1}{3}$  of an acre produce 23 bushels of corn, how many bushels would 1 acre of land produce?

4. 23 is  $\frac{1}{3}$  of what number?

5. If  $\frac{1}{4}$  of the annual rent of a house be 75 dollars, how much is that for a year?

6. 75 is  $\frac{1}{4}$  of what number?

7. 25 is  $\frac{1}{5}$  of what number?

8. 33 is  $\frac{1}{6}$  of what number?

9. 16 is  $\frac{1}{7}$  of what number?

10. If  $\frac{1}{8}$  of a mile is 40 rods, how many rods in a mile?

11. If  $\frac{1}{9}$  of a hogshead be 7 gallons, how many gallons in that hogshead?

12. If  $\frac{1}{10}$  of an acre is 4 square rods, how many square rods in an acre?

13. If 60 minutes be  $\frac{1}{24}$  of a day, how many minutes in a day?

14. If 1 day be  $\frac{1}{365}$  of a year, how many days in a year?

15. At 35 dollars for working  $\frac{1}{12}$  of a year, how much is that for a year?

16. If 25 cents make  $\frac{1}{4}$  of a dollar, how many cents in a dollar?

17. 62 is  $\frac{1}{3}$  of what number?

18. 18 is  $\frac{1}{8}$  of what number?

19. John, being 12 years old, was only  $\frac{1}{4}$  as old as his grandfather. How old was John's grandfather?

**91. MODEL OF A RECITATION.**

1. John having 100 cents, paid away  $\frac{1}{4}$  of them for a penknife. How many cents did his penknife cost?

Since it takes *four*  $\frac{1}{4}$ s of any thing, or number, to make the *whole* of it, (**89**,) if 100 be divided by 4, the quotient will be  $\frac{1}{4}$  of 100 cents, equal to 25 cents, which is the answer required.

2. What is  $\frac{1}{8}$  of 144?

Since it takes  $\frac{8}{8}$  of 144 to make the whole of it, divide 144 by 8, and the quotient will be  $\frac{1}{8}$  of 144, equal to 18, which is the answer required.

**92. OBSERVATION.**

OBSERVE, *that, the dividend being the product of the divisor and quotient, (74,) the divisor shows how many equal parts, such as the quotient, (63,) will make the dividend.*

*Therefore, TO ASCERTAIN ANY SINGLE PART OF A NUMBER, divide it by the number which shows how many such parts make the integer, or given number.*

**93. EXERCISES IN FINDING A SINGLE PART OF A QUANTITY FROM THE WHOLE OF IT.**

*In like manner, solve and explain the following problems.*

1. If  $\frac{1}{2}$  of 100 cents be paid for a penknife, how many cents would the penknife cost?

2. How many cents in  $\frac{1}{3}$  of a dollar?

3. How many cents in  $\frac{1}{5}$  of a dollar?—in  $\frac{1}{6}$  of a dollar?—in  $\frac{1}{8}$  of a dollar?—in  $\frac{1}{10}$  of a dollar?—in  $\frac{1}{12}$  of a dollar?—in  $\frac{1}{16}$  of a dollar?

4. If a ton of hay cost 21 dollars, what would  $\frac{1}{4}$  of a ton cost?

5. What is  $\frac{1}{3}$  of 63?—of 72?—of 81?—of 90?—of 99?—of 108?

6. What is  $\frac{1}{11}$  of each of the following numbers: 11, 22, 33, 44, 55, 99, and 132?

7. If a man, owning 279 acres of land, sell  $\frac{1}{3}$  of it; how many acres would he sell?

8. If 160 square rods make an acre, how many rods in  $\frac{1}{4}$  of an acre?

9. If 320 rods make a mile in distance, how many rods in  $\frac{1}{4}$  of a mile.

10. A furlong being  $\frac{1}{8}$  of a mile, how many rods in a furlong?
11. In a day there are 1440 minutes. How many minutes in  $\frac{1}{24}$  of a day, or in one hour?
12. In a pound there are 960 farthings. How many farthings in a shilling, which is  $\frac{1}{20}$  of a pound?
13. If a slaughtered ox weigh 896 pounds, what would be the weight of each quarter, the quarters being equal?
14. A man hired a farm "at the halves," and raised 624 bushels of potatoes, 150 bushels of rye, 64 bushels of wheat, 75 bushels of oats, 12 bushels of white beans, 50 bushels of turnips, 25 bush. of corn, 45 bush. of winter apples, and 40 bushels of sauce apples. How many bushels in his share of this produce?
15. If you could buy 480 apples for a dollar, how many could you buy up for  $\frac{1}{2}$  of a dollar?—for  $\frac{1}{4}$  of a dollar?—for  $\frac{1}{8}$  of a dollar?—for  $\frac{1}{16}$  of a dollar?
16. If a man's salary be 800 dollars a year, how much is that for  $\frac{1}{2}$  of a year?—for  $\frac{1}{4}$  of a year?—for  $\frac{1}{12}$  of a year?
17. If 32 quarts of nuts be divided equally among 4 boys, what part, and how much of them, is each boy's share?
18. Divide 64 by 16; what part of 64 is the quotient?
19. If you divide any number by 4, what part of that number will be the quotient?
20. What is  $\frac{1}{4}$  of 1000 dollars?

**94. EXERCISES IN THE DIFFERENT MODES OF CONSIDERING AND READING FRACTIONS.**

$\frac{1}{4}$  of 1 is  $\frac{1}{4}$ , and  $\frac{1}{4}$  of 3 is three times as much, or  $\frac{3}{4}$  of 1;  $\frac{1}{4}$  of 5 is  $\frac{5}{4}$  of 1;  $\frac{1}{4}$  of 13 is  $\frac{13}{4}$  of 1;  $\frac{1}{5}$  of 3 is  $\frac{3}{5}$  of 1;  $\frac{1}{7}$  of 5 is  $\frac{5}{7}$  of 1.

1. How many ninths of 1 is  $\frac{1}{3}$  of 7?
2.  $\frac{1}{3}$  of 10 is how many thirds of 1?
3.  $\frac{1}{8}$  of 11 is what part of 1?
4. What part of 1 is  $\frac{1}{16}$  of 25?
5. Read the following fractions in the four different modes described (84).

$\frac{5}{8}, \frac{7}{11}, \frac{9}{14}, \frac{2}{9}, \frac{19}{20}, \frac{29}{19}, \frac{13}{7}, \frac{7}{18}, \frac{9}{10}, \frac{10}{9}, \frac{17}{25}, \frac{50}{17}, \frac{45}{53}, \frac{94}{12}, \frac{3}{2},$   
 $\frac{175}{180}, \frac{1}{5}, \frac{3}{8}, \frac{5}{5}, \frac{3}{8}, \frac{5}{14}, \frac{17}{7}.$

6. Which of these fractions expresses the greatest number of parts?

7. Which expresses the largest parts ?
8. Which expresses the smallest parts ?
9. Which expresses the smallest number of parts ?
10. Which express the same number of parts ?
11. Which express parts of the same size ?
12. Which express just parts enough to make a unit ?
13. Which express parts enough to make more than one unit ?
14. Considering both the number and size of the parts, which is the largest fraction ?
15. Which is the smallest fraction ?
16. Why, of two fractions having equal denominators, is that *greatest* which has the *greatest* numerator ?
17. Why, of two fractions having equal numerators, is that *greatest* which has the *smallest* denominator ?
18. What effect is produced upon the value of a fraction by diminishing its numerator ?
19. What effect is produced upon the value of a fraction by increasing its denominator ?

### 95. EXPRESSION, DEFINITION, AND REDUCTION OF AN IMPROPER FRACTION.

As there is no limit to the number of parts that may be expressed by a fraction, (**83**), it is often convenient to express in one fraction, more parts than there are of that size, in one unit.

But a fraction whose *value is equal to, or greater than its unit*, is called an *improper fraction*; and a fraction whose *value is less than its unit*, is called a *proper fraction*.

The value of a fraction being the quotient resulting from the division of its numerator by its denominator, (**86**), an improper fraction may be reduced (**208**) to its equal integral, or mixed number, by *performing the division*, which is only *expressed* by the fraction:

### 96. MODEL OF A RECITATION.

1. A toll-gatherer took in one week  $\frac{165}{16}$  of a dollar, (four-pence-half-pennies;) how many dollars would they make ?

Since there were 165 such parts of a dollar, that every 16 of them would make a dollar, (**82**), they would make as many dollars as there are times 16 in 165. Thus:

$$\frac{165}{16} = 10\frac{5}{16} \text{ dollars, which is the answer required.}$$

**97. EXERCISES IN THE REDUCTION OF IMPROPER FRACTIONS.**

*In like manner, solve and explain the following problems.*

1. At a certain contribution,  $7\frac{5}{8}$  of a dollar (ninepences) were taken; how many dollars were taken?
2. A merchant sold calico for  $\frac{1}{6}$  of a dollar a yard, till he received  $12\frac{7}{6}$  of a dollar; how many dollars did he receive?
3. At a large party,  $5\frac{9}{6}$  of a pie were eaten, how many whole pies were eaten?
4. In  $1\frac{5}{3}$  of a bushel how many bushels?
5. In  $3\frac{8}{20}$  of a pound how many pounds?
6. In  $4\frac{3}{12}$  of a shilling how many shillings?
7. In  $3\frac{2}{8}$  of a guinea how many guineas?
8. In  $17\frac{2}{4}$  of a day how many days?
9. In  $27\frac{3}{6}$  of an hour how many hours?
10. In  $43\frac{8}{6}$  of a year how many years?
11. Reduce  $1\frac{4}{12}$  to units.
12. Reduce  $17\frac{2}{4}$  to an integral number.
13. Reduce  $5\frac{1}{5}$  to a mixed number.
14. Reduce  $4\frac{7}{4}$  to a mixed number.
15. Reduce  $87\frac{5}{7}$  to an integral, or mixed number.
16. Change  $18\frac{3}{5}$  to an integral, or mixed number.
17. Change  $2\frac{3}{2}$  to an integral, or mixed number.
18. Reduce  $20\frac{1}{6}$  to an integral, or mixed number.
19. How many units in  $16\frac{1}{2}$ ?
20. What mixed number is equal to  $9\frac{3}{5}$ ?
21. What is the value of  $5\frac{5}{4}$  in a mixed number?

**98. MODEL OF A RECITATION.**

1. Reduce  $5\frac{3}{16}$  to an improper fraction, that is, to *sixteenths*.

Since there are 16 sixteenths in *one* unit, there will be 16 times as many sixteenths as units in any number.

16 times 5 are 80 *sixteenths*, and the other 3 sixteenths

$5\frac{3}{16} = \frac{83}{16}$ . are  $\frac{83}{16}$ , which is the answer required.

**99. EXERCISES IN REDUCING INTEGRAL AND MIXED NUMBERS TO FRACTIONS.**

*In like manner, solve and explain the following problems.*

1. Reduce 7 to sixteenths.
2. Reduce  $25\frac{3}{4}$  to an improper fraction.

3. Change  $12\frac{5}{8}$  to an improper fraction.
4. What fraction is equal to  $3\frac{1}{2}\frac{1}{5}$ ?
5. What is  $10\frac{4}{7}$  equal to in a fractional form?
6.  $13\frac{2}{3}$  are how many ninths?
7. How many *eighths* of one dollar are 9 *whole* dollars?
8. How many  $\frac{1}{4}$ s of a yard are 32 yards?
9.  $15\frac{1}{4}$  days are how many  $\frac{1}{4}$ s of a day?
10.  $8\frac{7}{10}$  pounds are how many  $\frac{1}{10}$ s of a pound?
11.  $17\frac{4}{60}$  hours are equal to how many  $\frac{1}{10}$ s of an hour?
12.  $6\frac{1}{6}\frac{2}{3}$  hogsheads are equal to how many  $\frac{1}{6}$ s of a hogshead?
13. How many  $\frac{1}{365}$ s of a year are equal to 10 years?
14. Reduce  $437\frac{2}{11}$  to an improper fraction.
15. Reduce  $10\frac{6}{65}$  to an improper fraction.
16. Reduce  $25\frac{47}{100}$  to an improper fraction.
17. What fraction is equal to  $50\frac{1}{5}$ ?
18. Change 20 to sevenths.
19. Reduce 36 to twelfths.
20. Reduce 15 to fifths; also to sixths.
21. Change 4 to halves, to thirds, to fourths, to fifths, and to sixths.
22. Reduce 16 to halves, to thirds, to fourths, and to fifths.
23. Reduce 1 to halves, to fifteenths, and to seventy-fifths.
24. Reduce 1 to halves, thirds, fourths, fifths, sixths, and to sevenths.

### 100. MODEL OF A RECITATION.

1. A man bought 25 yards of calico, at  $\frac{3}{16}$  of a dollar (3 fourpence-half-pennies) a yard; how many dollars did his calico cost?

Since 1 yard cost  $\frac{3}{16}$  of a dollar, 25 yards would cost 25

$\frac{3 \times 25}{16} = \frac{75}{16} = 4\frac{1}{16}$  dollars. *times as many sixteenths*

$\frac{75}{16}$  of a dollar; equal to  $4\frac{1}{16}$  dollars, (**95**), the answer required.

### 101. OBSERVATION.

OBSERVE, (**100**), that in MULTIPLYING THE NUMERATOR ONLY by 25, retaining the same denominator, you MULTIPLY THE FRACTION; for thus, you produce 25 TIMES AS MANY PARTS (**83**) of the same size.



### 102. EXERCISES IN MULTIPLYING A FRACTION BY AN INTEGRAL NUMBER.

*In like manner, solve and explain the following problems.*

1. How many dollars will 25 penknives come to, at  $\frac{3}{8}$  of a dollar apiece?
2. How many dollars would pay a man to work 5 days, at  $\frac{3}{4}$  of a dollar per day?
3. How many dollars should Mr. Farmer receive for 12 bushels of corn, at  $\frac{5}{8}$  of a dollar a bushel?
4. At  $\frac{1}{12}$  of a dollar a pound for beef, how much would 11 pounds cost?
5. If a family consume  $\frac{1}{4}$  of a barrel of flour in a week, how much flour would last them a year?
6. If it take  $\frac{5}{8}$  of a bushel of rye to sow an acre, 15 acres would require how many bushels?
7. If a horse eat  $\frac{1}{3}$  of a bushel of oats in a day, how much would keep him through December?
8. If 1 bushel of apples cost  $\frac{1}{4}$  of a dollar, what would be the value of a load containing 33 bushels?
9. At  $\frac{1}{2}$  of a dollar a day for board, what would be the cost of board for 365 days?
10. How far can I ride in 1 hour at the rate of  $\frac{4}{11}$  of a mile per minute?
11. How much is 5 times  $4\frac{1}{3}$ ?
12. Multiply  $2\frac{7}{4}$  by 13.
13. Multiply  $1\frac{7}{10}$  by 43.
14. Multiply  $3\frac{1}{6}$  by 36.
15. Multiply  $4\frac{1}{5}$  by 3.
16. How much is 15 times  $7\frac{5}{8}$ ?
17. Multiply  $3\frac{1}{6}$  by 366.
18. How much is 3 times  $17\frac{3}{9}$ ?

### 103. MODEL OF A RECITATION.

1. At  $32\frac{5}{8}$  dollars apiece, what would 7 cows cost?

$32\frac{5}{8}$   
7

Since 1 cow cost  $32\frac{5}{8}$  dollars, 7 cows would cost 7 times  $32\frac{5}{8}$ .

Seven times  $\frac{5}{8}$  are  $3\frac{5}{8}$ , equal to  $3\frac{3}{8}$  which write, and 4 units, which add with the units, &c. (27)

2. How much is 83 times  $16\frac{3}{4}$  feet?

It will be most convenient, in this example, to multiply the

integral and fractional parts separately, and add the products together. Thus :

$$\begin{array}{r} 16\frac{2}{3} \\ 83 \\ \hline 48 \\ 128 \\ \hline 55\frac{1}{3} \\ \hline 1383\frac{1}{3} \text{ feet.} \end{array}$$

$$\frac{2}{3} \times 83 = \frac{166}{3} = 55\frac{1}{3} \text{ feet.}$$

#### 104. EXERCISES IN MULTIPLYING A MIXED NUMBER BY AN INTEGRAL NUMBER.

*In like manner, solve and explain the following problems.*

1. If  $1\frac{1}{4}$  yards are sufficient for one coat, how many yards will be sufficient for 10 coats ?

2. How many feet in 25 rods, there being  $16\frac{1}{2}$  feet in 1 rod ?

3. How many yards in 40 rods, there being  $5\frac{1}{2}$  yards in 1 rod ?

4. How many cents in 6 shillings, there being  $16\frac{2}{3}$  cents in 1 shilling ?

5. How old is John, if he is 3 times as old as Charles, and Charles is  $3\frac{3}{5}$  years old ?

6. What would be the cost of 15 barrels of flour, at  $6\frac{2}{3}$  dollars per barrel ?

7. If  $31\frac{1}{2}$  gallons make a barrel, how many gallons in 50 barrels ?

8. What is the price of a dozen bibles at  $2\frac{5}{6}$  dollars apiece ?

9. What is the cost of 10 dozen pairs of shoes at  $1\frac{1}{2}$  dollars a pair ?

10. What would 7 tons of Lehigh coal cost at  $9\frac{5}{8}$  dollars a ton ?

11. What would 17 grind-stones come to at  $3\frac{5}{12}$  dollars apiece ?

12. Multiply  $61\frac{1}{2}$  by 35.

13. How much is 100 times  $2\frac{7}{11}$  ?

14. What is the product of  $12\frac{2}{3}$  multiplied by 5 ?

15. How much is  $16\frac{2}{3} \times 10$  ?

16. Multiply  $1728\frac{144}{3333}$  by 7.

#### 105. MODEL OF A RECITATION.

1. At  $\frac{3}{16}$  of a dollar (3 fourpence-half-pennies) apiece, what would be the postage of 4 letters ?

Since the postage of 1 letter is  $\frac{3}{16}$  of a dollar, the postage of 4 letters would be 4 times as much.

This product can be ascertained, either by *multiplying the numerator* by 4, retaining the *same denominator*; (**101**), or, far better, by *dividing the denominator* by 4, retaining the *same numerator*.

For, by the former process, you make the *number* of parts 4 times as large, the parts retaining the *same size*; and, by the latter process, you make the *size* of the parts 4 times as large, retaining the *same number of parts*.

It is evident that, by the latter process, *the parts are made 4 times as large*, from the fact that, *it will take only  $\frac{1}{4}$  as many of them to make the unit as before*.

$\frac{1}{16}$  of a dollar are 12 fourpence-half-pennies, and  $\frac{3}{4}$  of a

$$\frac{3 \times 4}{16} = \frac{12}{16} \text{ of a dollar.}$$

$$\frac{3}{16 \div 4} = \frac{3}{4} \text{ of a dollar.}$$

dollar are also 12 fourpence-half-pennies; for  $\frac{1}{4}$  of a dollar is equal to 4 fourpence-half-pennies, and  $\frac{3}{4}$  of a dollar will be 3 times as many, or 12 fourpence-half-pennies.

The two processes giving the same result, the latter is to be adopted in all cases when the multiplier is a factor (**25**) of the denominator; because it will give the result in *lower terms*,  $\frac{3}{4}$  being in lower terms, and, consequently, a more simple fraction than its equal  $\frac{12}{16}$ .

2. At  $\frac{3}{8}$  of a dollar a bushel, what would be the price of 8 bushels of potatoes?

Since the price of 1 bushel is  $\frac{3}{8}$  of a dollar, the price of 8 bushels would be 8 times as

$$\frac{3}{8} \times 8 = 3 = 3 \text{ dollars.}$$

much, which is 3 dollars, the answer required.

For, by dividing the denominator by 8, the parts become 8 times as large, and such that each one of them makes a unit.

## 106. OBSERVATION.

OBSERVE, (**105**), that by whatever number the DENOMINATOR IS DIVIDED, retaining the same numerator, THE FRACTION IS THUS MULTIPLIED BY THAT NUMBER; for the denominator showing the number of parts that make a unit, THEIR SIZE IS INCREASED IN THE SAME RATIO THAT THE DENOMINATOR IS DIMINISHED.

Observe, also, that if a fraction be multiplied by its denominator, the product will be the numerator.

**107. EXERCISES IN MULTIPLYING A FRACTION BY DIVIDING ITS DENOMINATOR.**

*In like manner. solve and explain the following problems.*

1. If 1 yard of calico cost  $\frac{1}{4}$  of a dollar, what would be the cost of 2 yards? What would be the cost of 4 yards?
2. At  $\frac{1}{6}$  of a dollar a pound, what will 2 pounds of butter cost? What will 3 pounds cost? What will 6 pounds cost?
3. At  $\frac{1}{8}$  of a dollar apiece, what would be the postage of 2 letters? of 4 letters? of 8 letters?
4. If 1 ninepence is  $\frac{1}{8}$  of a dollar, what part of a dollar is 2 ninepences? is 4 ninepences? is 8 ninepences?
5. If 1 fourpence-half-penny is  $\frac{1}{16}$  of a dollar, what part of a dollar is 2 fourpence-half-pennies? is 4 fourpence-half-pennies? is 8 fourpence-half-pennies? is 16 fourpence-half-pennies?
6. If a sixpence is  $\frac{1}{12}$  of a dollar, what part of a dollar is 2 sixpences? is 3 sixpences? is 4 sixpences? is 6 sixpences? is 12 sixpences?
7. At  $\frac{1}{7}$  of a yard apiece for vests, how much satin would be necessary for 3 vests? for 9 vests?
8. At  $\frac{2\frac{3}{5}}$  of a mile a minute, how far would a train of cars run in 2 minutes? in 3 minutes? in 4 minutes? in 5 minutes? in 6 minutes? in 10 minutes? in 12 minutes? in 15 minutes? in 20 minutes? in 1 hour?
9. If it take  $1\frac{1}{2}\frac{9}{4}$  yards of broad cloth to make a coat, how much would it take for 3 coats? for 6 coats? for 8 coats? for 12 coats? for 24 coats?
10. Multiply  $\frac{4}{2\frac{5}{5}}$  by 5.
11. Multiply  $\frac{2\frac{3}{6}}{6\frac{3}{3}}$  by 7.
12. Multiply  $\frac{7\frac{3}{12}}{2\frac{3}{5}}$  by 25.
13. Multiply  $\frac{2\frac{3}{10}}{10\frac{3}{0}}$  by 100.
14. Multiply  $\frac{1\frac{9}{16}}$  by 16.
15. Multiply  $7\frac{3}{4}$  by 4.
16. Multiply  $4\frac{1\frac{2}{3}\frac{2}{5}}$  by 365.
17. How much is 20 times  $9\frac{1}{7}$ ?
18. How much is 327 times  $10\frac{1\frac{2}{2}}{2\frac{5}{7}}$ ?
19.  $\frac{1}{5}$  is  $\frac{1}{5}$  of what number?
20.  $5\frac{3}{8}$  is  $\frac{1}{8}$  of what number?
21.  $125\frac{3}{50}$  is  $\frac{1}{10}$  of what number?
22.  $\frac{5}{7}$  is  $\frac{1}{7}$  of what number?
23. Multiply  $\frac{3}{40}$  by 5, and that product by 3

24. Multiply  $\frac{7}{60}$  by 5, and that product by 5.

25. Multiply  $\frac{5}{72}$  by 3, and that product by 5.

### 108. MODEL OF A RECITATION.

1. Multiply  $\frac{4}{5}$  by 36.

Since 36 is not a factor of the denominator, but 9, one of the factors of 36, is also a factor of the denominator, multiply first by 9, (**29**), by making the parts 9 times as large, (**106**), and then multiply that product by 4, the other factor of 36, by making 4 times as many parts, (**101**), which will give 4 times 9 times, or 36 times  $\frac{4}{5}$ , equal to  $\frac{16}{5}$ , equal to  $3\frac{1}{5}$ , which is the product required.

### 109. EXERCISES IN MULTIPLYING A FRACTION BY THE FACTORS OF THE MULTIPLIER.

*In like manner, solve and explain the following problems.*

1. Multiply  $\frac{5}{7}$  by 18.

2. Multiply  $\frac{1}{4}$  by 35.

3. Multiply  $\frac{1}{2}$  by 48.

4. How much is 24 times  $\frac{2}{5}$ ?

5. How much is 50 times  $\frac{1}{5}$ ?

6. How much is 81 times  $\frac{1}{7}$ ?

### 110. MODEL OF A RECITATION.

1. If 3 yards of calico cost  $\frac{9}{16}$  of a dollar, (9 fourpence-half-pennies,) what would be the price of 1 yard?

Since 1 yard is  $\frac{1}{3}$  of 3 yards, the price of 1 yard must be  $\frac{1}{3}$  of the price of 3 yards.

$\frac{9}{16} \div 3 = \frac{3}{16}$  of a dollar. Therefore, as the price of 3 yards is  $\frac{9}{16}$  of a dollar, the price of 1 yard will be  $\frac{1}{3}$  (**92**) as many sixteenths of a dollar, equal to  $\frac{3}{16}$ , the answer required.

### 111. OBSERVATION.

OBSERVE that, in dividing *the numerator only* by 3, retaining the *same denominator*, you divide the *fraction*; for thus you obtain  $\frac{1}{3}$  as many parts (**83**) of the same size.

### 112. MODEL OF A RECITATION.

1. At 6 dollars a barrel, how many barrels of flour may be bought for  $45\frac{3}{11}$  dollars?

Since 1 barrel costs 6 dollars, you may buy  $\frac{1}{6}$  (92) as many barrels as you have dollars;  $\frac{1}{6}$  of 42 is 7. Reduce the remaining 3 to elevenths making 33, these and the other 3 elevenths are  $\frac{36}{11}$ ,  $\frac{1}{6}$  of which are  $\frac{6}{11}$  of a barrel, which

written with the 7 barrels make  $7\frac{6}{11}$  barrels, the answer required.

### 113. EXERCISES IN DIVIDING A FRACTION BY AN INTEGRAL NUMBER.

*In like manner, solve and explain the following problems.*

1. If 2 bushels of potatoes cost  $\frac{4}{5}$  of a dollar, what would that be a bushel?

2. If a cow consume  $\frac{3}{4}$  of a bushel of meal in 3 days, how much would that be per day?

3. At  $\frac{1}{5}$  of a dollar for 4 pounds of beef, what would be the cost of 1 pound?

4. If 4 horses consume  $\frac{1}{11}$  of a ton of hay in a month, how much would that be for 1 horse?

5. At  $\frac{2}{5}$  of a dollar for 7 pounds of coffee, what would be the cost of 1 pound?

6. If 2 yards of cloth cost  $8\frac{2}{3}$  dollars, what would 1 yard cost at that rate?

7. What would be the cost of 1 bushel of wheat, if 4 bushels cost  $32\frac{1}{3}$  shillings?

8. If I give  $23\frac{2}{5}$  bushels of wheat for 3 sheep, how much would that be apiece?

9. If I give  $59\frac{1}{5}$  bushels of corn for 7 calves, how many bushels would that be apiece?

10. If  $20\frac{3}{8}$  dollars be paid for 15 days' work, how much would that be per day?

11. How far per hour is  $88\frac{1}{11}$  miles in 17 hours?

12. How far per day is  $476\frac{1}{2}$  miles' travel in 8 days?

13. If 15 men divide among themselves  $77\frac{8}{11}$  barrels of apples, what would be the share of each man?

14. If 23 yards of cloth cost  $152\frac{3}{8}$  dollars, what would that be a yard?

15. How much is the cost of 1 yard of cotton cloth, when  $31\frac{8}{10}$  dollars are given for 35 yards?

16. How many times is 25 contained in  $59\frac{3}{8}$ ?

17. What is  $\frac{1}{16}$  (92) of  $148\frac{4}{11}$ ?

18. Divide  $5\frac{1}{4}$  by 12?

19. How many times is 9 contained in  $47\frac{3}{4}$ ?
20. What is  $\frac{1}{2}$  of  $1\frac{1}{2}$ ?
21. What is  $\frac{1}{3}$  of  $2\frac{1}{4}$ ?
22. What is  $\frac{1}{4}$  of  $18\frac{2}{7}$ ?
23. Divide  $4\frac{3}{8}$  by 5.
24. Divide  $1731\frac{2}{7}$  by 12.
25. Divide  $65542\frac{1}{9}$  by 256.
26. Divide  $16388\frac{4}{11}$  by 128.

#### 114. MODEL OF A RECITATION.

1. If the postage of 4 letters, between the same towns, be  $\frac{3}{4}$  of a dollar, how much would that be apiece?

Since 1 letter is  $\frac{1}{4}$  of 4 letters, the postage of 1 letter must be  $\frac{1}{4}$  of the postage of 4 letters.

$\frac{3}{4} \div 4 = \frac{3}{16}$  of a dollar. Therefore, as the postage of 4 letters is  $\frac{3}{4}$  of a dollar, the postage of 1 letter would be  $\frac{1}{4}$  of  $\frac{3}{4}$  of a dollar. But the number of parts not having 4 for a factor, you must perform the division upon the size of the parts, which you can do by *multiplying the denominator by the divisor*, retaining the same numerator.

It is evident that, by *multiplying the denominator* by 4, the parts are made  $\frac{1}{4}$  as large, from the fact that, *it will take 4 times as many of them to make the unit as before*. It takes only 4 *fourths* of a dollar (4 quarters of a dollar) to make a dollar; whereas it takes 4 *times as many*, or 16 *sixteenths* of a dollar, (16 fourpence-half-pennies,) to make a dollar.

#### 115. OBSERVATION.

OBSERVE, (114,) that by whatsoever number the DENOMINATOR of a fraction be MULTIPLIED, retaining the same numerator, THE FRACTION IS THUS DIVIDED BY THAT NUMBER; for the denominator showing the number of parts that make the unit, (83,) their SIZE IS DIMINISHED IN THE SAME RATIO THAT THE DENOMINATOR IS INCREASED.

Observe, also, that the division of a fraction may be performed, either upon the NUMBER OF THE PARTS, their size remaining the same, (110,) or upon THE SIZE OF THE PARTS, their number remaining the same, (114;) but, that the former process is to be adopted in all cases when the divisor is a factor of the numerator, because it will give the result in lower terms.

### 116. EXERCISES IN DIVIDING A FRACTION BY MULTIPLYING ITS DENOMINATOR.

*In like manner, solve and explain the following problems.*

1. If 2 boys having  $\frac{1}{2}$  of a melon divide it equally between themselves, what would be the share of each?

2. What is  $\frac{1}{2}$  of  $\frac{1}{2}$ ?

3. Suppose  $\frac{1}{4}$  of a pie to be cut into 2 equal pieces, what part of the whole pie would each piece be? What is  $\frac{1}{2}$  of  $\frac{1}{4}$ ?

4. A boy having  $\frac{3}{4}$  of a dollar, gave  $\frac{1}{2}$  of it for a pen-knife. What part of a dollar did his knife cost? What is  $\frac{1}{2}$  of  $\frac{3}{4}$ ?

5. If 2 shillings are  $\frac{1}{3}$  of a dollar, what part of a dollar is 1 shilling?

6. If a boy having  $\frac{1}{2}$  of a pie should give  $\frac{1}{2}$  of it to his sister, what part of a pie would he give away, and what part would he keep?

7. If  $\frac{1}{2}$  of a dollar be divided equally among 3 boys, what part of a dollar is the share of each?

8. If you should make a circle on your slate, and draw a line across it through the centre, how many parts would you make of it? What would be the name of each part?

9. If from the centre of said circle you draw a line through the middle of one half, making two parts of that half, how many such parts would make the whole circle? What is the name for such parts? What is  $\frac{1}{2}$  of  $\frac{1}{2}$ ?

10. If from the centre of said circle you draw a line through the middle of one fourth, making two parts of that fourth, how many such parts would make the whole circle? What is the name for such parts? What is  $\frac{1}{2}$  of  $\frac{1}{4}$ ?

11. What is  $\frac{1}{2}$  of  $\frac{1}{8}$ ? What is  $\frac{1}{2}$  of  $\frac{1}{16}$ ?

12. If 3 pounds of butter cost  $\frac{2}{3}$  of a dollar, what is that a pound?

13. At  $\frac{3}{4}$  of a dollar for 4 bushels of apples, what would be the cost of a bushel?

14. At  $\frac{3}{4}$  of a dollar for 7 gallons of vinegar, what would be the cost of a gallon?

15. If 6 bushels of wheat cost  $4\frac{1}{2}$  dollars, what would that be a bushel?

16. If 4 dollars buy  $5\frac{2}{3}$  bushels of rye, how much would one dollar buy?



If 4 dollars buy  $3\frac{1}{2}$  yards of silk, how much might be bought for 1 dollar?

18. If 18 pounds of raisins cost  $2\frac{3}{4}$  dollars, what is that a pound?

19. If 16 hats cost  $48\frac{1}{2}$  dollars, what would 1 hat cost?

20. What would 1 yard of broadcloth cost, if 25 yards cost  $150\frac{3}{4}$  dollars?

21. How far per hour would a train of cars go, if it run  $125\frac{1}{2}$  miles in 7 hours?

22. Divide  $24\frac{3}{8}$  by 7.

23. What part ( $87$ ) of 5 is 2?

24. What part of 5 is  $2\frac{1}{3}$ ?

25. What part of 5 is  $1\frac{1}{4}$ ?

26. What part of 12 is 7?

27. What part of 12 is  $3\frac{3}{11}$ ?

### 117. ILLUSTRATION OF THE PRINCIPLE OF DIVIDING BY THE FACTORS OF THE DIVISOR.

By multiplying one number by another, we introduce into the multiplicand all the factors composing the multiplier, ( $29$ ), and the product will be composed of all the factors of both multiplier and multiplicand. Also, in dividing one number by another, we take from the dividend all the factors composing the divisor, ( $75$ ), and the quotient will be composed of all those factors composing the dividend, which are not necessary to compose the divisor. Thus, by multiplying  $35 = 7 \times 5$  by  $33 = 3 \times 11$ , we obtain  $1155 = 7 \times 5 \times 3 \times 11$ . Now, by dividing  $1155 = 7 \times 5 \times 3 \times 11$  by  $105 = 7 \times 5 \times 3$ , the quotient is the remaining factor, 11; or, if we divide by  $35 = 7 \times 5$  the quotient is  $33 = 3 \times 11$ , the remaining two factors; or, if we divide by 7, the quotient is  $165 = 5 \times 3 \times 11$ , the product of the remaining three factors.

Consequently, by dividing the product of several factors by some of them, the quotient will be the product of the others.

Also, when convenient, we may separate a divisor into factors, and take them from the dividend, one at a time, that is, divide first by one factor, then divide the quotient, thus obtained, by another factor, and so on, with all the factors of the divisor; the last quotient will be the quotient required. Thus, instead of dividing 1155 directly by 21, we may divide first by 7, obtaining 165, which divided by 3 gives 55, the true quotient.

**118. MODEL OF A RECITATION.**

1. Divide 875 by 35.

$$7 \overline{) 875}$$

$$5 \overline{) 125}$$

$$\underline{25}$$

The quotient is  $\frac{1}{35}$  of the dividend. Divide first by 7, one of the factors of the divisor, to obtain  $\frac{1}{7}$  of the dividend, and then divide the quotient thus obtained, by 5, the other factor of the divisor, to obtain  $\frac{1}{5}$  of  $\frac{1}{7}$ , or  $\frac{1}{35}$  of the dividend, as required.

2. Divide  $3\frac{1}{5}$  by 36.

Since 36 is not a factor of the numerator, but 4, one of the factors of 36, is also a factor of the numerator, divide first by 4, by taking  $\frac{1}{4}$  as many parts, (**111**), and then divide that quotient

$$3\frac{1}{5} = \frac{16}{5}.$$

$$\frac{16}{5} \div \frac{4}{9} = \frac{4}{45}.$$

by 9, the other factor of 36, by making the parts  $\frac{1}{9}$  as large, (**114**), which will give  $\frac{1}{9}$  of  $\frac{1}{4}$ , or  $\frac{1}{36}$  of  $\frac{16}{5}$ , equal to  $\frac{4}{45}$ , which is the true quotient required.


**119. EXERCISES IN DIVIDING BY THE FACTORS OF THE DIVISOR.**

*In like manner, solve and explain the following problems.*

1. Divide 1421 by 49.
2. How many times is 72 contained in 1728?
3. How many casks of 63 gallons each, may be filled from 7875 gallons?
4. If a horse travel  $\frac{3}{8}$  of a mile in 12 minutes, how far would he travel per minute?
5. If 21 dollars buy  $3\frac{1}{2}$  barrels of flour, what part of a barrel would 1 dollar buy?
6. How many times is 14 contained in  $72\frac{1}{2}$ ?
7. Divide  $12\frac{1}{2}$  by 15.
8. Divide  $108\frac{2}{3}$  by 18.
9. How many times is 30 contained in  $72\frac{1}{2}$ ?
10. What part of a time is 27 contained in  $3\frac{3}{11}$ ?
11. What part of a time is 28 contained in  $8\frac{2}{5}$ ?
12. How many times is 36 contained in  $42\frac{2}{3}$ ?
13. Divide 175 by 21.
14. Divide 1836 by 24.
15. What is the quotient of 960 divided by 45?
16. Divide  $2\frac{2}{7}$  by 24.
17. Divide  $38\frac{1}{3}$  by 36.

18. Divide 3492 by 81.  
 19. What part of 15 is 10?  
 20. What part of 18 is  $5\frac{1}{2}$ ?  
 21. What part of 21 is  $4\frac{1}{5}$ ?  
 22. If 8512 be the product of three factors, two of which are 8 and 19, what is the third factor?  
 23. If 17160 be the product of 8, 11, 13, and two other factors, what are the other two factors?  
 24. One of two factors composing 1625 is 25. What is the other?  
 25. Divide  $17 \times 19 \times 10$  by 19.  
 26. Divide  $12 \times 14 \times 9 \times 6$  by  $12 \times 6$ .  
 27. How many times is  $3 \times 5 \times 7$  contained in  $9 \times 10 \times 14$ ?  
 28. What is the quotient of  $16 \times 39 \times \frac{7}{8}$  divided by  $2 \times 7 \times 13$ ?

**120.** ILLUSTRATION OF THE PRINCIPLE OF REDUCING A FRACTION TO OTHER TERMS OF EQUAL VALUE.



Make a circle on your slate, and draw a line across it through its centre, making two half-circles. From the centre draw a line through the middle of one of these halves, and from the same point draw a line through the middle of each of the two fourths made of this half by the last line; thus making the  $\frac{1}{2} = \frac{4}{8}$ . Now erase the three lines last drawn; thus making the  $\frac{4}{8} = \frac{2}{4}$  again.

**121.** OBSERVATION.

OBSERVE, (120,) that both terms in  $\frac{1}{2}$  are made 4 times as large in its equal fraction  $\frac{4}{8}$ ; that is, both terms in  $\frac{1}{2}$  have been multiplied by 4; thus making the parts 4 times as many, but  $\frac{1}{4}$  as large in  $\frac{4}{8}$  as in  $\frac{1}{2}$ .

So, multiplying BOTH TERMS of a fraction by any number, will reduce it to an EQUAL FRACTION in higher terms. For, while it MULTIPLIES the fraction by INCREASING THE NUMBER of parts, (101,) it also DIVIDES it by DIMINISHING THE SIZE

of the parts (**114**) in the same ratio as their number is increased.

OBSERVE, also, that BOTH TERMS in  $\frac{4}{8}$  are made  $\frac{1}{2}$  as large in its equal fraction  $\frac{1}{2}$ ; that is, both terms in  $\frac{4}{8}$  have been divided by 4: thus making the parts  $\frac{1}{4}$  as many, but 4 times as large in  $\frac{1}{2}$  as in  $\frac{4}{8}$ .

So, dividing BOTH TERMS of a fraction by any number, will reduce it to an EQUAL FRACTION in lower terms. For, while it DIVIDES the fraction, by DIMINISHING THE NUMBER OF PARTS, (**111**), it also MULTIPLIES it by INCREASING THE SIZE OF THE PARTS (**106**) in the same ratio that their number is diminished.

## 122. ILLUSTRATION OF THE MODE OF REDUCING A FRACTION TO LOWER TERMS.

1. Reduce  $\frac{21}{84}$  to lower terms.

$$3) \frac{21}{84} = \frac{7}{28}$$

$$7) \frac{21}{84} = 3) \frac{3}{12} = \frac{1}{4}$$

$$21) \frac{21}{84} = \frac{1}{4}$$

Since 3, 7, and 21 are factors common to both terms of the fraction, you may divide both terms (**121**) by either of these common factors.

But observe, that, the larger the factor used, the lower will be the terms to which the fraction will be reduced; and that, by using *the greatest common factor*, the fraction will be reduced to its *lowest terms*.

When any other than the greatest common factor is used, the new fraction obtained may be reduced lower, by using some other common factor.

## 123. FACTORING OF NUMBERS.

In small numbers, the factors and common factors may be ascertained by observation; but in larger numbers other means become necessary.

A *multiple* of a number is a number of which the former number is a factor; as multiples of 3 are 6, 9, &c., of which 3 is a factor.

A *common multiple*, of two or more numbers, is a number of which those numbers are factors.

A number composed of factors is a *multiple* of any one of those factors; and, also, of any combination of its *prime factors*. (**29**.)

When one number is a factor of another, all the factors of the former are also factors of the latter. Thus, 21 being a factor of 63, 7 and 3, the factors of 21, are also factors of 63.

And they *should* be ; for 63, being 3 times 21, *should* contain 7 and 3 three times as often as 21 contains them.

Hence, a factor of a number is a factor of any *multiple* of that number.

Any common factor of two numbers is a factor of their *sum*, and of their *difference*. For, each of the numbers containing the common factor a certain number of times, their sum must contain it as many times as both of the numbers ; and their difference must contain it as many times as the larger of the numbers contains it times more than the smaller.

Thus, 4, being a common factor of 12 and 20, must be a factor of their sum, and of their difference : for 12 is 3 fours, and 20 is 5 fours ; their sum will be 5 fours + 3 fours = 8 fours, or 32 ; and their difference will be, 5 fours — 3 fours = 2 fours, or 8.

2 is a factor of every even number.

Any number ending with a cipher (**10**) is a multiple of 10, consequently, 10, and the factors of 10, are factors of it.

Any number ending with two ciphers (**100**) is a multiple of 100, consequently, 100, and the factors of 100, are factors of it.

5 is a factor of any number ending with 5 ; for all of the number but 5 is a multiple of 10 of which 5 is a factor.

Any factors of the last two figures of a number, which are also factors of 100, are factors of the whole number ; for all of the number but these two figures is a multiple of 100.

8, being a factor of 200, will be a factor of any number which has even hundreds, if it be a factor of the last two figures of the number.

9 is a factor of any number, when it is a factor of the sum of the digits which express that number. For the *excess* in the value expressed by the digits, above what they would express in the units' place, is a multiple of 9 ; since every removal of a figure one degree higher causes that figure to express *ten times* its former value, (**4**.) it *gains* by each removal 9 times the value it would have before the removal.

Thus, 10 is 9 more than 1 ; and 100 is  $9 \times 10 = 90$  more than 10, or 99 more than 1, &c. Also, 70 is  $9 \times 7 = 63$  more than 7 ; and 700 is  $9 \times 70 = 630$  more than 70, or  $9 \times 70 + 9 \times 7 = 693$  more than 7.

Also 3, being a factor of any multiple of 9, is a factor of any number when it is a factor of the sum of the digits which express that number.

Every factor of a number has its corresponding factor, which, together, compose the number, (**75.**)

Hence, to find the prime factors of a number, separate it into two factors, by dividing it by any known factor, and proceed in the same manner with each of these factors, and so on, till the prime factors are all obtained.

### 124. MODEL OF A RECITATION.

Find the *prime* factors of 1296.

Here *observe*, that 12 is a factor, the factors of which are 3, 2, 2. The quotient of 1296 divided by 12 is 108, whose factors are 12, the factors of which are 3, 2, 2; and 9, the factors of which are 3, 3. In all,  $3, 2, 2 \times 3, 2, 2 \times 3, 3$ ; or,  $3, 3, 3, 3, 2, 2, 2, 2$ ; or  $3^4, 2^4$ , the small 4 being an *index* to show the number of factors like that over which it is placed, (**364.**)

### 125. EXERCISES IN FACTORING NUMBERS.

*In like manner, solve and explain the following problems.*

Find the *prime* factors of the following numbers. 72, 88, 120, 612, 336, 648, 930, 924, 936, 450, 360, 966, 870, 684, 396, 432, 2480, 8000, 10449, 10503, 24876.

### 126. MODEL OF A RECITATION.

Reduce  $\frac{48}{60}$  to an equal fraction in its lowest terms.

12)  $\frac{48}{60} = \frac{4}{5}$ . Take  $\frac{1}{12}$  as many parts, (**111,**) and make them 12 times as large, (**106,**) which gives  $\frac{4}{5}$ , the answer required.

### 127. EXERCISES IN REDUCING FRACTIONS TO LOWER TERMS.

*In like manner, solve and explain the following problems.*

1. Reduce  $\frac{8}{12}$  to its lowest terms.
2. Reduce  $\frac{9}{15}, \frac{12}{18}, \frac{14}{21}, \frac{15}{21}, \frac{15}{20}, \frac{15}{25}$  and  $\frac{18}{24}$  to their lowest terms.
3. Reduce  $\frac{14}{42}, \frac{15}{30}, \frac{25}{75}, \frac{24}{96}, \frac{20}{100}$  and  $\frac{25}{125}$  to their lowest terms.
4. Reduce  $\frac{48}{300}, \frac{300}{420}, \frac{96}{480}$  and  $\frac{120}{360}$  to their lowest terms.
5. Reduce  $\frac{800}{4800}, \frac{180}{5400}, \frac{123}{642}$  and  $\frac{144}{1728}$  to their lowest terms.
6. Reduce  $\frac{918}{1998}$  to its lowest terms.

**128. MODEL OF A RECITATION.**

It is often most convenient, in reducing a fraction to its lowest terms, to make use of the greatest common factor of its terms, (**122.**) Hence it will be useful to find a more direct way by which the greatest common factor may always be ascertained.

Reduce  $\frac{64}{148}$  to its lowest terms.

$$\begin{array}{r}
 6) 148 \quad (2 \\
 \underline{128} \\
 20) 64 \quad (3 \\
 \underline{60} \\
 4) 20 \quad (5 \\
 \underline{20} \\
 4) \frac{64}{148} = \frac{16}{37}
 \end{array}$$

The greatest common factor, being a factor of 148 and of 64, consequently, (**123.**) of  $64 \times 2 = 128$ , will be a factor of  $148 - 128 = 20$ , (**123.**) Again, this factor, being a factor of 64 and of 20, consequently, (**123.**) of  $20 \times 3 = 60$ , will be a factor of  $64 - 60 = 4$ , (**123.**) But 4, being a factor of 20 and of itself, (**123.**) will be a factor of  $20 \times 3 + 4 = 64$ , one of the given numbers. Again, 4, being a factor of 64 and of 20, will be a factor (**123.**) of  $64 \times 2 + 20$

$= 148$ , the other given number.

Hence, as 4 *contains* the greatest common factor of the given numbers, and *is a factor of them*, it must be their greatest common factor. Therefore, take  $\frac{1}{4}$  as many parts, and make them 4 times as large, which gives  $\frac{16}{37}$ , the answer required.

**129. OBSERVATION.**

OBSERVE, (**128.**) *that, the greater of two given numbers being divided by the less, the less by the first remainder, the first remainder by the second, the second by the third, &c., till there be no remainder; the greatest common factor of the given numbers will be a factor of the several remainders; for the remainders are DIFFERENCES (**123.**) between numbers of which this greatest common factor IS A FACTOR. Consequently, the greatest common factor of the given numbers CANNOT EXCEED THE LAST REMAINDER. But THE LAST REMAINDER IS ITSELF THAT FACTOR; for, retracing the several remainders and given numbers from the last remainder to the larger given number, observe that the last remainder is a factor of the next preced-*

ing; that each of them, added to the next preceding, or a multiple of it, makes the next in order; and that, therefore, the last remainder must be a factor of them all, (**123**); hence, as the last remainder, BOTH CONTAINS THE GREATEST COMMON FACTOR of the given numbers, and IS A FACTOR OF THEM, it must be their greatest common factor.

**130.** EXERCISES IN REDUCING FRACTIONS TO THEIR LOWEST TERMS BY THE GREATEST COMMON FACTOR.

*In like manner, solve and explain the following problems.*

1. Ascertain the greatest common factor of 30 and 72.
2. Reduce  $\frac{39}{72}$  to its lowest terms.
3. Ascertain the greatest common factor of 126 and 342.
4. Reduce  $\frac{126}{342}$  to its lowest terms
5. Ascertain the greatest common factor of 128 and 176.
6. Reduce  $\frac{128}{176}$  to its lowest terms.
7. Reduce  $\frac{182}{192}$  to its lowest terms.
8. Reduce  $\frac{48}{192}$  to its lowest terms.
9. Reduce  $\frac{108}{56}$  to its lowest terms.
10. What is the greatest common factor of 384 and 1152?
11. What are the lowest terms of  $\frac{384}{1152}$ ?
12. What is the greatest common factor of 114 and 285?
13. Reduce  $\frac{114}{285}$  to its lowest terms.
14. Reduce  $\frac{1428}{288}$  to its lowest terms.
15. What are the lowest terms of  $\frac{96}{544}$ ?
16. What are the lowest terms of  $\frac{36}{1296}$ ?
17. Reduce  $\frac{486}{9720}$  to its lowest terms.

**131.** ILLUSTRATION OF THE LEAST COMMON MULTIPLE OF NUMBERS.

2 is a factor of 4, 6, 8, 10, 12, 14, 16, 18, &c.,  
and 3 is a factor of 6, 9, 12, 15, 18, &c.;  
consequently, 4, 6, 8, 10, &c., are multiples of 2; and 6, 9, 12, &c., are multiples of 3. But 6, 12, 18, &c., are multiples of *both* 2 and 3; hence, they are *common multiples* of 2 and 3; and 6 is the *least common multiple* of 2 and 3.

**132.** ILLUSTRATION OF THE LEAST COMMON DENOMINATOR OF FRACTIONS.

1. Reduce  $\frac{1}{2}$ , also  $\frac{1}{3}$ , to equal fractions in higher terms.



By multiplying both terms of each fraction by 2, 3, 4, 5, &c., successively,

$$\left. \begin{array}{l} \frac{1}{2} \\ \frac{1}{3} \end{array} \right\} \text{ becomes } \left\{ \begin{array}{l} \frac{2}{4} = \frac{3}{6} = \frac{4}{8} = \frac{5}{10} = \frac{6}{12} = \frac{7}{14} = \frac{8}{16} = \frac{9}{18}, \&c. \\ \frac{2}{6} = \frac{3}{9} = \frac{4}{12} = \frac{5}{15} = \frac{6}{18}, \&c. \end{array} \right.$$

OBSERVE, that the denominators of the fractions to which  $\frac{1}{2}$  may be reduced, will be multiples of 2, the denominator of  $\frac{1}{2}$ ; and that the denominators of the fractions to which  $\frac{1}{3}$  may be reduced, will be multiples of 3, the denominator of  $\frac{1}{3}$ .

But, PARTICULARLY OBSERVE, that the COMMON MULTIPLES of 2 and 3, the denominators of  $\frac{1}{2}$  and  $\frac{1}{3}$ , MAY BE COMMON DENOMINATORS of fractions to which  $\frac{1}{2}$  and  $\frac{1}{3}$  may be reduced; and that THE LEAST COMMON MULTIPLE of the denominators of  $\frac{1}{2}$  and  $\frac{1}{3}$  WILL BE THE LEAST COMMON DENOMINATOR to which  $\frac{1}{2}$  and  $\frac{1}{3}$  can be reduced.

### 133. MODEL OF A RECITATION.

2. Reduce  $\frac{5}{8}$  and  $\frac{3}{8}$  to equal fractions having their least common denominator.

$$\frac{5}{8} = \frac{10}{16} = \frac{15}{24} = \frac{20}{32}$$

$$\frac{3}{8} = \frac{6}{16} = \frac{9}{24}$$

By multiplying both terms of each fraction by 2, 3, 4, &c., successively, you obtain for denominators all the multiples of the given denominators as far as you proceed;

consequently, the first common denominator thus obtained, will be the least common denominator of the given fractions.

### 134. EXERCISES IN REDUCING FRACTIONS TO THEIR LEAST COMMON DENOMINATOR.

*In like manner, solve and explain the following problems.*

1. Reduce  $\frac{2}{3}$  and  $\frac{3}{4}$  to equal fractions having their least common denominator.

2. Reduce  $\frac{1}{5}$  and  $\frac{2}{5}$  to their least common denominator.

3. Reduce  $\frac{3}{4}$  and  $\frac{1}{5}$  to their least common denominator.

4. Reduce  $\frac{1}{3}$  and  $\frac{3}{7}$  to their least common denominator.

5. Reduce  $\frac{2}{3}$  and  $\frac{5}{8}$  to their least common denominator.

6. Reduce  $\frac{3}{4}$  and  $\frac{2}{7}$  to their least common denominator.

7. Reduce  $\frac{1}{5}$  and  $\frac{2}{7}$  to their least common denominator.

8. Reduce  $\frac{2}{5}$  and  $\frac{5}{8}$  to their least common denominator.

9. Reduce  $\frac{1}{6}$  and  $\frac{3}{10}$  to their least common denominator.

10. Reduce  $\frac{3}{10}$  and  $\frac{7}{10}$  to their least common denominator.
11. Reduce  $\frac{3}{10}$  and  $\frac{7}{12}$  to their least common denominator.
12. Reduce  $\frac{5}{12}$  and  $\frac{5}{8}$  to their least common denominator.
13. Reduce  $\frac{7}{10}$  and  $\frac{2}{5}$  to their least common denominator.
14. Reduce  $\frac{5}{8}$  and  $\frac{3}{4}$  to their least common denominator.

### 135. MODE OF FINDING THE LEAST COMMON MULTIPLE.

If you know the right numbers by which to multiply both terms of each fraction, to reduce the fractions to their least common denominator, *only one* multiplication for each fraction would be necessary.

Hence, as you will often have occasion to reduce fractions to their least common denominator, it is desirable to find a more direct way to ascertain the right multipliers.

Every number which is not a prime number, is composed of *prime factors*, (29.) Thus:  $24 = 3 \times 2 \times 2 \times 2$ .

Though 4, 6, 8 and 12 are factors of 24, yet they themselves are *composed* of prime factors, and, therefore, are *composite factors*.

A multiple, or composite number, is composed of exactly all its prime factors. Hence, a number which contains the prime factors of another number, is a *multiple* of that other number; also, a number which contains the prime factors of two, or more other numbers, is a *common multiple* of those other numbers.

Consequently, *the least common multiple of two or more given numbers, will be composed of such of their prime factors, and only such, as are necessary to compose each of the given numbers.*

Thus:  $6 = 3 \times 2$ , and  $8 = 2 \times 2 \times 2$ ; now take  $3 \times 2$ , the factors of 6, and  $2 \times 2$ , the factors which 8 has that 6 has not, and you have all the factors of 6 and 8; viz:  $3 \times 2 \times 2 \times 2 = 24$ , the least common multiple of 6 and 8.

Hence, *to ascertain the least common multiple of two or more given numbers, it is only necessary to separate the given numbers into their prime factors, and to select and multiply together such, and only such of the factors as are necessary to compose each of the given numbers.*

### 136. MODEL OF A RECITATION.

1. Ascertain the least common multiple of 14 and 21.

$$\begin{aligned} 14 &= 2 \times 7, \\ 21 &= 3 \times 7, \\ 2 \times 7 \times 3 &= 42. \end{aligned}$$

It takes 2 and 7 to compose 14, and this *same* 7, together with the 3, compose 21; therefore, the other 7 being omitted,  $2 \times 7 \times 3 = 42$ ,

will be the least common multiple required.

### 137. MODE OF REDUCING FRACTIONS TO THEIR LEAST COMMON DENOMINATOR.

2. Reduce  $\frac{3}{14}$  and  $\frac{2}{21}$  to equal fractions having their least common denominator.

Since the least common denominator will be the least common multiple of the given denominators, (**132**), it will only be necessary to separate the given denominators into their prime

$$\frac{3}{14} = \frac{3}{2 \times 7} = \frac{3 \times 3}{2 \times 7 \times 3} = \frac{9}{42}.$$

$$\frac{2}{21} = \frac{2}{3 \times 7} = \frac{2 \times 2}{3 \times 7 \times 2} = \frac{4}{42}.$$

factors, and multiply both terms of each fraction by such factors composing the denominator of the other fraction, as are necessary to make each denominator equal to the least common multiple of the given denominators; that is, multiply both terms of each fraction by the factors, composing the denominator of the other fraction, which it has not already in its own denominator.

Thus; by multiplying both terms of the first fraction by 3, and of the second by 2, the denominators will be composed of the same factors, and only such as are indispensable; consequently, the fractions are reduced to equal fractions having their least common denominator as required.

### 138. MODEL OF A RECITATION.

3. Reduce  $\frac{9}{24}$  and  $\frac{5}{12}$  to equal fractions having their least common denominator.

$$\frac{9}{24} = \frac{3}{8} = \frac{3}{4 \times 2} = \frac{9}{24}.$$

$$\frac{5}{12} = \frac{5}{4 \times 3} = \frac{10}{24}.$$

First, reduce the fractions to their *lowest terms*, then separate the denominators into their prime factors, or, since they have a *common* composite factor, 4, this *need not* be reduced to prime factors; and, finally, multiply both terms of the first fraction by 3, and of the second by 2, and the fraction will be reduced as required.

4. Reduce  $\frac{5}{8}$ ,  $\frac{3}{10}$ , and  $\frac{4}{15}$ , to their least common denominator.

$$\frac{5}{8} = \frac{5}{2 \times 2 \times 2} = \frac{2 \cdot 5}{2 \cdot 3 \cdot 2} = \frac{25}{30}.$$

$$\frac{3}{10} = \frac{3}{2 \times 5} = \frac{9}{30}.$$

$$\frac{4}{15} = \frac{4}{3 \times 5} = \frac{8}{30}.$$

their least common denominator as required.

Multiply both terms of the first fraction by 5, of the second by 3, and of the third by 2, and the several denominators will be composed of the same factors; consequently, the given fractions will be reduced to

### 139. OBSERVATION.

OBSERVE, that, to reduce two or more fractions to their least common denominator, we first reduce the fractions to their lowest terms; second, separate these denominators into their prime factors; and third, multiply both terms of each of these fractions by the factors belonging to the other denominators which do NOT belong to its own denominator.

### 140. EXERCISES IN REDUCING FRACTIONS TO THEIR LEAST COMMON DENOMINATOR.

*In like manner, solve and explain the following problems.*

1. Ascertain the least common multiple of 8 and 12.
2. Reduce  $\frac{5}{8}$  and  $\frac{5}{12}$  to their least common denominator.
3. Ascertain the least common multiple of 8 and 14.
4. Reduce  $\frac{3}{8}$  and  $\frac{5}{14}$  to their least common denominator.
5. Ascertain the least common multiple of 9 and 15.
6. Reduce  $\frac{2}{9}$  and  $\frac{7}{15}$  to their least common denominator.
7. Ascertain the least common multiple of 15 and 18.
8. Reduce  $\frac{4}{15}$  and  $\frac{5}{18}$  to their least common denominator.
9. Ascertain the least common multiple of 5 and 7.
10. Reduce  $\frac{2}{5}$  and  $\frac{3}{7}$  to their least common denominator.
11. Ascertain the least common multiple of 2, 3, 5, and 7.
12. Reduce  $\frac{1}{2}$ ,  $\frac{1}{3}$ ,  $\frac{1}{5}$ , and  $\frac{1}{7}$ , to their least common denominator.
13. Ascertain the least common multiple of 10, 14, and 15.
14. Reduce  $\frac{3}{10}$ ,  $\frac{5}{14}$ , and  $\frac{2}{15}$  to their least common denominator.
15. Ascertain the least common multiple of 250 and 400.

16. Reduce  $\frac{7}{250}$  and  $\frac{3}{400}$  to their least common denominator.

17. Ascertain the least common multiple of 15, 24 and 35.

18. Reduce  $\frac{4}{15}$ ,  $\frac{5}{24}$ , and  $\frac{6}{35}$  to their least common denominator.

19. Reduce  $\frac{2}{7}$  and  $\frac{5}{18}$  to their least common denominator.

20. Reduce  $\frac{4}{15}$  and  $\frac{1}{20}$  to their least common denominator.

21. Reduce  $\frac{1}{24}$ ,  $\frac{2}{8}$ , and  $\frac{3}{2}$  to their least common denominator.

22. Reduce  $\frac{4}{7}$  and  $\frac{8}{54}$  to their least common denominator.

23. Reduce  $\frac{5}{18}$ ,  $\frac{8}{27}$ , and  $\frac{1}{9}$  to their least common denominator.

24. Reduce  $\frac{115}{1250}$  and  $\frac{840}{14400}$  to their least common denominator.

#### 141. MODEL OF A RECITATION.

1. John paid  $\frac{5}{8}$  of a dollar (5 ninepences) for a reading book,  $\frac{1}{8}$  of a dollar for a writing book, and  $\frac{1}{8}$  of a dollar for an arithmetic; how many dollars did they all cost?

Since the parts expressed by these several fractions are all *eighths*, and since the numerator of each fraction shows the number of parts expressed by that fraction, (**83**,) the sum of the numerators will show the number of parts expressed by all of the fractions; therefore, *place the sum of the numerators over their common denominator*, and the result will be the sum of the fractions, as required.

2. If I pay  $2\frac{3}{4}$  dollars for a pair of shoes, and  $4\frac{5}{8}$  dollars for a pair of boots, what is the whole cost?

Here are 3 parts and 5 parts making 8 parts, but they are *all* neither *fourths*, nor *sixths*; if, however, you reduce the fractions to their least common denominator, (**139**,) the parts become  $\frac{9}{12} + \frac{10}{12} = \frac{9+10}{12} = \frac{19}{12} = 1\frac{7}{12}$ . Write the  $\frac{7}{12}$ , and add the unit with the other units, making  $7\frac{7}{12}$  dollars, which is the answer required.

**142.** MODEL OF A RECITATION.

1. A boy, having  $\frac{5}{6}$  of a dollar, spent  $\frac{2}{6}$  of a dollar for a bunch of quills. How much money had he left?

$$\frac{5}{6} - \frac{2}{6} = \frac{3}{6} = \frac{1}{2} \text{ of a dollar.}$$

He had left the difference between  $\frac{5}{6}$  and  $\frac{2}{6}$ . Since the parts expressed by the fractions are *all sixths*, and the

numerators show the number of the parts, the difference between the numerators will show the number of parts he had left, which continue to be of the same size; therefore, *place the difference of the numerators over the common denominator*, and the result will be the difference between the fractions, as required.

2. If a man earn  $14\frac{1}{2}$  dollars, and spend  $4\frac{5}{8}$  dollars in a week, what would he save in a week?

$$14\frac{1}{2} = 14\frac{3}{6}$$

$$4\frac{5}{8} = 4\frac{5}{8}$$

$$\hline 9\frac{1}{8} \text{ dollars.}$$

He would save the difference between what he earned and what he spent.

You cannot take 5 parts from 3 parts of the same size; therefore, reduce 1 of the 14 units to sixths, (**98**.) making 6 sixths, and the 3 sixths, make  $\frac{9}{6}$ , from which, if  $\frac{5}{6}$  be taken, there will remain  $\frac{9-5}{6} = \frac{4}{6}$ , which write; and then take 4 units, *not* from 14 units, for 1 of them has been disposed of, but take 4 units from 13 units, and there will remain 9 units; making  $9\frac{1}{8}$  dollars, which is the answer required.

**143.** EXERCISES IN ADDING AND SUBTRACTING FRACTIONS.

*In like manner, solve and explain the following problems.*

1. If you buy a lead-pencil for  $\frac{1}{16}$  of a dollar, a writing-book for  $\frac{3}{16}$  of a dollar, an inkstand for  $\frac{3}{16}$  of a dollar, how much must you pay for the whole?

2. At a contribution, John contributed  $\frac{3}{16}$  of a dollar, his brother  $\frac{1}{8}$  of a dollar, and their sister  $\frac{1}{16}$  of a dollar. What did they all contribute?

3. By going in the road, John walks  $\frac{7}{8}$  of a mile to school, but by going across the pastures and fields, it is only  $\frac{5}{8}$  of a mile to school. How much can he save in distance by going the nearer way?

4. If a writing book cost  $\frac{1}{8}$  of a dollar, and a quire of letter

paper cost  $\frac{5}{8}$  of a dollar, how much more will the paper cost than the book?

5. If Samuel have  $\frac{2}{5}$  of a dollar, and Martin have  $\frac{3}{8}$  of a dollar, how much have both of them?

6. If Isaac have  $\frac{3}{4}$  of a dollar, and his sister  $\frac{2}{6}$ , which has the more money, and how much more than the other?

7. How many yards of cloth in 4 pieces which measure as follows,  $18\frac{2}{5}$  yards,  $27\frac{1}{5}$  yards,  $23\frac{4}{5}$  yards, and  $25\frac{2}{5}$  yards?

8. If Mr. Farmer hire 2 men and a boy to work for him a week, and pay them as follows,  $5\frac{3}{8}$  dollars to one man,  $7\frac{5}{8}$  dollars to the other man, and  $3\frac{7}{8}$  to the boy; how much would he pay the whole?

9. If it take  $1\frac{1}{2}$  yards of cloth to make a coat, and  $\frac{2}{3}$  of a yard to make a pair of pantaloons, how much more cloth in the coat than in the pantaloons?

10. A merchant bought a piece of cloth, containing 23 yards, and sold  $7\frac{3}{8}$  yards of it. How much of it had he left?

11. In a barrel there are  $31\frac{1}{2}$  gallons, and in a hogshead 63 gallons. How many more gallons in a hogshead than in a barrel?

12. If  $7\frac{3}{8}$  gallons leak out of a barrel, how much would remain?

13. John works  $\frac{1}{6}$  of the time, plays  $\frac{1}{4}$  of the time, sleeps  $\frac{1}{3}$  of the time, and is at school the rest of the time. What part of the time is he at school?

14. Of the road that John walks to school,  $\frac{1}{3}$  is up hill,  $\frac{1}{4}$  is down hill, and the rest is level. What part of the way is level road; and how much more of the way is up hill in going to school than in returning home?

15. A pair of oxen and a horse compose a team; one ox draws  $\frac{2}{5}$  of the load, the other ox draws  $\frac{1}{3}$  of the load, and the horse draws the rest of it. How much more do the oxen draw than the horse?

16. Add together  $\frac{2}{7}$  and  $\frac{4}{13}$ .

17. What is the sum, and difference of  $\frac{3}{8}$  and  $\frac{1}{4}$ ?

18. Add together  $7\frac{3}{4}$  and  $10\frac{1}{2}$ .

19. What is the difference between  $13\frac{4}{5}$  and  $17\frac{9}{10}$ ?

20. What is the sum, and difference of  $16\frac{3}{7}$  and  $12\frac{3}{4}$ ?

21. Subtract  $24\frac{3}{10}$  from  $25\frac{2}{5}$ .

22. How much more is  $12\frac{9}{14}$  than both  $4\frac{2}{7}$  and  $5\frac{3}{8}$ ?

23. How much less are both  $\frac{5}{6}$  and  $2\frac{3}{4}$  than 4?

24. How much more is the sum of  $10\frac{9}{5}$  and  $5\frac{2}{5}$  than their difference?

25. How much is  $\frac{10+16-12}{7}$  ?  
 26. How much more is  $\frac{20+25+12}{8}$  than  $\frac{15+10+7}{8}$  ?  
 27. How much less is  $\frac{1+2+5}{14}$  than  $\frac{5+6+10}{21}$  ?  
 28. How much are  $\frac{16+5}{28}$  and  $\frac{11-6}{35}$  ?  
 29. Add together  $\frac{1}{2}$ ,  $\frac{1}{3}$ ,  $\frac{1}{4}$ , and  $\frac{1}{5}$ .  
 30. Add together  $\frac{8}{12}$ ,  $\frac{1}{8}$ ,  $\frac{2}{4}$ , and  $\frac{3}{8}$ .  
 31. Subtract  $\frac{9}{44}$  from  $\frac{3}{8}$ .

#### 144. ILLUSTRATION OF THE PRINCIPLE OF MULTIPLYING BY A FRACTION.

At 4 dollars a yard for broad cloth, what would be the cost of 4 yards?—of 2 yards?—of 1 yard?—of  $\frac{1}{2}$  of a yard?—of  $\frac{3}{4}$  of a yard?

If 1 yard cost 4 dollars, 4 yards would cost 4 times 4 dollars, equal to 16 dollars. 2 yards would cost 2 times 4 dollars, equal to 8 dollars. 1 yard would cost 1 time 4 dollars, equal to 4 dollars.  $\frac{1}{2}$  of a yard would cost  $\frac{1}{2}$  time 4 dollars, or, more properly,  $\frac{1}{2}$  of 4 dollars, equal to 2 dollars.  $\frac{3}{4}$  of a yard would cost  $\frac{3}{4}$  of 4 dollars, equal to 3 dollars, or, more properly,  $\frac{3}{4}$  of 4 dollars, equal to 3 dollars.

OBSERVE, that, since the product must be as many times the multiplicand as there are units in the multiplier, (24,) when the multiplier is 1, the product will not differ from the multiplicand, when the multiplier is greater than 1, the product will be greater than the multiplicand; BUT WHEN THE MULTIPLIER IS LESS THAN 1, THE PRODUCT WILL BE LESS THAN THE MULTIPLICAND, AND SUCH A PART OF THE MULTIPLICAND AS THE MULTIPLIER IS OF A UNIT.

#### 145. MODEL OF A RECITATION.

1. At 5 dollars a cord for wood, what would be the cost of 2 cords?—of  $\frac{3}{4}$  of a cord?

$$5 \times 2 = 10 \text{ dollars.}$$

$$5 \times \frac{3}{4} = \frac{5 \times 3}{4} = \frac{15}{4} = 3\frac{3}{4} \text{ dollars.}$$

If 1 cord costs 5 dollars, 2 cords would cost 2 times 5 dollars, equal to 10 dollars.

$\frac{3}{4}$  of a cord (144) would cost  $\frac{3}{4}$  of 5



dollars.  $\frac{1}{4}$  of 5 is  $\frac{5}{4}$ , (94,) therefore,  $\frac{3}{4}$  of 5 will be 3 times as many fourths, equal to  $\frac{15}{4}$ , =  $3\frac{3}{4}$  dollars.

2. At 7 dollars a barrel for flour, what would be the cost of  $3\frac{2}{3}$  barrels ?

$$7 \times \frac{11}{3} = \frac{7 \times 11}{3} = \frac{77}{3} = 25\frac{2}{3} \text{ dollars.}$$

If 1 barrel costs 7 dollars,  $3\frac{2}{3} = \frac{11}{3}$  barrels would cost  $\frac{11}{3}$  of 7 dollars.

Since  $\frac{1}{3}$  of 7 is  $\frac{7}{3}$ ,  $\frac{11}{3}$  of 7 will be 11 times  $\frac{7}{3} = \frac{7 \times 11}{3} = \frac{77}{3} = 25\frac{2}{3}$  dollars, which is the answer required.

*Another Explanation.* — If 1 barrel cost 7 dollars,  $3\frac{2}{3}$  barrels would cost  $3\frac{2}{3}$ , or  $\frac{11}{3}$ , times as much. First, multiply by 11 as if it were 11 units, which gives 77 dollars. But, as the right multiplier is  $\frac{11}{3}$ , only  $\frac{1}{3}$  of 11 units, (94,) the right product ought to be only  $\frac{1}{3}$  of 77 dollars; therefore, divide 77 by 3, which gives  $\frac{77}{3} = 25\frac{2}{3}$  dollars, (86,) as before.

#### 146. OBSERVATION.

OBSERVE, (145,) that, in multiplying by a fraction, the process consists of two steps, on account of the two numbers in the multiplier; and that either step may be taken first, provided the reasoning be suited to the process.

#### 147. EXERCISES IN MULTIPLYING BY A FRACTION.

*In like manner, solve and explain the following problems.*

1. If a man earn 10 dollars a week, how much would he earn in  $\frac{5}{8}$  of a week ?
2. If you can walk 3 miles an hour, how far can you walk in  $\frac{3}{4}$  of an hour ?
3. If board be 3 dollars a week, what must be paid for board  $1\frac{1}{7}$  weeks ?
4. At 20 dollars a month, what is a man's wages  $\frac{6}{30}$  of a month ?
5. If 3 dollars buy a yard of cassimere, what must be paid for  $2\frac{1}{2}$  yards ?
6. What is  $\frac{3}{4}$  of 15 ?
7. Multiply 15 by  $\frac{7}{8}$ .
8. If a barrel of mackerel cost 8 dollars, what would  $2\frac{2}{3}$  barrels cost ?
9. At 2 dollars a day, what would be the wages for  $5\frac{1}{2}$  days ?

10. If 160 rods make an acre, how many rods in  $3\frac{2}{3}$  acres?
11. Multiply 10 by  $5\frac{2}{3}$ .
12. Multiply  $5\frac{2}{3}$  by 10.
13. What is  $\frac{3}{10}$  of 16?
14. Multiply 6 by  $\frac{4}{11}$ .
15. Multiply 5 by  $\frac{5}{29}$ .

#### 148. MODEL OF A RECITATION.

1. At  $\frac{9}{8}$  of a dollar per day, what should a laborer receive for 4 days' work?—for 3 days' work?—for  $\frac{3}{4}$  of a day's work?—for  $\frac{1}{4}$  of a day's work?

$$\frac{9}{8} \div 4 = \frac{9}{2} = 4\frac{1}{2} \text{ dollars.}$$

$$\frac{9}{8} \times 3 = \frac{27}{8} = 3\frac{3}{8} \text{ dollars.}$$

$$\frac{9}{8} \div 3 = \frac{3}{8} \text{ of a dollar.}$$

$$\frac{9}{8} \times 4 = \frac{9}{2} \text{ of a dollar.}$$

If for 1 day's work he receive  $\frac{9}{8}$  of a dollar, for 4 days' work he should receive 4 times  $\frac{9}{8}$  of a dollar; which ascertain by making the parts 4 times *as large*, (**106.**) For 3 days' work, he should receive 3 times  $\frac{9}{8}$  of a dollar; which ascertain by making 3 times *as many parts*, (**101.**)

For  $\frac{3}{4}$  of a day's work, he should receive  $\frac{3}{4}$  of  $\frac{9}{8}$  of a dollar; which ascertain by taking  $\frac{3}{4}$  as many parts, (**111.**) For  $\frac{1}{4}$  of a day's work, he should receive  $\frac{1}{4}$  of  $\frac{9}{8}$  of a dollar; which ascertain by making the parts  $\frac{1}{4}$  as large, (**114.**)

2. If a horse travel  $6\frac{3}{4}$  miles per hour, how far would he travel in 4 hours?—in  $\frac{2}{3}$  of an hour?—in  $5\frac{1}{3}$  hours?

$$\frac{27}{4} \div 4 = 27 \text{ miles.}$$

$$\frac{27 \div 3}{4 \div 2} = \frac{9}{2} = 4\frac{1}{2} \text{ miles.}$$

$$\frac{27 \div 3 \times 4}{4 \div 4} = 36 \text{ miles.}$$

If he travel  $6\frac{3}{4} = \frac{27}{4}$  miles in 1 hour, in 4 hours he would travel 4 times  $\frac{27}{4}$  of a mile; which ascertain by making the parts 4 times as large, (**106.**) In  $\frac{2}{3}$  of an hour he would travel  $\frac{2}{3}$  of  $\frac{27}{4}$  of a mile. Divide the number of parts (**111**) by 3, to obtain  $\frac{1}{3}$ , and make these parts 2 times as large, (**106.**) to obtain  $\frac{2}{3}$ , which, reduced, will be the answer required. In  $5\frac{1}{3} = \frac{16}{3}$  hours, he would travel  $\frac{16}{3}$  of  $\frac{27}{4}$  of a mile. Divide the number of parts (**111**) by 3, to obtain  $\frac{1}{3}$ , and multiply the quotient by 16, to obtain  $\frac{16}{3}$ ; but, since 4, one of the factors of 16, is a factor of the denominator, (**108.**) multiply by 4, by making the parts 4 times as large, and then multiply by 4 again, the other factor

of 16, by making 4 times as many parts, which, reduced, will be the answer required. In reducing this expression of the answer, say: 3 in 27, 9 times, and 4 times 9 are 36. 4 in 4, once; and, since the denominator is 1, the numerator, 36, is units, (83.)

*Another Explanation.*—If he travel  $6\frac{3}{4}$ , or  $\frac{27}{4}$ , miles in 1 hour, in  $5\frac{1}{3}$  hours he would travel  $5\frac{1}{3}$ , or  $\frac{16}{3}$ , times as far. First, multiply by 16, as if it were units, which gives  $\frac{27 \times 4}{4 \div 4}$ ; but, as the right multiplier is  $\frac{16}{3}$ , only  $\frac{1}{3}$  of 16 units, the right product ought to be only  $\frac{1}{3}$  of what we now have; therefore, divide by 3, which gives  $\frac{27 \times 4 \div 3}{4 \div 4} = 36$ , as before.

### 149. OBSERVATION.

OBSERVE, (148,) that, in multiplying a fraction by a fraction, the process consists of two steps, either of which may be taken first; that, in many cases, there are two ways of performing each part of the process, on account of the two numbers in the multiplicand, but that, of the two ways, that is to be adopted which will give the result in the lower terms; that each part of the process is to be EXPRESSED and explained separately; and finally, that the process is to be PERFORMED by reducing the EXPRESSION of the result to its simplest terms.

### 150. EXERCISES IN MULTIPLYING FRACTIONS BY FRACTIONS.

*In like manner, solve and explain the following problems.*

1. If a benevolent man, having only  $\frac{1}{2}$  of a bushel of wheat, should give  $\frac{2}{3}$  of it to his poor neighbors, what part of a bushel would he give away?

2. At  $\frac{3}{7}$  of a dollar a yard, what part of a dollar would  $\frac{1}{2}$  of a yard cost?

3. What number is equal to  $\frac{3}{11}$  of  $\frac{22}{3}$ ?

4. If a yard of cloth cost  $5\frac{1}{2}$  dollars, what would  $\frac{1}{3}$  of a yard cost?

5. At  $\frac{3}{8}$  of a dollar a yard, what will  $\frac{8}{9}$  of a yard cost?

6. At  $\frac{3}{4}$  of a dollar a pound, what will  $\frac{1}{7}$  of a pound of tea cost?

7. At  $\frac{1}{6}$  of a dollar a pound, what will  $\frac{5}{7}$  of a pound of coffee cost?

8. At  $2\frac{1}{4}$  dollars a bushel, what will  $6\frac{1}{2}$  bushels of wheat cost?

9. At  $\frac{6}{25}$  of a dollar per hour, how much may be earned in  $\frac{1}{7}$  of an hour?

10. At  $6\frac{1}{2}$  dollars a barrel, what will  $\frac{1}{3}$  of a barrel of flour cost?

11. If  $7\frac{3}{4}$  yards of satin be bought at  $\frac{5}{8}$  of a dollar per yard, what would be the whole cost?

12. If 1 cord of wood cost  $6\frac{2}{3}$  dollars, what will  $7\frac{1}{2}$  cords cost?

13. At  $\frac{1}{2}$  of a dollar a pound, what will  $17\frac{3}{5}$  pounds of sugar cost?

14. At  $3\frac{2}{5}$  shillings a yard, what will  $8\frac{1}{2}$  yards of ribbon cost?

15. If 1 dollar buy  $\frac{7}{8}$  of a gallon of wine, how much would  $67\frac{1}{2}$  dollars buy?

16. What is the value of  $36\frac{2}{3}$  acres of land, at  $40\frac{7}{10}$  dollars per acre?

17. What is the value of  $142\frac{1}{2}$  tons of coal, at  $7\frac{2}{5}$  dollars per ton?

18. What is the value of  $16\frac{2}{3}$  tons of hay at  $11\frac{1}{8}$  dollars per ton?

19. What will  $71\frac{2}{3}$  bushels of apples cost at  $\frac{1}{5}$  of a dollar per bushel?

20. A merchant owning  $\frac{9}{16}$  of a ship, sold  $\frac{4}{5}$  of his share; what part of the whole ship did he sell?

21. What is  $\frac{5}{7}$  of  $\frac{7}{8}$ ?

22. Multiply  $\frac{9}{10}$  by  $\frac{2}{7}$ .

23. Multiply  $\frac{3}{4}$  of  $\frac{4}{7}$  by  $\frac{7}{11}$ .

24. What is  $\frac{7}{11}$  of  $\frac{4}{7}$  of  $\frac{3}{4}$ ?

25. What is  $\frac{7}{15}$  of  $\frac{1}{2}$  multiplied by  $\frac{2}{3}$ ?

26. Ascertain the product of the following factors,  $\frac{1}{2} \times \frac{2}{3} \times \frac{3}{4} \times \frac{4}{5}$ .

27. How much is  $\frac{4}{5}$  of  $\frac{2}{3}$  of  $\frac{7}{8}$  of  $\frac{3}{4}$ ?

28. Multiply  $8\frac{3}{4}$  by  $\frac{3}{7}$ .

29. Multiply  $\frac{9}{10}$  by  $17\frac{3}{11}$ .

30. Multiply  $11\frac{1}{3}$  by  $8\frac{3}{11}$ .

31. What is the second power (49) of  $\frac{3}{4}$ ?

32. What is the second power of  $\frac{2}{3}$ ?

33. What is the third power of  $\frac{2}{3}$ ?

34. What is the fourth power of  $\frac{2}{3}$ ?

### 151. ILLUSTRATION OF THE PRINCIPLE OF DIVIDING BY A FRACTION.

If a philanthropist have eight dollars to distribute to the poor, to how many persons could he give 4 dollars apiece?

2 dollars apiece? 1 dollar apiece?  $\frac{1}{2}$  of a dollar apiece?  
 $\frac{1}{4}$  of a dollar apiece?

He could give 4 dollars apiece to as many persons as there are times 4 dollars in 8 dollars.

$8 \div 4 = 2$  persons. He could give 2 dollars apiece

$8 \div 2 = 4$  persons. to as many persons as there are

$8 \div 1 = 8$  persons. times 2 dollars in 8 dollars.

$8 \times 2 = 16$  persons. He could give 1 dollar apiece

$8 \times 4 = 32$  persons. to as many persons as there are times 1 dollar in 8 dollars.

He could give  $\frac{1}{2}$  of a dollar apiece to as many persons as there are times  $\frac{1}{2}$  of a dollar in 8 dollars; and, since there are 2 halves in every unit, (**84**), there will be 2 times as many halves as units; therefore, multiply 8 by 2 to ascertain how many times  $\frac{1}{2}$  is contained in it.

He could give  $\frac{1}{4}$  of a dollar apiece to as many persons as there are times  $\frac{1}{4}$  of a dollar in 8 dollars; and, since there are 4  $\frac{1}{4}$ s in a unit, there will be 4 times as many  $\frac{1}{4}$ s as units; therefore, multiply 8 by 4 to ascertain how many times  $\frac{1}{4}$  is contained in it.

OBSERVE, that, since the divisor shows how many equal parts, such as the quotient, will make the dividend; (**63**) when the divisor is 1 the quotient will not differ from the dividend; when the divisor is GREATER than 1 the quotient will be LESS THAN THE DIVIDEND; but when the divisor is LESS than 1 the quotient will be GREATER THAN THE DIVIDEND.

## 152. MODEL OF A RECITATION.

1. What would be the price of 1 acre of land, if 25 dollars be paid for 6 acres? for  $\frac{3}{4}$  of an acre? for  $4\frac{2}{3}$  acres?

If 6 acres be bought, paying one dollar per acre would require 6 dollars; therefore, the price per acre would be as many dollars

$$25 \div 6 = 4\frac{1}{6} \text{ dollars.}$$

$$\frac{25 \times 4}{3} = 100 \div 3 = 33\frac{1}{3} \text{ dollars.}$$

as 6 dollars is contained times in 25 dollars.

If  $\frac{3}{4}$  of an acre be bought, paying 1 dollar per acre would require  $\frac{3}{4}$  of a dollar; therefore, the price per acre would be as many dollars as  $\frac{3}{4}$  of a dollar is contained times in 25 dollars. Since there are 4 times as many  $\frac{1}{4}$ s as units, (**98**), in any number, multiply by 4 to ascertain how many times  $\frac{1}{4}$  is contained; then, (since  $\frac{3}{4}$  is 3 times as much as  $\frac{1}{4}$ , consequently, will be contained only  $\frac{1}{3}$  as often as  $\frac{1}{4}$ ), divide that

quotient by 3 to ascertain how many times  $\frac{3}{4}$  is contained, which reduced will be the answer required.

If  $4\frac{2}{3} = \frac{14}{3}$  of an acre be bought, paying 1 dollar per acre would require  $\frac{14}{3}$  dollars;  $\frac{25 \times 3}{14} = 7\frac{5}{14} = 5\frac{5}{14}$  dollars. therefore, the price per acre would be as many

dollars as  $\frac{14}{3}$  of a dollar is contained times in 25 dollars. Multiply 25 by 3 to ascertain how many times  $\frac{1}{3}$  is contained; (99) and, since  $\frac{14}{3}$  will be contained  $\frac{1}{14}$  as often, divide that quotient by 14 to ascertain how many times  $\frac{14}{3}$  is contained, which reduced will be the answer required.

2. How many barrels of flour could a trader buy for 48 dollars, at  $6\frac{2}{3}$  dollars per barrel?

He could buy as many barrels  $48 \div 6\frac{2}{3} = 48 \div \frac{20}{3} = \frac{48 \times 3}{20} = \frac{144}{20} = 7\frac{1}{5}$  as  $6\frac{2}{3} = \frac{20}{3}$  of a dollar is contained times in 48 dollars.

Multiply by 3 to ascertain how many times  $\frac{1}{3}$  is contained in 48, and divide that quotient by 20 to ascertain how many times  $\frac{20}{3}$  is contained; but, since 4, one of the factors of 20 is also a factor of 48; in dividing by 20, first divide by 4, and then divide that quotient by 5, the other factor of 20, (117,) which will give  $\frac{1}{5}$  of  $\frac{1}{4} = \frac{1}{20}$  of the dividend as required. In reducing this *expression* of the result, say 4 in 48, 12 times, and 3 times  $\frac{12}{5}$  are  $\frac{36}{5}$ , equal to  $7\frac{1}{5}$  barrels, which is the answer required.

*Another Explanation.*—First, divide by 20 as if it were 20 units, which gives  $\frac{48}{5}$ ; but, as the right divisor is  $\frac{20}{3}$ , only  $\frac{1}{3}$  of 20 units, it will be contained 3 times as often as 20 units (151); therefore, multiply that quotient by 3 to ascertain how many times  $\frac{20}{3}$  is contained in 48, which gives  $\frac{48 \div 4 \times 3}{5} = \frac{36}{5} = 7\frac{1}{5}$  barrels, as before.

### 153. OBSERVATION.

OBSERVE, (152,) that, in dividing by a fraction, the process consists of two steps, on account of the two numbers in the divisor, and that, either step may be taken first, provided the reasoning be suited to the process.

### 154. EXERCISES IN DIVIDING BY A FRACTION.

In like manner, solve and explain the following problems.

1. To how many poor persons could 9 dollars be distributed, giving them  $\frac{3}{4}$  of a dollar apiece?

2. If 28 dollars be paid for  $1\frac{3}{4}$  tons of hay, what is the price of a ton?

3. If a drunkard drink  $\frac{9}{16}$  of a quart of rum per day, how long would 9 quarts last him?

4. If a moderate drinker drink  $\frac{1}{2}$  pint of brandy per day, how long would 8 pints last him?

5. How long would 2 barrels of flour last a family that consume  $\frac{3}{8}$  of a barrel in each week?

6. If 28 bushels be sown on  $9\frac{1}{2}$  acres, how much is that per acre?

7. If it take  $\frac{5}{8}$  of a bushel of rye to sow an acre, how many acres would 15 bushels sow?

8. How many bottles of beer holding  $\frac{7}{5}$  of a gallon each, could be filled from a hogshead holding 63 gallons?

9. At  $1\frac{1}{5}$  dollars a bushel, how much wheat could be bought for 20 dollars?

10. How many acres would it take to produce 96 bushels, at the rate of  $15\frac{4}{5}$  bushels per acre?

11. If a man pay 21 dollars for pasturing his horse  $16\frac{3}{4}$  weeks, how much is that per week?

12. If a man earn 6 dollars in  $\frac{3}{8}$  of a month, how much is that for one month?

13. In what time can a man build 28 rods of wall, if he build  $2\frac{1}{2}$  of a rod per hour?

14. If  $1\frac{7}{8}$  yards of cloth be put into a coat, how many coats may be made from 30 yards?

15. At  $\frac{5}{8}$  of a dollar a bushel, how many bushels of corn may be bought for 125 dollars?

16. How many pairs of gloves may be bought for 12 dollars at  $\frac{5}{8}$  of a dollar a pair?

17. If  $71\frac{3}{8}$  barrels of apples be bought for 20 dollars, what is the cost of one barrel?

18. If  $11\frac{2}{11}$  gallons of molasses cost 3 dollars, what would be the cost of one gallon?

19. Divide 128 by  $1\frac{2}{5}$ .

20. How many times is  $\frac{14}{3}$  contained in 19?

21. How many times is  $\frac{7}{8}$  contained in 14?

22. How many times is  $1\frac{3}{4}$  contained in 9?

23. Divide 2 by  $7\frac{2}{5}$ .

24. What part of 7 is 3?

25. What part of 7 is  $\frac{3}{4}$ ?

26. What part of  $\frac{3}{4}$  is 7?

27. What part of  $2\frac{1}{3}$  is 2?

28. What part of  $6\frac{1}{4}$  is 5?

### 155. MODEL OF A RECITATION.

1. With  $3\frac{3}{8}$  dollars how many yards of broadcloth, at 9 dollars per yard, could a merchant buy? — How many yards of cassimere, at 2 dollars per yard? — How many yards of satinete, at  $\frac{3}{4}$  of a dollar per yard? — How many yards of camlet at  $\frac{5}{8}$  of a dollar per yard? — How many yards of velvet at  $2\frac{2}{3}$  dollars per yard?

He could buy as many yards of broadcloth, at 9 dollars per yard, as 9 dollars is contained

$$\frac{27 \div 9}{8} = \frac{3}{8} \text{ yards of broadcloth.}$$

$$\frac{27}{8 \times 2} = \frac{27}{16} = 1\frac{11}{16} \text{ yards of cassimere.}$$

$$\frac{27 \div \frac{3}{4}}{8} = \frac{9}{8} = 4\frac{1}{2} \text{ yards of satinete.}$$

$$\frac{27 \div 8 \times 5}{8} = \frac{27}{5} = 5\frac{2}{5} \text{ yards of camlet.}$$

$$\frac{27 \times \frac{3}{8}}{8} = \frac{81}{64} = 1\frac{17}{64} \text{ yards of velvet.}$$

per yard, as 9 dollars is contained times in  $3\frac{3}{8} = \frac{27}{8}$  dollars, which ascertain by dividing the number of parts by 9, (111.)

He could buy as many yards of cassimere, at 2 dollars per yard, as 2 dollars is contained times in  $3\frac{3}{8} = \frac{27}{8}$  dollars; which ascertain by dividing the size of the parts by 2, (114,) that is, making the parts  $\frac{1}{2}$  as large.

He could buy as many yards of satinete, at  $\frac{3}{4}$  of a dollar per yard, as  $\frac{3}{4}$  of a dollar is contained times in  $\frac{27}{8}$  of a dollar; multiply by 4, by making the parts 4 times as large, (106,) to ascertain how many times  $\frac{1}{4}$  is contained in  $\frac{27}{8}$ ; (151;) and, since  $\frac{3}{4}$  is 3 times as much as  $\frac{1}{4}$ , and, consequently, will be contained only  $\frac{1}{3}$  as often as  $\frac{1}{4}$ , divide this quotient by 3, by dividing the number of parts, to ascertain how many times  $\frac{3}{4}$  is contained, which reduced will be the answer required.

He could buy as many yards of camlet, at  $\frac{5}{8}$  of a dollar per yard, as  $\frac{5}{8}$  of a dollar is contained times in  $3\frac{3}{8} = \frac{27}{8}$  of a dollar; multiply by 8, by multiplying the size of the parts, to ascertain how many times  $\frac{1}{8}$  is contained in  $\frac{27}{8}$ , and, since  $\frac{5}{8}$  will be contained  $\frac{1}{5}$  as often, divide this quotient by 5, by dividing the size of the parts, to ascertain how many times  $\frac{5}{8}$  is contained, which reduced will be the answer required.

He could buy as many yards of velvet, at  $2\frac{2}{3} = \frac{8}{3}$  of a dollar per yard, as  $\frac{8}{3}$  of a dollar is contained times in  $3\frac{3}{8} = \frac{27}{8}$  of a dollar; multiply the number of parts by 3 to ascertain how many times  $\frac{1}{3}$  is contained in  $\frac{27}{8}$ , and divide the size of



the parts in that quotient by 8 to ascertain how many times  $\frac{3}{8}$  is contained, which reduced will be the answer required.

*Another Explanation.* — First, divide  $3\frac{3}{8}$ , or  $\frac{27}{8}$  by 8 as if it were 8 units, which gives  $\frac{27}{8 \times 8}$ ; but, as the right divisor is  $\frac{3}{8}$ , or only  $\frac{1}{3}$  of 8 units, (94) it will be contained 3 times as often as 8 units; therefore, multiply that quotient by 3 to ascertain how many times  $\frac{3}{8}$  is contained; which gives  $\frac{27 \times 3}{8 \times 8} = \frac{81}{64} = 1\frac{17}{64}$  yards as before.

### 156. OBSERVATION.

OBSERVE, that, in dividing a fraction by a fraction, the process consists of two steps, either of which may be taken first; that, in many cases there are two ways of performing each part of the process, on account of the two numbers in the dividend; but that, of the two ways, that is to be adopted which will give the result in the lower terms; that, each part of the process is to be EXPRESSED and explained separately; and finally, that the process is to be PERFORMED by reducing the EXPRESSION of the result to its simplest terms.

### 157. EXERCISES IN DIVIDING A FRACTION BY A FRACTION.

*In like manner, solve and explain the following problems.*

1. At  $\frac{2}{3}$  of a dollar a bushel, how much rye may be bought for  $\frac{3}{5}$  of a dollar?
2. At  $\frac{1}{4}$  of a dollar a bushel, how many apples may be bought for  $\frac{7}{8}$  of a dollar?
3. How many bushels of turnips, at  $\frac{3}{8}$  of a dollar per bushel, may be bought for  $\frac{7}{8}$  of a dollar?
4. If 1 bushel cost  $\frac{1}{4}$  of a dollar, how many apples may be bought for  $\frac{3}{4}$  of a dollar?
5. At  $\frac{1}{5}$  of a dollar a dozen, how many dozen of lemons may be bought for  $1\frac{2}{5}$  dollars?
6. At  $\frac{3}{8}$  of a dollar a dozen, how many oranges may be bought for  $5\frac{3}{8}$  dollars?
7. At  $\frac{1}{6}$  of a dollar a pound, how many figs may be bought for  $2\frac{1}{2}$  dollars?
8. At  $\frac{1}{3}$  of a dollar a bushel, how many potatoes may be bought for  $4\frac{1}{2}$  dollars?
9. At  $\frac{3}{8}$  of a dollar a bushel, how many onions may be bought for  $\frac{4}{5}$  of a dollar?
10. With  $5\frac{3}{5}$  dollars, how many pounds of butter, at  $\frac{4}{15}$  of a dollar a pound, may be bought?

11. If  $\frac{3}{8}$  of a pound of fur is sufficient for 1 hat, how many hats would  $4\frac{1}{16}$  pounds be sufficient for?
12. If 1 yard of linen cost  $\frac{2}{3}$  of a dollar, how much would  $3\frac{3}{8}$  dollars buy?
13. If  $1\frac{3}{4}$  yards of cloth make 1 coat, how many coats may be made from  $9\frac{1}{7}$  yards?
14. If  $2\frac{1}{2}$  bushels of oats keep 1 horse a week, how many horses will  $18\frac{3}{5}$  bushels keep for the same time?
15. If  $2\frac{1}{2}$  bushels of oats keep a horse 1 week, how long would  $12\frac{3}{8}$  bushels keep him?
16. Bought  $3\frac{1}{4}$  yards of cloth for  $14\frac{5}{8}$  dollars; what did I give per yard?
17. At  $\frac{2}{3}$  of a dollar a pound, how many pounds of coffee may be bought for  $12\frac{1}{2}$  dollars?
18. If  $4\frac{3}{5}$  pounds of butter serve a family 1 week, how many weeks would  $36\frac{7}{8}$  pounds serve them?
19. If a man walk a mile in  $\frac{3}{10}$  of an hour, how far would he walk in  $5\frac{3}{4}$  hours?
20. If a barrel of cider last a cider-drinker  $3\frac{4}{5}$  months, how many barrels would he drink in  $10\frac{2}{3}$  months?
21. If the stage run  $8\frac{5}{12}$  miles per hour, how long would it be in running  $25\frac{3}{16}$  miles?
22. How many bushels of rye at  $\frac{8}{9}$  of a dollar per bushel, may be bought for  $12\frac{3}{5}$  dollars?
23. If  $4\frac{1}{2}$  pounds of tea cost  $3\frac{3}{5}$  dollars, what is that per pound?
24. How many times is  $4\frac{1}{2}$  contained in  $3\frac{3}{5}$ ?
25. At  $1\frac{2}{3}$  dollars per yard, how much carpeting may be purchased for  $33\frac{1}{3}$  dollars?
26. Divide  $1\frac{3}{7}$  by  $33\frac{1}{3}$ .
27. Divide  $33\frac{1}{3}$  by  $1\frac{2}{7}$ .
28. If  $\frac{1}{8}$  of a dollar buy a pound of tea, how much would  $3\frac{1}{4}$  dollars buy?
29. How many times is  $16\frac{2}{3}$  contained in  $83\frac{1}{3}$ ?
30. How many times is  $6\frac{1}{4}$  contained in  $62\frac{1}{2}$ ?
31. How many times is  $8\frac{1}{3}$  contained in  $66\frac{2}{3}$ ?
32. How many times is  $18\frac{3}{4}$  contained in  $37\frac{1}{2}$ ?
33. How many times is  $4\frac{1}{6}$  contained in  $33\frac{1}{3}$ ?
34. At  $\frac{3}{4}$  of a dollar a bushel, how much corn can be bought for  $\frac{1}{2}$  of a dollar?
35. At 3 dollars a yard, how much velvet may be bought for  $\frac{1}{8}$  of a dollar?
36. Divide  $\frac{1}{3}$  by 3?

37. What part of 10 is 7?  
 38. What part of 3 is  $\frac{1}{3}$ ?  
 39. What part of 3 is  $2\frac{1}{4}$ ?  
 40. Divide  $5\frac{1}{2}$  by 10.  
 41. What part of 10 is  $5\frac{1}{6}$ ?  
 42. Divide  $2\frac{4}{5}$  by  $7\frac{2}{3}$ .  
 43. What part of  $7\frac{2}{3}$  is  $2\frac{4}{5}$ ?  
 44. Divide  $\frac{2}{5}$  by  $\frac{7}{8}$ .  
 45. When corn is  $\frac{7}{8}$  of a dollar per bushel, what part of a bushel may be bought for  $\frac{2}{5}$  of a dollar?  
 46.  $\frac{2}{5}$  is what part of  $\frac{7}{8}$ ?

**158. REVIEW OF THE SEVERAL WAYS OF MULTIPLYING A FRACTION BY A FRACTION.**

Multiply  $\frac{5}{12}$  by  $\frac{4}{5}$ .

- (a.) State the problem.  
 No. 1.  $\frac{5}{12} \div \frac{5}{4} = \frac{1}{3}$ . (b.) What may be the first step?  
 " 2.  $\frac{5}{12} \times 4 = \frac{4}{12} = \frac{1}{3}$ . (c.) Why need that be done?  
 " 3.  $\frac{5}{12 \times 5 \div 4} = \frac{5}{15} = \frac{1}{3}$ . (d.) How may that be done?  
 " 4.  $\frac{5 \times 4}{12 \times 5} = \frac{20}{60} = \frac{1}{3}$ . (e.) Why may it be done in that way?  
 \_\_\_\_\_ (f.) Result of the first step?  
 " 5.  $\frac{5}{12} \div \frac{5}{4} = \frac{1}{3}$ . (g.) What must be the next step?  
 " 6.  $\frac{5 \times 4 \div 5}{12} = \frac{4}{12} = \frac{1}{3}$ . (h.) Why must that be done?  
 " 7.  $\frac{5}{12 \div 4 \times 5} = \frac{5}{15} = \frac{1}{3}$ . (i.) How may that be done?  
 " 8.  $\frac{5 \times 4}{12 \times 5} = \frac{20}{60} = \frac{1}{3}$ . (j.) Why may it be done in that way?  
 (k.) Result of both steps?

**159. MODEL OF A RECITATION.**

No. 1. (a.) The product should be  $\frac{4}{5}$  of the multiplicand, (144.) (b.) First divide by 5, (c.) to obtain (92)  $\frac{1}{5}$ , (d.) which is done by dividing the numerator, (111) by 5; (e.) because that will give  $\frac{1}{5}$  as many parts, (f.) or  $\frac{1}{12}$ , (g.) Next, multiply by 4, (h.) to obtain  $\frac{4}{5}$ , (i.) which is done by dividing the denominator (106) by 4; (j.) because that will make the parts 4 times as large, (k.) or  $\frac{1}{3}$ , which is the answer required.

*In like manner explain the first four of the examples; but explain the last four by using the numerator of the multiplier in the first step of the process.*

### 160. REVIEW OF THE SEVERAL WAYS OF DIVIDING A FRACTION BY A FRACTION.

Divide  $\frac{12}{5}$  by  $\frac{4}{5}$ .

- (a.) State the problem.
- No. 1.  $\frac{12 \div 4}{5 \div 5} = \frac{3}{5}$ . (b.) What may be the first step?
- " 2.  $\frac{12 \div 5 \times 4}{5} = \frac{12}{5} = \frac{3}{5}$ . (c.) Why need that be done?
- " 3.  $\frac{12 \times 5 \div 4}{5} = \frac{15}{5} = \frac{3}{5}$ . (d.) How may that be done?
- " 4.  $\frac{12 \times 5}{5 \times 4} = \frac{60}{100} = \frac{3}{5}$ . (e.) Why may it be done in that way?
- 
- (f.) Result of the first step.
- " 5.  $\frac{12 \div 4}{5 \div 5} = \frac{3}{5}$ . (g.) What must be the next step?
- " 6.  $\frac{12 \times 4 \div 5}{5} = \frac{12}{5} = \frac{3}{5}$ . (h.) Why must that be done?
- " 7.  $\frac{12 \div 4 \times 5}{5} = \frac{15}{5} = \frac{3}{5}$ . (i.) How may that be done?
- " 8.  $\frac{12 \times 5}{5 \times 4} = \frac{60}{100} = \frac{3}{5}$ . (j.) Why may it be done in that way?
- (k.) Result of both steps.

### 161. MODEL OF A RECITATION.

No. 1. (a.) It is required to find how many times  $\frac{4}{5}$  is contained in the dividend, (**62**); (b.) First, multiply by 5, (c.) to ascertain how many times  $\frac{1}{5}$  is contained, (**99**), (d.) which is done by dividing the denominator (**106**) by 5; (e.) because that will make the parts 5 times as large, (**105**); (f.) or,  $\frac{12}{5}$ . (g.) Next, divide by 4, (h.) to ascertain how many times  $\frac{4}{5}$  is contained, (i.) which is done by dividing the numerator, (**111**) by 4; (j.) because that will give  $\frac{1}{4}$  as many parts, (k.) or  $\frac{3}{5}$ , which is the answer required.

*In like manner, explain the first four of the examples; but explain the last four by using the numerator of the divisor in the first step of the process.*

---

## VII. DECIMAL FRACTIONS.

### 162. SIMILARITY OF DECIMAL FRACTIONS TO INTEGRAL NUMBERS.

In integral numbers you see that there is a uniform law, 10 units of any order making 1 unit of the next higher order, (10) or 1 unit of any order making 10 units of the next lower order; that, therefore, the units of the different orders are written together in places appropriated to them, according to their values; and that, hence, the values of the several units are known from the places which they occupy.

But in fractional numbers, you see that there is no such uniformity, since the parts may be of any size, depending upon the number of them that it takes to make a unit; that, therefore, the parts of different sizes cannot be written together in places appropriated to them, according to their values, and that, hence, the values of the parts cannot be known from the places which they occupy; but that the parts, whatever may be their size, are written in the same place, at the right of an integral number, when not written alone, and always accompanied by a denominator to show their size, (84.)

You will now give your attention to a kind of fractions in which there prevails the same uniformity as in integral numbers; 10 parts of any size making 1 part of the next larger size; or 1 part of any size making 10 parts of the next smaller size, (10); and therefore, the parts of different sizes, are written together in places appropriated to them, according to their sizes; and hence the different sizes of the parts are known, without the presence of their denominator, from the *places* which the parts occupy; moreover, all the operations of addition, subtraction, multiplication, and division, are performed upon them, either alone, or together with integral numbers, precisely as upon integral numbers alone; *care being required only to keep the POINT of separation between the integral and fractional parts of numbers.*

**163.** ILLUSTRATION OF THE LOCAL VALUE OF DECIMAL FIGURES.

$$1. = \frac{10}{10}, = \frac{100}{100}, = \frac{1000}{1000}, = \frac{10000}{10000}, \&c.$$

$$\frac{1}{10}, = \frac{10}{100}, = \frac{100}{1000}, = \frac{1000}{10000}, \&c.$$

$$\frac{1}{100}, = \frac{10}{1000}, = \frac{100}{10000}, \&c.$$

$$\frac{1}{1000}, = \frac{10}{10000}, \&c.$$

$$\frac{1}{10000}, \&c.$$

1.1111.

OBSERVE, in this table, that 1 unit is reduced to *tenths*, &c.,  $\frac{1}{10}$  to *hundredths*, &c.,  $\frac{1}{100}$  to *thousandths*, &c.,  $\frac{1}{1000}$  to *ten-thousandths*, &c., by multiplying both

terms ( **121** ) of each fraction by 10, and by 10 again, &c. ; that 1 part of each size makes 10 parts of the next smaller size, or that 10 parts of each size make 1 part of the next larger size, ( **10** ) ; and that on the left, 1 part of each size is arranged, without its denominator, according to the values of the parts, 1 unit being written, then 1 *tenth* in the *first* place at the right hand of units, 1 *hundredth* in the *second* place, 1 *thousandth* in the *third* place, 1 *ten-thousandth* in the *fourth* place, &c. Any other digit written in any of these places, would express parts of the size for which that place is appropriated. Hence, the values of these parts, or any number of parts arranged in this way, according to their values, may be known without their denominator, since the different parts will always occupy places at the same relative distances from the unit's place ; but a POINT ( . ) must be prefixed to a fraction to distinguish it from an integral number, or the integral part of a mixed number.

Such fractions are called *Decimal Fractions*, because the parts expressed by them are always such, that it takes 10 of them, or some power ( **49** ) of 10 to make a unit. They differ from Common Fractions, only in the uniformity in the values of the parts expressed by them, and consequently, in the manner of writing them, and operating by them.

**164.** MODE OF READING DECIMAL NUMBERS.

Since, as you may observe, the places equidistant from the units, on each side, correspond in name, except that the ter-

mination of the fractional names is *ths*, the manner of reading decimal fractions is similar to that of reading integral numbers.

Observe, also, in the table, that  $1 = 10000$  ten-thousandths,  $\frac{1}{10} = 1000$  ten-thousandths,  $\frac{1}{100} = 100$  ten-thousandths,  $\frac{1}{1000} = 10$  ten-thousandths, and  $\frac{1}{10000} = 1$  ten-thousandth; consequently, the whole mixed number, 1.1111, may be read, eleven thousand one hundred and eleven *ten-thousandths*, precisely the same as an integral number, except at last, speaking the denominator of the last figure, which is also the common denominator of this and the other figures in the number, as may be observed in the table. But the better way is to read the integral and fractional parts separately. Thus: *One*, and one thousand one hundred and eleven *ten-thousandths*.

The denominator of the last figure, or the common denominator of all the figures in the numerator, may be known from the fact that it will always consist of one more figure than the decimal places occupied by the numerator, or 1 with as many ciphers as the numerator occupies decimal places.

### 165. EXERCISES IN READING DECIMAL NUMBERS.

*In like manner, read the following numbers.*

1.	5.111.	11.	252.5.	21.	.05.	31.	2.40003.
2.	3.12.	12.	25.25.	22.	.005.	32.	2.400305.
3.	2.6.	13.	2.525.	23.	.0005.	33.	.5.
4.	.2.	14.	.2525.	24.	.00005.	34.	.50.
5.	.25.	15.	40.5.	25.	.000005.	35.	.500.
6.	.75.	16.	4.05.	26.	.007.	36.	.5000.
7.	.125.	17.	.405.	27.	.00007.	37.	.050.
8.	17.3.	18.	306.1.	28.	.072.	38.	8.0900.
9.	144.16.	19.	30.61.	29.	3.0407.	39.	.0000009.
10.	3456.4.	20.	3.061.	30.	3.4007.	40.	1.00000080.

### 166. MODE OF WRITING DECIMAL NUMBERS.

In writing a decimal fraction, it should be made to occupy as many places as it requires ciphers in its denominator. Therefore, following the point, write as many ciphers as the number of decimal places required exceeds the number of figures expressing the numerator; then write such figures as will express the numerator; and the fraction will be properly expressed.

**167. MODEL OF A RECITATION.**

Write twelve, and one thousand and sixteen ten-millionths.

First, write twelve and the point, thus; 12.; then, as the decimal must occupy *seven* places, and it requires only *four* figures to express the numerator, write three ciphers, and one thousand and sixteen, thus; 12.0001016, which is the number required.

**168. EXERCISES IN WRITING DECIMAL NUMBERS.**

*In like manner, write the following numbers, expressing the fractions decimally.*

1. $27\frac{6}{10}$ .	6. $16\frac{1}{1000}$ .	11. $13\frac{23}{100}$ .	16. $\frac{420}{1000}$ .
2. $14\frac{7}{100}$ .	7. $\frac{6}{10}$ .	12. $1\frac{43}{1000}$ .	17. $\frac{300}{1000}$ .
3. $108\frac{5}{10}$ .	8. $\frac{5}{100}$ .	13. $17\frac{573}{10000}$ .	18. $\frac{80}{1000}$ .
4. $73\frac{9}{100}$ .	9. $\frac{7}{1000}$ .	14. $\frac{807}{10000}$ .	19. $\frac{2000}{100000}$ .
5. $4\frac{6}{100}$ .	10. $\frac{2}{10000}$ .	15. $\frac{40}{100}$ .	20. $\frac{205}{1000000}$ .

21. Seventeen, and four hundred and nine thousandths.
22. Six, and sixty-five thousandths.
23. Seven, and seven ten-thousandths.
24. Ten thousand eight hundred and nine hundred-thousandths.
25. Twenty-six, and fifteen millionths.
26. Three, and one hundred and one ten-thousandths.
27. Four, and twenty-five hundred-thousandths.
28. Eight, and six hundred and four millionths.
29. One, and sixty thousand and five ten-millionths.
30. Two, and thirty thousand hundred-thousandths.
31. How many thousandths in .2?
32. How many hundredths in 2.5?
33. Reduce  $\frac{3}{10}$  to thousandths.
34. Reduce  $\frac{125}{10000}$  to its lowest terms.
35. Reduce .25 to its lowest terms in a common fraction.
36. Reduce .3125 to its lowest terms.
37. Reduce  $\frac{3}{10}$ ,  $\frac{3}{100}$ , and  $\frac{3}{1000}$ , to thousandths and add them.
38. Reduce  $\frac{3}{10}$ ,  $\frac{7}{1000}$ , and  $\frac{9}{100}$ , to a common denominator, and add them.



**169. FEDERAL MONEY EXPRESSED BY DECIMAL NUMBERS.**

Federal money is the metallic money which is coined by the authority of the United States. It consists of eagles, dollars, dimes, cents, and mills; the values of which, as you may observe in the following table, correspond to decimal numbers; 1 coin of either denomination equaling 10 of the next lower; or 10 coins of either denomination equaling 1 of the next higher, (**10.**) But the mill is only an imaginary coin.

In commerce, eagles are expressed in dollars, and dimes in cents. *The dollar is considered the unit*, and cents and mills, decimal fractions of a dollar. Hence, numbers expressing Federal money are precisely like numbers in decimal fractions, and they are made to express Federal money by prefixing to them this character (\$.)

Eagle.	Dollars.	Dimes.	Cents.	Mills.	Dollars.	Cents.	Mills.	Read,
1	= 10	= 100	= 1000	= 10000	= \$10.	...		Ten dollars.
	1	= 10	= 100	= 1000	= \$1.	...		One dollar.
		1	= 10	= 100	= \$	.10		Ten cents.
			1	= 10	= \$	.01		One cent.
				1	= \$	.001		One mill.
<hr style="width: 50%; margin: 0 auto;"/>								
				11111	= \$11.111	{	Eleven dollars, eleven cents and one mill.	

**170. REDUCTION OF FEDERAL MONEY ILLUSTRATED.**

1. In 25 how many hundredths?—how many thousandths?

2500 hundredths.

25000 thousandths.

Since there are  $\frac{100}{100}$  in 1, there will be 100 times as many hundredths as units; therefore, multiply the units by 100, by annexing two ciphers, (**34.**)

There will be 1000 times as many thousandths as units; therefore, annex three ciphers to 25, which will give the answer required.

2. In \$25, how many cents?—how many mills?

2500 cents.

25000 mills.

Since there are 100 cents in \$1, there will be 100 times as many cents as dollars; therefore, annex two ciphers, (**10**) to 25, making 2500 cents, which is the answer required.

There will be 1000 times as many mills as dollars; therefore, annex three ciphers to the dollars, which will reduce the dollars to mills, as required.

OBSERVE that, by pointing off the ciphers annexed in these examples, that is, putting a point between the 25 and the ciphers, the hundredths and thousandths will be reduced to units again, and the cents and mills to dollars again.

### 171. MODEL OF A RECITATION.

1. In 25125 mills how many cents? — how many dollars?

2512.5 cents.      Since in 1 cent there are 10 mills,  
there will be  $\frac{1}{10}$ , or .1 as many cents as  
mills; therefore, divide by 10, by point-  
ing off one figure at the right hand,  
(10); for thus the tens become units,

\$25.125

and the other figures, also, are all brought one degree lower

There will be  $\frac{1}{1000}$ , or .001 as many dollars as mills, therefore, point off three figures, (10); for thus the thousands become units, and all the other figures are also brought three degrees lower.

### 172. EXERCISES IN THE REDUCTION OF FEDERAL MONEY.

*In like manner, solve and explain the following problems.*

1. In \$16, how many cents?
2. How many mills in \$16?
3. In 12000 mills how many cents?
4. How many dollars in 12000 mills?
5. In 75 cents how many mills?
6. In \$8.25 how many cents?
7. In \$5.125, how many mills?
8. How many cents in \$5.125?
9. In \$3.375, how many dollars, cents and mills?
10. In 16125 mills how many dollars?
11. In 12548 cents, how many dollars?
12. Reduce \$37.50 to cents.
13. Reduce 75625 mills to dollars?
14. Reduce 984 mills to dollars.
15. Reduce \$.75 to cents.
16. Reduce \$.125 to mills.
17. How many mills in \$1.25?
18. How many cents in \$2.375?
19. In 12345 mills how many dollars, cents and mills?
20. How many times 10 in 85?

21. Divide 625 by 100.
22. Divide 1836 by 1000.
23. What is  $\frac{1}{100}$  of 1728?
24. How many times 100 in 1276?
25. Reduce 12.25 to hundredths.

### 173. MODEL OF A RECITATION.

1. Bought 1 barrel of flour for \$6.75, 10 pounds of coffee for \$2.20, 7 pounds of sugar for \$.875, 12 pounds of butter for \$2, 1 pound of raisins for \$.125, and 2 oranges for \$.06. What was the whole amount?

Arrange the numbers together so that the figures of each denomination, may stand in a column by themselves, and proceed as in the addition of integral numbers, (20.)

6.75	
2.20	
.875	
2.	
.125	
.06	
<hr style="width: 100%;"/>	
\$12.01	

The 10 mills of the first column make 1 cent, (169,) which added with the first column of cents make 21 cents, equal to 1 cent, which write, and 2 dimes; which add with the other dimes, making 20 dimes, equal to 2 dollars; write a cipher in the dimes' place, or second place of cents, and add the 2 dollars with the

other dollars, making 12 dollars, which written at the left of the point, make \$12.01, the answer required.

2. Mr. Farmer having a pasture of 25 acres, fenced off 2.375 acres to plant with potatoes; how many acres remained in the pasture?

Write the subtrahend under the minuend, placing the figures of each denomination under those of the same denomination, and proceed as in the subtraction of integral numbers, (53.)

25.	
2.375	
<hr style="width: 100%;"/>	
22.625 acres.	

Since there are no thousandths from which to take the 5, reduce 1 of the 5 units to tenths, (10,) making 10, one of which (leaving 9,) reduce to hundredths, making 10, one of which (leaving 9,) reduce to thousandths, making 10, from which subtract the 5, and 5 thousandths remain, which write; 7 hundredths from 9 hundredths leave 2 hundredths, which write; 3 tenths from 9 tenths leave 6 tenths, which write; 2 units from 4 units leave 2 units, which write; and blank from 2 tens leaves 2 tens, which write; making 22.625 acres, which is the answer required.

### 174. EXERCISES IN ADDING AND SUBTRACTING DECIMAL NUMBERS.

*In like manner, solve and explain the following problems, taking care to keep a point between the integral and fractional parts of every number.*

1. Bought a pair of oxen for \$76.50, a horse for \$75, and a cow for \$25.75; what was the whole amount?

2. A man gave \$4.75 for a pair of boots, and \$2.25 for a pair of shoes; how much more did the boots cost than the shoes?

3. A man bought a cow and calf for \$28.375, and sold the calf for \$3.625, what did the cow cost him?

4. Bought a horse for \$92, but sold him so as to lose \$15.25; for how much was he sold?

5. What is the whole cost of a cart at \$17.625, a wagon at \$48.50, a plough at \$7.333, a rake at \$.42, a hoe at \$.60, and a pitchfork at \$.875?

6. How much cloth in 6 pieces measuring as follows, 25.5 yards, 27.75 yards, 28.125 yards, 30 yards, 29.375 yards, and 26.5 yards?

7. A merchant having a piece of cloth measuring 25 yards, sold from it 1.875 yards for a coat, and 1.125 yards for a pair of pantaloons; how much was there left in the piece?

8. Mr. Farmer took to market 32 bushels of potatoes in one load, and peddled them as follows: 5.5 bushels for \$2.75, 4.25 bushels for \$2.125, 6.75 bushels for \$3.375, 10.5 bushels for \$5.25, and the rest of the load for \$2.50; how much did he sell at the last sale; and how much did he get for his load?

9. A man owing \$253, paid \$187.375, how much did he then owe?

10. Add together 10.0625, 5.1875, 6.5, and 4.25.

11. How much is  $15.5 + 2.75 + 3.75 - 12$ ?

12. What is the sum of 192.423 and 20.58?

13. What is the difference between 12.5 and 6.25?

14. What is the sum and difference of 245.0075 and 234.9925?

15. Subtract  $2\frac{1}{10}$  from  $4\frac{25}{100}$

### 175. MODEL OF A RECITATION.

I. If 1.75 yards be required for 1 coat, how much would be required for 7 coats?

1.75

7

12.25 yards.

of the *same* kind, 7 times 175 *hundredths* will be 1225 *hundredths*, or 12.25.

But, to analyze it, say : 7 times 5 hundredths are 35 hundredths, equal to 5 hundredths, which write in the place of hundredths, and 3 tenths, (**10**.) which add with 7 times 7 tenths, making 52 tenths, equal to 2 tenths, which write in the place of tenths, and 5 units, which add with 7 times 1 unit, making 12 units, which write at the left of the point, and the result will be the answer required.

2. At \$175 per acre, what would be the cost of .7 acres, or, more properly, .7 of an acre ?

\$175

.7

\$122.5

Since 1 acre costs \$175, .7 of an acre would cost .7 times as much, or .7 as much. First, multiply by 7, as if it were 7 units, which gives \$1225. But, the right multiplier being .7, only  $\frac{1}{10}$  of 7 units, the right product should be only  $\frac{1}{10}$  of 1225 ; therefore, divide this product by 10, by removing the point one place farther to the left, (**10**.) which gives \$122.50, the answer required.

3. What would be the price of 2.25 cords of wood, at \$5.375 per cord ?

\$5.375

2.25

26875

10750

10750

\$12.09375

Since 1 cord costs \$5.375, 2.25 cords would cost 2.25 times as much. 225 times 5.375 would be 1209.375. But, the multiplier being only  $\frac{1}{100}$  of 225, the product will be only  $\frac{1}{100}$  of 1209.375 ; therefore, divide by 100, by pointing off two more figures (**171**) for decimals, making \$12.09375, which is the answer required.

4. Multiply .125 by .03.

.125

.03

.00375

3 times .125 would be .375. But the multiplier being  $\frac{1}{100}$  of 3, the product will be  $\frac{1}{100}$  of .375 ; therefore, divide by 100, by removing the point (**163**) two places farther to the left. But you must make those places in this example, by prefixing ciphers.

### 176. PROOF OF THE POINTING IN THE MULTIPLICATION OF DECIMALS.

OBSERVE, that, in the preceding examples, (175,) each product has as many decimal figures as all its factors. This will hold true in all cases; and this truth may be applied to prove the pointing of the product; for, if the factors be considered as integral numbers, the product would be integral; and, since for every removal of the point one place to the left, in either factor, that factor becomes  $\frac{1}{10}$  as large, (10,) and, consequently, the product also becomes  $\frac{1}{10}$  as large, THE PRODUCT MUST BE DIVIDED BY 10, (which is done by removing the point (10) one place to the left,) FOR EVERY DECIMAL FIGURE IN ALL THE FACTORS.

### 177. EXERCISES IN THE MULTIPLICATION OF DECIMAL NUMBERS.

*In like manner, solve and explain the following problems.*

1. How many yards of cloth would be required for 5 pairs of pantaloons, if 1.25 yards be put into each pair?

2. What cost 8 yards of cloth, at \$2.875 per yard?

3. How many dollars in 8 ninepences, if \$.125 make 1 ninepence?

4. If \$.0625 make 1 fourpence-halfpenny, how much is 16 fourpence-halfpennies?

5. How much would a man receive for 5 barrels of pork at \$17.25 per barrel?

6. At \$5.50 per yard, what cost 10 yards of broad cloth?

7. At \$.05 per pound, what cost 100 pounds of rice?

8. At \$.20 per pound, what cost 1000 pounds of butter?

9. What cost 60 pounds of candles, at \$.17 per pound?

10. What cost 12 dozen of eggs, at \$.125 per dozen?

11. Multiply 5.333 by 8.

12. Multiply .464 by 25.

13. How much is 50 times .05?

14. What is the amount of the following bill?

Mr. John Debtor, Lowell, June 2, 1846.

Bought of Charles Creditor,

7 yds. Broad Cloth,	@	\$5.50	per	yard,	
5 " Cassimere,	@	1.50	"	"	
12 " Striped Jean,	@	.375	"	"	
15 " Bleached Sheeting,	@	.14	"	"	
27 " Brown	@	.125	"	"	

15. If a barrel of flour cost \$6, what cost .5 barrels ?
16. At \$25 a ton, what cost .7 of a ton of hay ?
17. At \$6 per yard, what cost .25 of a yard of cloth ?
18. At \$8 per cord, what cost .75 of a cord of wood ?
19. At \$50 per acre, what cost .125 of an acre of land ?
20. What is the amount of the following bill ?

Mr. Jacob Shem,

Salem, June 2, 1846.

Bought of Israel Ham,

37.5	yards	German Broad Cloth,	@	\$9	per	yd.
25.75	"	French " " "	@	\$7	"	"
18.125	"	English Cassimere,	@	\$3	"	"
24.375	"	American " "	@	\$2	"	"

---

21. Multiply 144 by .5.
22. What is .5 of 1728 ?
23. Multiply 512 by .25.
24. What is .75 of 856 ?
25. Multiply 1840 by .125.
26. What is .625 of 1000 ?
27. Multiply 75 by .004.
28. What is .0003 of 3000 ?
29. At \$.96 a gallon, what costs .4 gallons of oil ?
30. At \$.50 a yard, what costs .5 yards of cloth ?
31. Multiply .3 by .6.
32. What is .4 of .7 ?
33. Multiply .25 by .5.
34. What cost 1.5 yards, at \$.12 per yard ?
35. What cost 4.12 yards, at \$.50 per yard ?
36. What is the amount of the following bill ?

Mr. Reuben Retail,

Boston, June 2, 1846.

Bought of Warren Wholesale,

6.5	dozen	Spelling-Books,	@	\$ 1.75	per	doz.
8.25	"	Young-Readers,	@	\$ 2.875	"	"
10.75	"	National-Readers,	@	\$ 7.50	"	"
9.25	"	Testaments,	@	\$ 3.625	"	"
4.5	"	Polyglot Bibles,	@	\$10.50	"	"

---

37. What is the product of .204 multiplied by 1.4?  
 38. How much is 11.03 times .1109?  
 39. Multiply .04 by .004.  
 40. What is .0006 of .0012?  
 41. Multiply 1.006 by .002.  
 42. Multiply .062 by .003.  
 43. How much is .0004 of .025?  
 44. What is the second power (49) of .5?  
 45. What is the second power of .25?  
 46. What is the third power of .5?  
 47. What is the fourth power of .5?

### 178. MODEL OF A RECITATION.

1. If 4 books cost \$3, how much would that be apiece?

$$\begin{array}{r} 4) 3.0 \text{ (\$.75)} \\ \underline{28} \\ 20 \\ \underline{20} \\ \text{—} \end{array}$$

One book being  $\frac{1}{4}$  of 4 books, the *price* of 1 book should be  $\frac{1}{4}$  of the *price* of 4 books.  $\frac{1}{4}$  of 3 dollars would be  $\frac{3}{4}$  of a dollar, (**94**), in a common fraction; but the answer may be obtained in a decimal form. Thus,  $\frac{1}{4}$  of 3 dollars not being a *whole* dollar, reduce the 3 dollars to dimes, or tenths, (**170**), making 30 tenths,  $\frac{1}{4}$  of which is .7, and 2 dimes, or tenths, remaining, which reduce to cents, or hundredths, making 20 hundredths,  $\frac{1}{4}$  of which is .05, which, written with the .7, makes \$.75, the answer required.

2. A man, having 3 acres of land, divided it into 8 equal house-lots. How many acres in each lot?

$$\begin{array}{r} 3 \\ 8) 3.0 \text{ (.375 acres.)} \\ \underline{24} \\ 60 \\ \underline{56} \\ 40 \\ \underline{40} \\ \text{—} \end{array}$$

Each lot would contain  $\frac{1}{8}$  of 3 acres, which is  $\frac{3}{8}$  of an acre; but this common fraction may be reduced to a decimal fraction. Thus,  $\frac{1}{8}$  of 3 acres not being a whole acre, reduce the 3 acres to tenths, making (**163**) 30 tenths,  $\frac{1}{8}$  of which is .3, and .6 remaining, which reduce to hundredths, making 60 hundredths,  $\frac{1}{8}$  of which is .07, which write, and .04 remaining, which reduce to thousandths, making 40 thousandths,  $\frac{1}{8}$  of which is .005, which write, making .375 of an acre, the answer required.



3. At \$3.375 for 9 gallons of molasses, what would be the cost of 1 gallon?

$$\begin{array}{r} \textcircled{1} \ 3.375 \\ \hline \ \$375 \end{array}$$

One gallon would cost  $\frac{1}{9}$  of the price of 9 gallons.  $\frac{1}{9}$  of 3 dollars not being a *whole* dollar, reduce the 3 to tenths, making, with the 3 tenths, 33 tenths,  $\frac{1}{9}$  of which is .3, and .6 remaining, which reduce to hundredths, making, with the 7 hundredths, 67 hundredths,  $\frac{1}{9}$  of which is .07, which write, and .04 remaining, which reduce to thousandths, making, with the 5 thousandths, 45 thousandths,  $\frac{1}{9}$  of which is .005, which write, making \$.375, which is the answer required.

### 179. EXERCISES IN REDUCING COMMON FRACTIONS TO DECIMAL FRACTIONS.

*In like manner, solve and explain the following problems.*

1. If 12.25 yards be required for 7 coats, how much would be required for 1 coat?
2. If \$.375 be paid for 3 boy's tickets for admission to a concert, what would be the price of 1 ticket?
3. If 4 rides in a car cost \$6, what is the cost of 1 ride?
4. If 3 bushels of apples be divided among 4 men, what would be each man's share?
5. If 12 dozen of eggs cost \$1.50, how much is that per dozen?
6. If 3 acres of land be fenced off into 5 equal parts, how many acres in each part?
7. Reduce  $\frac{3}{5}$  to a decimal fraction.
8. Reduce  $\frac{3}{4}$  to a decimal fraction.
9. Reduce  $\frac{1}{4}$  to a decimal fraction.
10. Reduce  $\frac{1}{8}$  to a decimal fraction.
11. Reduce  $\frac{5}{16}$  to a decimal fraction.
12. How many times is 24 contained in 6?
13. How many times is 12 contained in 28.8?
14. Divide 17.28 by 48.
15. Divide 1.44 by 72.
16. Divide 4.096 by 64.
17. Reduce  $\frac{16}{256}$  to a decimal fraction.
18. How many times is 50 contained in 2.5?
19. How many times is 100 contained in 5?
20. Divide 3.75 by 8.
21. Divide 2.5 by 4.

**180.** MODEL OF A RECITATION.

1. Divide 54.32 by 40.

$$\begin{array}{r} 4) 5.432 \\ \underline{1.358} \end{array}$$

The factors 10 and 4 composing 40, first divide by 10, by removing the point (**10**) one place farther to the left, to obtain  $\frac{1}{10}$  of the dividend, which divide (**118**) by 4, to obtain  $\frac{1}{4}$  of  $\frac{1}{10}$ , or  $\frac{1}{40}$  of the dividend, which will be the answer required.

2. How many times is 35000 contained in 31.5?

$$\begin{array}{r} 7) .0315 \\ \underline{.0045} \\ .0009 \end{array}$$

The factors 1000, 7, and 5, composing 35000, first divide by 1000, by removing the point (**10**) three places farther towards the left, to obtain  $\frac{1}{1000}$  of the dividend, which divide by 7, to obtain  $\frac{1}{7}$  of  $\frac{1}{1000}$ , or  $\frac{1}{7000}$  (**118**) of the dividend, which divide by 5, to obtain  $\frac{1}{5}$  of  $\frac{1}{7000}$ , or  $\frac{1}{35000}$  of the dividend, which will be the answer required.

**181.** OBSERVATION.

OBSERVE that, when the divisor is a certain number of tens, hundreds, or thousands, &c., it is more convenient to divide first by ONE ten, hundred, or thousand, &c.; then divide that quotient by the other factor of the divisor.

**182.** EXERCISES IN DIVIDING BY UNITS OF THE HIGHER ORDERS.

*In like manner, solve and explain the following problems.*

1. How many times is 500 contained in 1775?
2. Divide 6.25 by 250.
3. How many times 9000 in 63459?
4. What is the quotient of 129.6 divided by 1200?
5. Divide 3.651 by 30.
6. How many tons, of 2000 pounds each, in 16948.25 pounds?
7. What part of an hour is 21 minutes?
8. How many years would it take a man to save \$5750, at \$500 per year?
9. How many months, at \$60 per month, would it take a man to earn \$1296?
10. Divide 45.6855 by 1500.

11. Divide 8943.75 by 75000.
12. What part of a ton, or 2000 pounds, are 1728 pounds?
13. How many times is 42000 contained in 586.488?
14. Reduce 14784 minutes to hours.
15. How many eagles, of \$10 each, in \$362.50?

### 133. ILLUSTRATION OF INFINITE DECIMALS.

1. If \$1 be paid for 9 writing-books, how much would that be apiece?

$$\begin{array}{r} \frac{1}{9} \overline{) 1.0} (\$.111 + \\ \underline{\phantom{1.} 9} \\ 10 \\ \underline{\phantom{1.} 9} \\ 10 \\ \underline{\phantom{1.} 9} \\ 1 \end{array}$$

If 9 books cost \$1, one book would cost  $\frac{1}{9}$  of a dollar. But to reduce  $\frac{1}{9}$  to a decimal form, (**178**) annex a point and a cipher to the numerator, and divide it by the denominator, which will give .1 for the first quotient figure. A cipher annexed to the remainder, gives .01 for the quotient; a cipher annexed to this remainder, gives .001 for the quotient; and thus, continuing without limit, the same remainder would recur, and the same figure would be repeated in the quotient. This quotient, and the like, are called *Infinite Decimals*.

When a quotient figure thus repeats, it is called a *repetend*; and the fact of its being a repetend, is denoted by placing a point *over* the first figure, omitting the rest. Thus,  $.1 = .111 \&c. = \frac{1}{9}$ ;  $.2 = .222 \&c. = \frac{2}{9}$ ;  $.5 = .55 \&c. = \frac{5}{9}$ ; and any figure, thus repeating, is so many times  $\frac{1}{9}$ . Therefore, to reduce any repetend of one repeating figure to a common fraction, you need only make the repeating figure the numerator, and 9 the denominator, and the result will be a fraction of 1 in the next higher place.

2. Reduce  $\frac{1}{99}$  to a decimal.

$$\begin{array}{r} \frac{1}{99} \overline{) 1.00} (.0101 \&c. = .0\dot{1} \\ \underline{\phantom{1.} 99} \\ 100 \end{array}$$

When two or more figures repeat, as in this example, the repetend is denoted by a point over both the *first* and *last* of the repeating figures.

Since  $.0\dot{1} = \frac{1}{99}$ , any two figures thus repeating, equal so many times  $\frac{1}{99}$ ; and in like

manner, three repeating figures equal so many times  $\frac{1}{999}$ , &c.

Therefore, to reduce any repetend to a common fraction, take the repeating figures for a numerator, and as many 9s, for a denominator, and the result will be an equal fraction of 1 in the next higher place.

#### 184. MODEL OF A RECITATION.

1. Reduce  $\frac{1}{6}$  to a decimal fraction, and back again to a common fraction.

$$\frac{1}{6} = .1\bar{6} = \frac{1}{10} + \frac{6}{9} \text{ of } \frac{1}{10} = \frac{1}{10} + \frac{6}{90} = \frac{9}{90} + \frac{6}{90} = \frac{15}{90} = \frac{1}{6}.$$

2. Reduce  $\frac{71}{330}$  to a decimal, and back again.

$$\frac{71}{330} = .2\bar{1}\bar{6} = \frac{2}{10} + \frac{15}{99} \text{ of } \frac{1}{10} = \frac{66}{330} + \frac{5}{330} = \frac{71}{330}.$$

#### 185. EXERCISES IN THE REDUCTION OF INFINITE DECIMALS.

In like manner, solve and explain the following problems.

1. Reduce  $\frac{1}{12}$  to a decimal, and back again to a common fraction.

2. Reduce  $\frac{5}{12}$  to a decimal, and back again to a common fraction.

3. Reduce  $\frac{7}{12}$  to a decimal, and back again to a common fraction.

4. Reduce  $\frac{1}{2}$  to a decimal, and back again to a common fraction.

5. Reduce  $\frac{5}{6}$  to a decimal, and back again to a common fraction.

6. Reduce  $\frac{23}{180}$  to a decimal, and back again to a common fraction.

7. Reduce  $.5\bar{3}$  to a common fraction.

8. Reduce  $.4\bar{6}$  to a common fraction.

9. Reduce  $.3\bar{2}\bar{5}$  to a common fraction.

10. Reduce  $.2\bar{4}$  to a common fraction.

11. Reduce  $\frac{5}{111}$  to a decimal, and back again to a common fraction.

12. Reduce  $\frac{337}{990}$  to a decimal, and back again to a common fraction.

**186. MODEL OF A RECITATION.**

1. Reduce  $\frac{7}{2}$  to a decimal fraction.

$$\begin{array}{r} 1 \\ \overline{)7} 1.00(.014— \\ \underline{72} \\ 280 \\ \underline{288} \\ \underline{\phantom{000}} \end{array}$$

It will generally be sufficiently accurate to extend the quotient only to four or five places of decimals, and write in the last place the figure that will make the quotient the nearer correct, with (—) after it if the figure be too large, and (+) if it be too small.

But if it be required to multiply such a quotient, some allowance should be made for its incorrectness.

2. How much would 125 cords of wood come to, at \$5.16 per cord?

$$\begin{array}{r} 5.16 \\ 125 \\ \hline 2583 \\ 10333 \\ 51666 \\ \hline \$645.83 \end{array}$$

5 times 6 are 30, but if another 6 of the repetend were written and multiplied by 5, it would afford 3 to be added to this 30, making 33; therefore, write 3 in the first place. 2 times 6 are 12, but if another 6 were written and multiplied by 2, it would afford 1 more to be added to this 12, making 13; write the 3, and, since this 3 is a repetend, continue it to the lowest place; so, also, continue the 6 down to the lowest place. The sum of the

first column is 12, but as there might be a lower column like this, which would afford 1 more for this column, write 3 in the first place, &c.

3. What would be the cost of 1 pair of boots, if 5 pairs cost \$16?

$$\begin{array}{r} 5) 16.(\$3.333 + \\ \underline{15} \\ 16 \\ \underline{15} \end{array}$$

5 is contained 3 times in 16, and 1 remains, which reduce to tenths, making with the .6 belonging to the repetend, 16 tenths, which will give .3 for the quotient; 1 tenth remains, which reduced to hundredths, and added to the .06, will give .03 for the quotient, &c.

**187. EXERCISES IN THE USE OF INFINITE DECIMALS.**

*In like manner, solve and explain the following problems.*

1. If there are \$4 in 1 sterling pound, what is the value of 1000 sterling pounds?

2. If  $\$.16$  make a shilling, what is the value of 6 shillings?

3. If  $\$.083$  make a sixpence, what is the value of 12 sixpences?

4. If  $\$.0416$  make a threepence, what is the value of 24 threepences?

5. What is the value of 100 yards of silk, at  $\$.83$  per yard?

6. If 5 spelling books cost  $\$.83$ , what is the price of 1 of them?

7. What is the value of 1 sterling pound, if 12 pounds make  $\$53$ ?

8. If 6 yards of silk cost  $\$5$ , what is that per yard?

9. If 24 oranges cost  $\$1$ , how much is that apiece?

10. What would 1 comb cost, if 60 combs should cost  $\$5.00$ ?

### 188. MODEL OF A RECITATION.

1. At  $\$.12$  a pound for raisins, how many pounds may be bought for  $\$2.88$ ?

$.12)2.88(24$  pounds.

$$\begin{array}{r} 24 \\ \text{---} \\ 48 \\ 48 \\ \text{---} \end{array}$$

As many pounds may be bought as  $\$.12$  is contained times in  $\$2.88$ ; that is, 12 cents in 288 cents, or, 12 hundredths in 288 hundredths, which will be as many times as 12 things of *any kind* is contained in 288 things of the *same kind*; that is, 24 times; therefore, 24 pounds is the answer required.

2. If a charitable person distribute 3 barrels of flour to the poor, giving them  $.125$  of a barrel apiece, to how many persons could he give a portion?

$.125)3.000(24$  persons.

$$\begin{array}{r} 250 \\ \text{---} \\ 500 \\ 500 \\ \text{---} \end{array}$$

To as many persons as  $.125$  is contained times in 3.

OBSERVE, that, in the first example, both divisor and dividend being of the SAME DENOMINATION, the quotient was an integral number, and necessarily so, from the fact, that if both divisor and

dividend be of the same denomination, it cannot affect the quotient, whether that denomination be pounds, barrels, miles.

*days, dollars, cents, mills, tenths, hundredths, or thousandths. For instance; 6 things of ANY DENOMINATION are contained in 12 things of the SAME denomination, 2 whole times.*

Therefore, if this dividend be reduced to the same denomination as the divisor, that is, to thousandths, the quotient so far must be an integral number. The quotient being 24, so many persons could receive a portion of the flour.

3. How many bushels of apples at \$.5 per bushel may be bought for \$.375?

.375(.75 bushels.

35

—  
25

25

—

next to units; then come hundredths, &c., in their own order.

4. At \$6.25 per barrel for flour, how many barrels, or what part of a barrel may be bought for \$.03125?

6.25).03125(.005 barrels.

3125

—

the quotient, but 625 (hundredths) not being contained in the 3 (hundredths,) there will be no units in the quotient. Write the point, and take into consideration one more figure of the dividend, which gives 0 tenths for the quotient; the next figure gives 0 hundredths for the quotient, and the next figure gives 5 thousandths, which, as there is no remainder, is the answer required.

### 189. OBSERVATION.

In the division of decimals by integral, or decimal numbers, you need have little difficulty in ascertaining the right place for the point, if you OBSERVE *understandingly, that the figures of the dividend, as low as the lowest figure of the divisor, and no farther, will give integral quotient figures;* and if you are careful to write the point in the quotient as soon as you have come to its place. Should not the dividend already be as low as the divisor, make it so by annexing ciphers.

### 190. PROOF OF THE POINTING IN THE DIVISION OF DECIMALS.

To *prove* whether you have pointed the quotient correctly, consider that the divisor and quotient being the two factors of the dividend, (**75**) must together have the same number of decimal figures as the dividend, (**176**). If your work stands this test, probably you have put the point in its right place.

### 191. EXERCISES IN THE DIVISION OF DECIMALS.

*In like manner, solve and explain the following problems.*

1. How many umbrellas, at \$1.25 apiece, may be bought for \$3.75?
2. How many pairs of half-hose, at \$.35 a pair, may be bought for \$1.40?
3. How many pounds of coffee, at \$.12 a pound, may be bought for \$13.44?
4. How many pounds of cheese, at \$.07 a pound, may be bought for \$5.25?
5. At \$1.50 per yard, how many yards of cassimere may be bought for \$24.?
6. At \$.80 per yard, how many yards of kersey may be bought for \$20?
7. At \$.40 per yard, how many yards of flannel may be bought for \$12?
8. At \$.20 per yard, how many yards of calico may be bought for \$32?
9. If \$108.50 be paid for cassimere, at \$4 per yard, how many yards were bought?
10. If \$18.50 be paid for broad-cloth, at \$5 a yard, how many yards were bought?
11. If \$28.35 be paid for 4.5 barrels of flour, how much is that a barrel?
12. If \$153.525 be paid for 26.7 cords of wood, what would 1 cord cost?
13. What would 1 bushel of wheat cost, if 14.75 bushels cost \$18.4375?
14. What would 1 lb. of sugar cost, if 375.6 pounds cost \$46.95?
15. What would 1 ton of potash cost, if 28.75 tons cost \$3616.175?



16. What would 1 bushel of corn cost, if 63.5 bushels cost \$49.53?
17. What costs 1 yard of cloth, if 79.4 yards cost \$187.384?
18. How much sugar, at \$.125 per pound, can be bought for \$15.50?
19. If 112 pounds of iron cost \$7.28, what is the cost of 1 pound?
20. How many times is \$.06 contained in \$33.60?
21. How many times is .46 contained in 18.4?
22. How many times is .18 contained in 7.02?
23. How many times is .4 contained in 2.5?
24. Divide 13.2 by 17.6.
25. Divide 61.512 by 2.4.
26. Divide .063 by 10.5.
27. Divide 1.8144 by 10.5.
28. Divide 5.38575 by 1.075.
29. What part of 8 is 3?
30. What part of 8 is .3?
31. What part of 2.4 is .6?
32. What part of 10.35 is 5.175?
33. How many times is .2 contained in .06?
34. How many times is .04 contained in .008?
35. Divide .00003 by .003.
36. Divide .000011021 by .0107.
37. Divide .00001 by .025.
38. Divide 47 by .1.
39. Divide 3. by .0003.
40. What part of 1.006 is .002012?

## VIII. COMPOUND NUMBERS.

### 192. COMPOUND NUMBERS DEFINED AND ILLUSTRATED.

In simple numbers, such as we have heretofore employed, the several orders of units increase, or decrease, by the uniform ratio 10 or  $\frac{1}{10}$ , that is, one unit of each order equals 10 units of the next lower order (**10**), or  $\frac{1}{10}$  of a unit of the next higher order. But a *compound number is a number which expresses a quantity in several denominations having no uniform ratio.* Thus, 4 yards 2 feet 6 inches, is a compound number; 12 inches making a foot, and 3 feet a yard.

The ratios (264) of the denominations of compound numbers, are exhibited in the following tables, which should be thoroughly committed to memory.

### 193. LONG MEASURE ILLUSTRATED.

Long measure is used in measuring distances between two points. Its unit is the mile, which is divided and subdivided according to the following

Table.

m.	fur.	rods.	yds.	ft.	in.
1 =	8 =	320 =	1760 =	5280 =	63360.
	1 =	40 =	220 =	660 =	7920.
		1 =	5½ =	16½ =	198.
			1 =	3 =	36.
				1 =	12.
12 inches = 1 foot.			40 rods = 1 furlong.		
3 ft. = 1 yard.			8 fur. = 1 mile.		
5½ yd. = 1 rod.					

### 194. CLOTH MEASURE ILLUSTRATED.

Cloth measure is used in measuring cloths, laces, ribbons, &c. Its unit is the yard of long measure, which is divided, and subdivided, according to the following

Table.

yd.	qr.	na.	in.	
1 =	4 =	16 =	36.	2¼ inches = 1 nail.
	1 =	4 =	9.	4 na. = 1 quarter.
		1 =	2¼.	4 qr. = 1 yard.

### 195. SQUARE MEASURE ILLUSTRATED.

Square measure is used in measuring surfaces. The unit of measure is a square, which is a plain surface having four equal sides and angles (429). It is called a square inch, foot, yard, &c., according as its side is one inch, foot, yard, &c., in length.

If lines one inch, or foot, &c., apart, be drawn parallel (429) to two opposite sides of a square, and, in like manner, lines be drawn parallel to the other two sides, the number of squares thus formed, or the superficial contents of the square, will be the second power (49) of the inches, or feet, &c., in a side of the square; for the number of inches, or feet, &c., in a side of the square, will be equal to the number of rows of squares, and to the number of squares in each row, the

product of which will express the contents of the square. Thus, a square foot would make 12 rows of 12 square inches each, equal to 144 square inches, which is the second power (**363**) of 12, the number of inches in the side of a square foot.

Hence, *the contents of any rectangular surface (429) is the product of its length and breadth.*

The *square mile* is divided and subdivided according to the following

Table.

n.	acres.	roods.	rods.	yds.	ft.	in.
1	= 640	= 2560	= 102400	= 3097600	= 27878400	= 4014489600.
	1 =	4 =	160 =	4840 =	43560 =	6272640.
		1 =	40 =	1210 =	10890 =	1568160.
			1 =	30½ =	272½ =	39204.
				1 =	9 =	1296.
					1 =	144.
144 inches = 1 foot.				40 rods = 1 rood.		
9 ft. = 1 yard.				4 roods = 1 acre.		
30½ yd. = 1 rod.				640 acres = 1 mile.		

### 196. CUBIC MEASURE ILLUSTRATED.

*Cubic measure* is used in measuring *solids* and *capacities*, or anything that has *three dimensions, length, breadth, and thickness.*

*The unit of measure is a cube*, which is a solid having six equal square faces. (**429**). It is called a cubic inch, or foot, &c., according as a side of a face of it is one inch, or foot, &c., in length.

If 12 boards, each a foot square and one inch thick, be piled together, they would make a cubic foot; but each board may be divided into 12 equal pieces one inch wide and thick, and each piece into 12 cubic inches; therefore, each board would make  $12 \times 12 = 144$  cubic inches, and the 12 boards, or cubic foot, would make  $12 \times 12 \times 12 = 1728$  cubic inches.

Hence, *the contents of a cube is the product of its three dimensions*, or the product of its base (**429**) and height, or the *third power (49) of a side of one of the cube's faces.*

Hence also, *the contents of any solid, &c., having rectangular faces, (429) is the product of its three dimensions.*

A cubic yard is divided and subdivided, according to the following table.

## Table.

yd.	ft.	in.	
1	= 27	= 46656.	1728 inches = 1 foot.
	1	= 1728.	27 ft. = 1 yard.

128 feet make 1 cord; but it is usual to consider  $\frac{1}{8}$  of a cord, or 16 cubic feet, 1 cord-foot; hence, 8 cord-feet make 1 cord.

50 feet of timber, make 1 ton. But a ton of round timber will make only 40 feet of square timber, as  $\frac{1}{5}$  is allowed for waste in squaring.

**197. DRY MEASURE ILLUSTRATED.**

*Dry measure* is used in measuring *grain, fruit, salt, and similar dry goods*. Its unit is the *bushel*, which is divided, and subdivided, according to the following

## Table.

bu.	pk.	gal.	qt.	pt.	
1	= 4	= 8	= 32	= 64.	2 pints = 1 quart.
	1	= 2	= 8	= 16.	4 qts. = 1 gallon.
		1	= 4	= 8.	2 gals. = 1 peck.
			1	= 2.	4 pks. = 1 bushel.

One gallon contains  $268\frac{1}{2}$  cubic inches (**196.**)

**198. LIQUID MEASURE ILLUSTRATED.**

*Liquid measure* is used in measuring *all kinds of liquids*. Its unit is the *gallon*, which is divided, and subdivided according to the following

## Table.

gal.	qt.	pt.	gill.	
1	= 4	= 8	= 32.	4 gills = 1 pint.
	1	= 2	= 8.	2 pt. = 1 quart.
		1	= 4.	4 qt. = 1 gallon.

One gallon contains 231 cubic inches.

One gallon of milk, and malt liquors contains 282 cubic inches.

**199. TROY WEIGHT ILLUSTRATED.**

*Troy weight* is used in weighing *precious metals, and liquids*. Its unit is the *pound*, which is divided, and subdivided, according to the following

Table.

lb.	oz.	dwt.	gr.	
1	= 12	= 240	= 5760.	24 grains = 1 pennyweight.
	1	= 20	= 480.	20 dwt. = 1 ounce.
		1	= 24.	12 oz. = 1 pound.

**200. APOTHECARIES' WEIGHT ILLUSTRATED.**

*Apothecaries' weight* is used in *compounding medicines*. Its unit is the *pound*, which is divided, and subdivided, according to the following

Table.

lb	$\frac{3}{4}$	$\frac{3}{16}$	$\frac{3}{20}$	gr.	
1	= 12	= 96	= 288	= 5760.	20 grains = 1 scruple.
	1	= 8	= 24	= 480.	3 $\mathfrak{D}$ = 1 dram.
		1	= 3	= 60.	8 $\mathfrak{Z}$ = 1 ounce.
			1	= 20.	12 $\frac{3}{4}$ = 1 pound.

**201. AVOIRDUPOIS WEIGHT ILLUSTRATED.**

*Avoirdupois weight* is used in weighing *coarse goods*, such as are not weighed by the Troy, or Apothecaries' weight. Its unit is the *ton*, which is divided, and subdivided, according to the following

Table.

ton	lb.	oz.	dr.	gr.	
1	= 2000	= 32000	= 512000	= 14000000.	27 $\frac{1}{4}$ grs. = 1 dram.
	1	= 16	= 256	= 7000.	16 dr. = 1 ounce
		1	= 16	= 437 $\frac{1}{2}$ .	16 oz. = 1 pound.
			1	= 27 $\frac{1}{4}$ .	2000 lb. = 1 ton.

The hundred-weight and quarter are generally dispensed with; and 2240 pounds are no longer considered a ton.

The grain in the three weights is the same, but the other denominations, though agreeing in name, differ in weight, excepting in Troy and Apothecaries' weight, where they are identical.

The weight of anything together with the container, is called *gross weight*; and the remainder, after deduction has been made for the container, &c., is called *net weight*, (307.)

**202. TIME ILLUSTRATED.**

*Time* is divided into years by the revolutions of the earth about the sun, and years into days by the revolutions of the earth upon its axis. A *year* is divided, and subdivided, according to the following

Table.

Year	days,	hours,	minutes,	seconds.
1	= 365 $\frac{1}{4}$	= 8766	= 525960	= 31557600
	1	= 24	= 1440	= 86400
		1	= 60	= 3600
			1	= 60
60 seconds = 1 minute,			24 h. = 1 day, 365 $\frac{1}{4}$ d. = 1 year.	
60 m. = 1 hour,				

365 $\frac{1}{4}$  days, though not exactly a year, is sufficiently accurate for ordinary purposes, and will be considered a year, unless it be otherwise specified. It is usual in calendars to reckon 365 days to all years, except those divisible by 4, to which 366 days are allowed; but centennial years, though divisible by 4, have only 365 days, except the years which are divisible by 400, which have 366 days. Years having 366 days are called *leap years*, in which February has 29 days, otherwise, only 28. The calendar months, April, June, September, and November, have each 30 days; and January, March, May, July, August, October, and December, have each 31 days. But *in calculations involving dates, 30 days are considered a month, and 12 months a year.*

**203. CIRCULAR MEASURE ILLUSTRATED.**

*Circular Measure* is used in measuring *circles*, (429,) and *their circumferences*, particularly angles, latitude and longitude, and the relative situations of the heavenly bodies.

If from the centre of a circle straight lines be drawn, dividing the circumference into 360 equal parts, or arcs, each of these arcs is called a degree, as is also each of the spaces comprehended by two of the straight lines, or radii.

Hence, a degree being  $\frac{1}{360}$  of a circle, or of its circumference, its extent will be greater, or less, according to the size of the circle.

The divisions, and subdivisions, of a *circle and its circumference* are exhibited in the following

Table.

C.	signs,	degrees,	minutes,	seconds.
1	= 12	= 360	= 21600	= 1296000
	1	= 30	= 1800	= 108000
		1	= 60	= 3600
			1	= 60

60'' (seconds)	= 1 minute,		30°	= 1 sign,
60'	= 1 degree,		12s.	= 1 circle.

**204. ENGLISH MONEY ILLUSTRATED.**

*English Money* is the national currency of Great Britain. It was the currency of the United States till the establishment of *Federal Money*, in 1786, and is partially used here at present. *Its unit is the pound*, which is divided, and subdivided, according to the following

Table.

£.	s.	d.	qr.		
1	= 20	= 240	= 960		4 farthings = 1 penny.
	1	= 12	= 48		12 pence = 1 shilling.
		1	= 4		20 shillings = 1 pound.

**205. CURRENCIES OF ENGLISH MONEY ILLUSTRATED.**

The term pound represents different values in the different currencies; so also do the other denominations of English money, according to the following

Table.

£1, Sterling,	= \$4 $\frac{1}{2}$ ,	used in England.
£1, Can. Cur.	= \$4,	“ “ Canada and Nova Scotia.
£1, N. E.	= \$3 $\frac{1}{3}$ ,	“ “ N. E., Va., Ky., and Tenn.
£1, N. Y.	= \$2 $\frac{1}{2}$ ,	“ “ N. Y., Ohio, and N. C.
£1, Penn.	= \$2 $\frac{2}{3}$ ,	“ “ Penn., N. J., Del. and Md.
£1, Georgia	= \$4 $\frac{2}{7}$ ,	“ “ Ga. and S.C.
\$1 = 4s. 6d.	= £ $\frac{9}{10}$ ,	Sterling.
\$1 = 5s.	= £ $\frac{1}{4}$ ,	Can. Currency.
\$1 = 6s.	= £3,	N. E. “
\$1 = 8s.	= £4,	N. Y. “
\$1 = 7s. 6d.	= £ $\frac{3}{8}$ ,	Penn. “
\$1 = 4s. 8d.	= £ $\frac{7}{10}$ ,	Ga. “
\$4.84 is the <i>present legal</i> value of the pound sterling.		

**206.** NEW ENGLAND CURRENCY ILLUSTRATED.

*New England Currency* is still much used in appraising articles of merchandise. The most common prices are exhibited, reduced to Federal money, and aliquot parts of a dollar, in the following

Table.

<i>S. d.</i>		<i>S. d.</i>	
0 3	= \$ .04 $\frac{1}{6}$ =	\$ 2 $\frac{1}{4}$	
0 4 $\frac{1}{2}$	= .06 $\frac{1}{4}$ =	1 $\frac{1}{6}$	
0 6	= .08 $\frac{1}{3}$ =	1 $\frac{1}{2}$	
0 9	= .12 $\frac{1}{2}$ =	1 $\frac{1}{3}$	
1	= .16 $\frac{2}{3}$ =	1 $\frac{1}{6}$	
1 3	= .20 $\frac{5}{6}$ =	2 $\frac{1}{4}$	
1 6	= .25 =	1 $\frac{1}{4}$	
1 9	= .29 $\frac{1}{6}$ =	2 $\frac{1}{4}$	
2	= .33 $\frac{1}{3}$ =	1 $\frac{1}{3}$	
2 3	= .37 $\frac{1}{2}$ =	3 $\frac{3}{8}$	
2 6	= .41 $\frac{2}{3}$ =	1 $\frac{5}{12}$	
2 9	= .45 $\frac{5}{6}$ =	2 $\frac{1}{4}$	
3	= .50 =	1 $\frac{1}{2}$	
3 3	= \$ .54 $\frac{1}{6}$ =	\$ 1 $\frac{3}{4}$	
3 6	= .58 $\frac{1}{3}$ =	1 $\frac{7}{12}$	
3 9	= .62 $\frac{1}{2}$ =	5 $\frac{5}{8}$	
4	= .66 $\frac{2}{3}$ =	2 $\frac{2}{3}$	
4 3	= .70 $\frac{5}{6}$ =	1 $\frac{7}{4}$	
4 6	= .75 =	3 $\frac{3}{4}$	
4 9	= .79 $\frac{1}{6}$ =	1 $\frac{9}{4}$	
5	= .83 $\frac{1}{3}$ =	5 $\frac{5}{8}$	
5 3	= .87 $\frac{1}{2}$ =	7 $\frac{7}{8}$	
5 6	= .91 $\frac{2}{3}$ =	11 $\frac{1}{12}$	
5 9	= .95 $\frac{5}{6}$ =	2 $\frac{3}{4}$	
6	= 1.00 =	1.	

**207.** MODEL OF A RECITATION.

1. How many inches long is a road, which measures 3 miles, 6 furlongs, 25 rods, 2 yards and 1 foot?

3m. 6f. 25rds. 2yds. 1ft.

8

30 furlongs.

40

1225 rods.

11

2)13475 half-yards.

6739 $\frac{1}{2}$  yards.

3

20219 $\frac{1}{2}$  feet.

12

242634 inches.

Since there are 8 furlongs in a mile, there will be 8 times as many furlongs as miles; 8 times 3 are 24, which, together with the 6, make 30 furlongs. Since there are 40 rods in a furlong, there will be 40 times as many rods as furlongs; 40 times 30 are 1200, which, together with the 25, make 1225 rods. Since there are 5 $\frac{1}{2}$ , or 11, yards in a rod, there will be 11 as many yards as rods; 11 of 1225 are

6737 $\frac{1}{2}$ , which, together with the 2, make 6739 $\frac{1}{2}$  yards. Since



there are 3 feet in a yard, there will be 3 times as many feet as yards; 3 times  $6739\frac{1}{2}$  are  $20218\frac{1}{2}$ , which, together with the 1, make  $20219\frac{1}{2}$  feet. And, since there are 12 inches in a foot, there will be 12 times as many inches as feet; 12 times  $20219\frac{1}{2}$  are 242634 inches, which is the answer required.

2. Reduce 242634 inches to higher denominations.

12) 242634 inches.

3) 20219 ft. 6 inches.

$(\frac{1}{2} = \frac{1}{2}^1)$  6739 yds. 2ft.

11) 13478 half-yards.

40) 1225 rods, 3 half-yards.

8) 30 fur. 25 rods.

3m. 6fur. 25rds. 2 yds. 1ft.

Since it takes 12 inches for 1 foot, there will be  $\frac{1}{12}$  as many feet as inches;  $\frac{1}{12}$  of 242634 are 20219 feet, and 6 inches remaining. Since it takes 3 feet for 1 yard, there will be  $\frac{1}{3}$  as many yards as feet;  $\frac{1}{3}$  of 20219 are 6739 yards, and 2 feet remaining. Since

it takes  $5\frac{1}{2}$ , or  $\frac{1}{2}^1$ , yards for 1 rod, there will be as many rods as  $\frac{1}{2}^1$  is contained times in 6739; multiply by 2, to ascertain how many times  $\frac{1}{2}$  is contained, (**152**), and divide that product by 11, to ascertain how many times  $\frac{1}{2}^1$  is contained, which gives 1225 rods, and 3 half-yards remaining. Since it takes 40 rods for 1 furlong, there will be  $\frac{1}{40}$  as many furlongs as rods;  $\frac{1}{40}$  of 1225 are 30 furlongs, and 25 rods remaining. And, since it takes 8 furlongs for 1 mile, there will be  $\frac{1}{8}$  as many miles as furlongs;  $\frac{1}{8}$  of 30 are 3 miles, and 6 furlongs remaining: making, in all, 3 miles, 6 furlongs, 25 rods, 2 yards, and 1 foot, which is the answer required. The 2 yards are obtained thus: 1 of the 2 feet, and the 6 inches, make  $\frac{1}{2}$  yard, which, with the  $\frac{3}{4}$  yards, make  $\frac{4}{2} = 2$  yards.

**208.** REDUCTION DEFINED.

*Reduction* is the changing of a compound number into a simple number of the same value, as in the first example, (**207**), or the changing of a simple number into a compound number of the same value, as in the second example; or, *the*

*changing of a number of any kind into another of the same value, as there are frequent examples in this book.*

### 209. OBSERVATION.

OBSERVE, (207,) *that, in the first example, the simple number of the highest denomination in the given compound number, is reduced to the next lower denomination, to which is added what there may be of this lower denomination; that this sum is reduced to the next lower denomination still, and increased as before, and so on, till all is reduced as low as desired: the reduction in each case being performed by MULTIPLYING by the number which expresses how many units of the next lower denomination make a unit of the simple number to be reduced.*

OBSERVE, also, *that, in the second example, the number in each denomination is DIVIDED by the number which expresses how many units of its own denomination make a unit of the next higher denomination; that the last quotient, together with the several remainders, form the compound number required.*

### 210. EXERCISES IN THE REDUCTION OF COMPOUND NUMBERS.

*Solve and explain the following problems, on the LEFT, like the FIRST, and those on the RIGHT, like the SECOND, of the above examples (207).*

#### LONG MEASURE.

- |   |   |
|---|---|
| 1. Reduce 6 m. 3 fur. 20 rds. 3 yds. and 2 ft. to feet. | 2. Reduce 34001 feet to higher denominations. |
| 3. How many rods in 25 miles ?                          | 4. How many miles in 16000 rods ?             |

#### 211. CLOTH MEASURE.

- |  |  |
|--|--|
| 1. Reduce 27 yds. 1 qr. and 3 n. to nails.                     | 2. Reduce 3627 inches to higher denominations.                   |
| 3. What will 54 yds. 3 qrs. of cloth cost, at \$.25 per yard ? | 4. How much cloth may be bought for \$75.25, at \$.25 per nail ? |

#### 212. SQUARE MEASURE.

- |  |                                   |
|--|-----------------------------------|
| 1. How many rods in a pasture which measures 2 m. 320 acres, and 80 rods ? | 2. Reduce 1548800 yards to acres. |
|--|-----------------------------------|

3. What will 1 acre and 20 rods of land cost, at \$.05 per foot ?

4. How much land may be bought for \$1575.25, at \$.05 per foot ?

**213. CUBIC MEASURE.**

1. Reduce 4 yds. 15 ft. and 144 inches to inches.

2. Reduce 81648 inches to higher denominations.

3. How many inches in 3 tons of timber ?

4. How much timber in 267840 inches ?

5. What cost 5 cords and 3 cord-feet of wood, at \$.75 per cord-foot ?

6. How much wood may be bought for \$79.20, at \$.75 a cord-foot ?

**214. DRY MEASURE.**

1. Reduce 5 bu. 3 pks. and 1 gal. to quarts.

2. How many bushels in 10752 cubic inches ?

3. What cost 2 bu. 1 pk. and 3 qts. of chestnuts, at \$.04 per quart ?

4. What would be the price per bushel, if \$60 be paid for 1920 pints of shag-barks ?

**215. LIQUID MEASURE.**

1. How many pints in 25 gals. 3 qts. ?

2. Reduce 1732 gills to higher denominations.

3. What would a milkman receive for 300 cans of milk, each holding 2 gals. and 2 qts., at \$.05 per quart ?

4. How many gallons of molasses in a cask gauging 7238 cubic inches ?

**216. TROY WEIGHT.**

1. In 7 lb. 11 oz. 3 dwt. 9 grs. how many grains ?

2. Reduce 45681 grains to higher denominations.

3. What will 1 lb. 10 oz. 15 dwt. 20 grs. of jewelry cost, at \$.04 per grain ?

4. How much jewelry may be bought for \$975.20, at \$.02 per grain ?

**217. APOTHECARIES' WEIGHT.**

1. In 1 lb. 7 $\frac{3}{4}$ , 2 $\frac{3}{4}$ , 1 $\frac{9}{16}$ , 12 grs. how many grains ?

2. Reduce 9876 grains to higher denominations.

3. Reduce 6 lb. 10 $\frac{3}{4}$ , 7 $\frac{3}{4}$ , 2 $\frac{5}{8}$ , 16 grs., to grains. | 4. In 39836 grains, how many pounds?

**218. AVOIRDUPOIS WEIGHT.**

1. Reduce 2 tons, 1200 lbs. 13 oz., to ounces. | 2. How many tons, &c., in 1539000 drams?
3. What cost 20 tons, 500 lbs. of hay, at \$.0075 per pound? | 4. How much hay may be bought for \$34.05, at \$.005 per pound?

**219. TIME.**

1. How many seconds old is a boy who has lived 12 y. 90 d. 15 h. 20 m. 30 s.? | 2. How many days has a child lived, whose age is 31536000 seconds?
3. If a clock tick 60 times a minute, how many times would it tick in 16 years? | 4. How long has a watch run, whose minute hand has turned round 46975 times?

**220. CIRCULAR MEASURE.**

1. Reduce 1 sign, 15° to seconds. | 2. Reduce 749408 seconds to higher denominations.
3. If Massachusetts extends 3° 41' in longitude, what is its extent in seconds? | 4. What is the extent of Massachusetts in latitude, it being 5940 seconds from south to north?

**221. ENGLISH MONEY.**

1. Reduce £25 10s. 6d. 3qrs. to farthings. | 2. Reduce 9750qrs. to higher denominations.
3. In £125 15s. Canada currency, how much Federal money? | 4. In 9600qrs. N. Y. currency, how much Federal money?

**222. MODEL OF A RECITATION.**

1. Reduce £ $\frac{25}{144}$  to farthings.

$$\frac{25 \times 20}{144 \div 12 \div 4} = \frac{500}{3} \text{ qrs.} = 166\frac{2}{3} \text{ qrs.}$$

There will be 20 times as many shillings as pounds, or 144s.; 12 times as many pence as shillings, or  $\frac{500}{12}$ d.; and

4 times as many farthings as pence, or  $\frac{500}{3}$  qrs. =  $166\frac{2}{3}$  qrs., which is the answer required.

2. Reduce  $\pounds\frac{83}{720}$  to shillings, pence, and farthings.

$$36) 83 \text{ (2s.} \\ \underline{72}$$

Perform the multiplications by dividing the denominator, (**106**), or divisor, when practicable. Thus:

$$3) \overline{11} \text{ (3d.}$$

There will be 20 times as many shillings as pounds, or  $\frac{83}{720} = \frac{83}{20 \times 36} = 2\frac{1}{36}$  s.  $\frac{1}{36}$  shillings will make 12 times as many pence,

$$\frac{9}{2} \\ \underline{4}$$

$\frac{11}{36} = \frac{11}{3} = 3\frac{2}{3}$  d.  $\frac{2}{3}$  penny will make 4 times as many farthings,  $\frac{2 \times 4}{3} = \frac{8}{3} = 2\frac{2}{3}$  qrs. In all, 2s. 3d.  $2\frac{2}{3}$  qrs., the answer required.

$$3) \overline{8} \text{ (2\frac{2}{3} qrs.} \\ \underline{6} \\ \underline{2} \\ \underline{2} \\ \underline{0}$$

### 23. EXERCISES IN REDUCING A FRACTION TO UNITS OF LOWER DENOMINATIONS.

*In like manner, solve and explain the following problems.*

1. Reduce  $\pounds\frac{141}{40}$  to the fraction of a farthing.
2. How many shillings and pence in  $\frac{2}{3}$  of a pound?
3. Reduce  $\frac{1}{3216}$  of a mile in length to the fraction of a rod.
4. What is the value of  $\frac{5}{6}$  of a mile?
5. What fraction of a rod is  $\frac{1}{1728}$  of an acre?
6. What is the value of  $\frac{5}{8}$  of an acre?
7. Reduce  $\frac{5}{8}$  lb. Troy to the fraction of an ounce.
8. Reduce  $\frac{7}{8}$  of a Troy pound to ounces, pennyweights, and grains.
9. What fraction of a grain is  $\frac{5}{512}$  of an ounce, Apothecaries' weight?
10. Reduce  $\frac{7}{113}$  to drams, scruples, and grains.
11. Reduce  $\frac{7}{960}$  of a pound, Avoirdupois weight, to the fraction of a dram.
12. Reduce  $\frac{5}{2}$  of a ton to lower denominations.
13. What fraction of a quart is  $\frac{3}{160}$  of a bushel?
14. Reduce  $\frac{5}{8}$  of a bushel to quarts.
15. Reduce  $\frac{1}{31}$  of a gallon to gills.
16. How many quarts, pints, &c., in  $\frac{5}{12}$  of a gallon?
17. How many cubic inches in  $\frac{1}{23528}$  of a yard?
18. Reduce  $\frac{2}{81}$  of a cubic yard to inches.

19. What fraction of a day is  $\frac{3}{1461}$  of a year ?  
 20. What is the value of  $\frac{9}{10}$  of a day ?  
 21. Reduce  $\frac{19}{360}$  of a degree to seconds.  
 22. Reduce  $\frac{1}{8}$  of a circle to lower denominations.

### 224. MODEL OF A RECITATION.

1. What part of a pound is  $5\frac{9}{20}$  qrs. ?

There will be  $\frac{1}{4}$  as many pence as farthings, or  $\frac{500}{12}$ d. (114,)  $\frac{1}{12}$  as many shillings as pence, or  $\frac{500}{144}$ s., and  $\frac{1}{20}$  as many pounds as shillings, or  $\pounds\frac{25}{144}$ , the answer required.

2. What part of a pound is 4s. 6d. ?

There will be 12 times as many pence as shillings, and 6 added, giving 54d., and there will be  $\frac{1}{240}$  as many pounds as pence, which (86) gives  $\pounds\frac{54}{240} = \pounds\frac{9}{40}$ , as required.

### 225. EXERCISES IN REDUCING LOWER DENOMINATIONS TO THE FRACTION OF A HIGHER.

*In like manner, solve and explain the following problems.*

- Reduce  $\frac{3}{5}$ d. to the fraction of a pound.
- What part of a pound is 10s. 6d. ?
- Reduce  $\frac{5}{8}$  of a rod in length to the fraction of a mile.
- Reduce 6 fur., 26 rods, 11 feet, to the fraction of a mile.
- What fraction of an acre is  $\frac{2}{3}$  of a rod ?
- Reduce 3 roods, 13 rods, 90 feet, to the fraction of an acre.
- What part of a Troy pound is  $\frac{5}{8}$  of an ounce ?
- Reduce 7 ounces, 4 dwt., to the fraction of a Troy pound.
- What fraction of a pound is  $\frac{7}{8}$  of a grain, Apothecaries weight ?
- Reduce  $\frac{4}{5}$  to the fraction of an ounce.
- What fraction of an ounce is 33, 29, 10 grs. ?
- Reduce  $\frac{3}{4}$  of a pound to the fraction of a ton.
- Reduce 1000 lb. 12 oz. 12 dr. to the fraction of a ton.
- What fraction of a bushel is  $\frac{3}{8}$  of a pint ?
- Reduce 3 pks. 1 gallon to bushels.
- Reduce  $\frac{1}{2}\frac{2}{3}\frac{8}{9}$  of a gill to gallons.
- What part of a gallon is 1 qt., 1 pt., 1 gill ?

18. How many yards in  $\frac{1}{12}$  of a cubic foot?
19. Reduce 81 cubic inches to yards.
20. What part of a year is 24 hours?
21. Reduce 25 minutes, 30 seconds to days.
22. Reduce  $\frac{3}{4}$  of a minute to degrees.
23. What part of a circle is 4 signs, 15 degrees, 15 minutes, and 15 seconds?

### 226. MODEL OF A RECITATION.

1. Reduce  $\dot{6}$  (183) of a bushel to lower denominations.

$\dot{6}$ bushels.	There will be 4 times as many pecks as bushels, or $2\dot{6}$ pecks; the fraction $\dot{6}$ pecks, will make 2 times as many, or $1\dot{3}$ gallons; the fraction $\dot{3}$ gal. will make 4 times as many, or $1\dot{3}$ quarts;—in all, 2 pecks, 1 gal. $1\dot{3}$ qts., which is the answer required.
4	
$2\dot{6}$ pecks.	
2	
$1\dot{3}$ gallons.	
4	
$1\dot{3}$ quarts.	

### 227. EXERCISES IN REDUCING DECIMAL FRACTIONS TO UNITS OF A LOWER DENOMINATION.

*In like manner, solve and explain the following problems.*

1. What is the value of  $.625$  of a bushel?
2. Reduce  $.3125$  of a mile to lower denominations.
3. Reduce  $.83$  yards to lower denominations.
4. Reduce  $.375$  acres to lower denominations.
5. How many cubic feet in  $.1875$  of a cord?
6. How many quarts, pints, &c., in  $\dot{6}$  of a gallon?
7. What is the value of  $.875\bar{3}$ ?
8. What is the value of  $\dot{4}$  of a ton?
9. Reduce  $.75$  of a year to units of lower denominations.
10. If the moon advance in its orbit  $.406779661\bar{+}$  of a sign in a day, what is its daily advance?
11. Reduce  $.625\text{£}$  to shillings and pence.

### 228. MODEL OF A RECITATION.

1. Reduce 2 pks. 1 gal.  $1\dot{3}$  qts. to the decimal of a bushel.

The 1.3 quarts will make  $\frac{1}{4}$  as many gallons, that is, .3 gallons, (**183**), which annexed to the 1 gallon, make 1.3 gallons; 1.3 gallons will make  $\frac{1}{2}$  as many, or .6 pecks, which annexed to the 2 pecks make 2.6 pecks; 2.6 pecks will make  $\frac{1}{4}$  as many, or .6 bushels, which is the answer required.

Or, 2 pks. 1 gal. 1.3 qts., equal to 21.3 qts., which will make  $\frac{1}{32}$  as many bushels, or  $\frac{21.3}{32}$  of a bushel, (**224**, 2), this common fraction reduced to a decimal fraction, (**178**), makes .6 of a bushel as before.

### 229. EXERCISES IN REDUCING LOWER DENOMINATIONS TO THE DECIMAL OF A HIGHER.

*In like manner, solve and explain the following problems.*

1. Reduce 1 pk. 1 gal. 1 qt. 1 pt. to the decimal of a bushel.
2. Reduce 3 fur. 15 rods, 2 yds. to the decimal of a mile.
3. Reduce 1 qr. 3 n. 2 in. to the decimal of a yard.
4. Reduce 25 yds. 3 ft. 72 inches to the decimal of a square rod.
5. Reduce 10 ft. 144 inches to the decimal of a ton of timber.
6. What part of a gallon is 1 qt. 1 pt. 3 gills?
7. What part of a pound, Troy, is 1 oz. 1 dwt.?
8. What part of a ton is 1500lbs?
9. Reduce January to the decimal of a year.
10. What part of a revolution will a person's shadow make in 1 hour, if its hourly motion be 15 degrees?
11. Reduce 10s. 6d. 3qr. to the decimal of a pound.

### 230. ILLUSTRATION OF THE MODE OF REDUCING ENGLISH MONEY BY INSPECTION.

Shillings, pence, and farthings, may be reduced to the decimal of a pound; or, a decimal of a pound, to shillings, pence, and farthings, more expeditiously by *inspection*, as follows.

1. Reduce 15s. 7d. 3qrs., to the decimal of a pound.
- |                |   |   |
|----------------|---|---|
| 14s.           | = .7£                                       | Since 20s. = 1£; 2s. =                              |
| 1s.            | = .05£                                      | $\frac{2}{20}$ £ = $\frac{1}{10}$ = .1£; therefore, |
| 7d. 3qrs.      | = .032 + £                                  | write .1£ for every 2 shil-                         |
|                | <hr style="width: 100px; margin-left: 0;"/> | lings, or 2 shillings for every                     |
| 15s. 7d. 3qrs. | = .782 + £                                  | .1£. Thus, 14 of the 15s.                           |
|                |   | will make .7£.                                      |



Since  $1s. = \frac{1}{20} \text{ £} = \frac{5}{100} \text{ £} = .05 \text{ £}$ , write  $.05 \text{ £}$  for an odd shilling, or 1 shilling for  $.05 \text{ £}$ . Thus,  $15s.$  make  $.75 \text{ £}$ .

Since  $24qrs. = \frac{24}{960} \text{ £} = .025 \text{ £}$ , add 1 to the farthings for every 24 farthings in the given pence and farthings, and they will become thousandths of a pound; or subtract 1 from the thousandths of a pound for every 25 thousandths in the given thousandths, and the remainder will be farthings. Thus,  $7d. 3qrs. = 31qrs.$ , which will be a trifle more than  $.032 \text{ £}$ ;—in all,  $\text{£}.782 \frac{1}{2}$ , which is the answer required.

### 231. MODEL OF A RECITATION.

1. Reduce  $\text{£}.782$  to units of lower denominations.

$.7 \text{ £} = 14s.$	Since $.1 \text{ £}$ is 2 shillings, (230,)
$.05 \text{ £} = 1s.$	$.7 \text{ £}$ will be 14 shillings, and $.05 \text{ £}$
$.032 \text{ £} = 7d. 3qrs.$	being 1 shilling, $.75 \text{ £}$ will be 15
$.782 \text{ £} = 15s. 7d. 3qrs.$	shillings; also, $.025 \text{ £}$ being 24
	farthings, or 1 subtracted from
	every 25 thousandths leaving far-

things, the  $.032 \text{ £}$  will be a trifle less than  $31qrs. = 7d. 3qrs.$ ;—in all,  $15s. 7d. 3qrs.$ , which is the answer required.

### 232. OBSERVATION.

OBSERVE, (230,) that it will be sufficiently accurate, in reducing farthings to thousandths of a pound, to add 1 to the farthings if they are MORE THAN ONE HALF OF 24, or 2 if they are more than  $1\frac{1}{2}$  times 24; and, in reducing thousandths of a pound to farthings, (231,) to subtract 1 from the thousandths if they are MORE THAN ONE HALF OF 25; or 2, if they are more than  $1\frac{1}{2}$  times 25; since in either case the error will be less than one half of a farthing.

### 233. EXERCISES IN REDUCING ENGLISH MONEY BY INSPECTION.

In like manner, solve and explain the following problems.

1. What is the value of  $\text{£}.25$ ?
2. Express  $6s. 6d.$  in a decimal.
3. Reduce  $\text{£}.625$  to shillings and pence.
4. Reduce  $7s. 6d.$  to pounds.
5. Reduce  $\text{£}.875$  to lower denominations.
6. Reduce  $4s. 5d. 3qrs.$  to the decimal of a pound.
7. Reduce  $\text{£}.323$  to units of lower denominations.

8. Express 5s. 4d. in a decimal of a pound.
9. What is the value of £.116?
10. Express  $4\frac{1}{2}$ d. in pounds.
11. What is the value of £.075.
12. Express 19s. 6d. 1 qr. in pounds.
13. What is the value of £.48?
14. Express 12s. 11d. 3 qrs. in pounds.
15. Reduce £.1875 to shillings, &c.
16. Reduce 1s. 2d. 3 qrs. to pounds.
17. Reduce £.6 to shillings, &c.
18. Reduce 6s. 8d. to pounds.
19. Reduce £12.18 to pounds, shillings, pence, and farthings.
20. Reduce £125 11s. 3d. to the decimal of a pound.

### 234. MODEL OF A RECITATION.

1. If from a piece of broad-cloth, measuring 35 yds. 3 nls., a tailor cut 6 yds. 1 qr. for a cloak; 3 yds. 3 qrs. 1 n. for a surtout; 2 yds. 2 qrs. 2 nls. for a frock-coat; 1 yd. 2 qrs. for a pair of pantaloons; and 2 qrs. 2 nls. for a vest; how much cloth would he use for these garments?

To ascertain how much cloth he would use, you must add together the several quantities cut off from the piece.

yds.	qrs.	nls.
6	1	
3	3	1
2	2	2
1	2	
	2	2
<hr style="width: 100px; margin-left: 0;"/>		
14	3	1

Arrange together the numbers to be added so that the simple numbers of each denomination may stand in a column by themselves. Add the numbers of each denomination separately, beginning with the lowest. The 5 nls. of the first column are equal to 1 nail, which write in its own column, and 1 quarter, (**194**), which add with the other quarters, making 11 quarters, equal to 3 quarters, which write in their own column, and 2 yards, which add with the other yards, making 14 yards, which write in their own column,—making in all, 14 yds. 3 qrs. 1 nl., which is the answer required.

### 235. OBSERVATION.

OBSERVE, (**234**), that, in the addition of compound numbers, the amount of each denomination must be reduced to units of the next higher denomination, and added there, and

*that in each column, only the excess over exact units of the next higher denomination are to be written.*

### 236. EXERCISES IN ADDING COMPOUND NUMBERS.

*In like manner, solve and explain the following problems.*

1. How much cloth in 4 pieces, measuring as follows : 25 yds. 3 qrs. ; 27 yds. 1 qr. 2 nls ; 30 yds. 3 nls ; and 28 yards ?

2. How far would a horse trot in 5 hours, if he should trot the first hour 12 miles, 3 fur. 25 rods ; the second hour, 11 miles, 7 fur. 20 rods ; the third hour, 12 miles, 5 fur. 36 rods, 5 yds. ; the fourth hour, 11 miles, 6 fur. ; and the fifth hour, 13 miles, 15 rods ?

3. If by one road, from Lowell to Boston, the distance be 25 m. 2 fur. and 20 rods, and by another road, the distance be 24 m. 7 fur. 12 rods ; how much distance is traveled in riding to Boston by one road and returning by the other ?

4. How much land in a farm which consists of 50 acres, 2 roods, 33 rods, wood-land ; 25 acres, 14 rods, mowing-land ; 30 acres, tillage ; 20 acres, pasturing ; 12 acres, 1 rood, covered with water ; and 10 acres, 25 rods, swamp ?

5. How much timber in two sticks, one of which measures 2 tons, 20 feet, 1642 inches ; the other, 1 ton, 15 feet, 1295 inches ?

6. How much wheat does that man raise, who has three fields, and raises on the first, 45 bush. 3 pks. ; on the second, 36 bush. 1 pk. 7 qts. ; and on the third, 30 bush. 2 pks. 1 quart ?

7. How much molasses in two casks containing as follows : 70 gals. 3 qts., and 126 gals. 1 quart ?

8. If a johannes weigh 18 dwts. a doubloon 16 dwts. 21 grs., a moidore 6 dwts. 18 grs. and an English guinea 5 dwt. 6 grs. ; what is the weight of them all ?

9. If an apothecary mix of one kind,  $7\frac{3}{4}$ ,  $5\frac{3}{4}$ ,  $2\frac{9}{16}$  ; of another kind,  $2\frac{3}{4}$ ,  $3\frac{3}{4}$  ; and, of a third kind,  $2\frac{9}{16}$ , 10 grs. ; what is the weight of the mixture ?

10. If a load of hay weigh, without the wagon, 1 ton, 1200 lbs., and the weight of the wagon is 1984 lbs. ; what is the weight of the whole ?

11. If the load of hay mentioned in the last problem, were drawn over a bridge by two oxen and a horse, the oxen weighing 1 ton, 187 lbs., the horse weighing 1160 lbs., and the

driver 165 lbs. 12 oz. ; how much more did the bridge sustain from this team passing over it ?

12. If £15 14s. 6d. be paid for a pair of oxen, £14 for a horse, and £6 9s. 3d. for a cow ; what would be the whole cost ?

13. How old would a man be when his eldest child is 12 years, 25 days, and 16 hours old, if he was 25 years, 344 days, and 10 hours old, at the birth of this son ?

### 237. MODEL OF A RECITATION.

How much cloth would remain, if 14 yds. 3 qrs. 1 nl. be cut from a piece measuring 35 yds. 3 nails ?

To ascertain how much cloth would remain, you must subtract the sum of what he used from the whole piece.

yds.	qrs.	nls.
35	0	3
14	3	1
20		
20	1	2

Write the subtrahend under the minuend, placing the simple numbers of each denomination under those of the same denomination.

Beginning with the lowest denomination, take 1 nail from 3 nails, and 2 nails remain, which write in their own column ; reduce 1 of the 35 yards to quarters, making 4 quarters, (194,) from which take the 3 quarters, and 1 quarter remains, which write in its own column, and take 14 yards from 34 yards, and 20 yards remain, which write in their own column,—making in all, 20 yds. 1 qr. 2 nls., which is the answer required.

### 238. OBSERVATION.

OBSERVE, that, in subtraction of compound numbers, when a number of any denomination in the minuend is LESS than the corresponding number in the subtrahend, a unit, or in some cases, a part of a unit, of a higher denomination in the minuend must be reduced to make up the deficiency.

### 239. EXERCISES IN SUBTRACTING COMPOUND NUMBERS.

*In like manner, solve and explain the following problems.*

1. If 5 yds. 1 qr. 3 nls. be cut from a piece of cloth measuring 20 yds. 3 qrs., how much would remain ?

2. What is the difference between two piles of wood, one of which measures 15 cords, 3 cord-feet, 12 feet, and the other, 10 cords, 7 cord-feet, 6 feet ?

3. If a farmer raise on one field 150 bush. of potatoes, and on another, 90 bush. 3 pks. ; how much more does he raise on the large field than on the other.

4. If a merchant draw from a cask of molasses, containing 126 gals. 1 qt. ; at one time, 13 gals. 3 qts. ; at another, 16 gals. ; and at a third time, 25 gals. 3 qts. ; how much would remain in the cask ?

5. How much more does a johannes weigh than a doubloon ? (**236**, 8.)

6. If for a horse worth £18 10s. a man should give a cow worth £8 7s. 6d., and a calf worth £1 16s. 4d., and the rest in money ; how much money would it require ?

7. How much quicker could a person travel from Lowell to Boston, in a car, than in a stage, if it should take the car 1 h. 20 m. 30 sec., and the stage 4 h. 15 m. and 45 sec. in the passage ?

8. How much longer is the day than the night, when the sun rises 56 minutes past 4 o'clock, and sets 4 minutes past 7 o'clock ?

9. What is the difference of latitude between Boston and Cape Horn, Boston being  $42^{\circ} 28'$  north, and Cape Horn being  $55^{\circ} 2'$  south latitude ? and how much farther from the Equator is Cape Horn than Boston ?

10. What is the third angle of a triangle, (**429**, 14,) if the three angles equal  $180^{\circ}$ , the first  $44^{\circ} 13' 24''$ , and the second,  $79^{\circ} 46' 38''$  ?

## 240. MODEL OF A RECITATION.

1. How much silver would be required for 15 spoons, if 1 oz. 14 dwt. 12 grs. be put into each spoon ?

<i>lbs. oz. dwt. grs.</i>	15	times	15 times
	1	14	12
		15	
	2	1	17 12

It would require for 15 spoons, 15 times as much as for 1 spoon. 15 times 12 grs. is 180 grs., equal to 12 grs., which write in their own column, and 7 dwts., (**199**), which add with 15 times 14 dwts. making 217 dwts., equal to 17 dwts., which write in their own column, and 10 oz., which add with 15 times 1 oz., making 25 oz., equal to 1 oz., which write in its own column, and 2 lbs., which write in their own place,—making in all, 2 lbs. 1 oz. 17 dwts. 12 grs., which is the answer required.

**241. EXERCISES IN MULTIPLYING COMPOUND NUMBERS.**

*In like manner, solve and explain the following problems.*

The contractions practised in the multiplication and division of simple numbers, may be adopted here, whenever found more convenient.

1. If a silver thimble weigh 12 dwt. 12 grs., what would be the weight of 25 thimbles?

2. If Lowell railroad be 25 m. 5 fur. 30 rods in length, how far would a locomotive run on this road in June, if it perform 3 trips per day?

3. How much cloth in 35 pieces, each piece containing 27 yds. 2 qrs. 3 nails?

4. How much land in a man's farm which is fenced into 9 fields, each containing 3 acres, 2 roods, 25 rods?

5. How much gravel could a man remove in 18 loads, at 1 yd. 25 feet each?

6. How much would that cask hold, which could be filled with 35 pailfuls, each pailful being 9 qts. 1 pt. 2 gills?

7. How many bushels of wheat in 135 bags, each containing 2 bush. 3 pks.?

8. What would be the weight of a box of 115 pills, if each pill should weigh 1 $\text{D}$ , 4 grs.

9. What would be the weight of 15 barrels of flour, at 196 lbs. each?

10. How much sterling money in \$25, if 1 dollar make 4s. 6d.?

11. If a person rise 1 h. 20 m. later than he ought to every morning for 12 years, how much time would be thus wasted?

12. If the sun appear to move  $15^\circ$  per hour, what is its apparent motion in a day of 15.1 hours in length?

13. Multiply 5 oz. 10 dwts. 15 grs. by 10.

14. Multiply 40 m. 3 fur. 25 rods by 15.

15. Multiply 34 yds. 1 qr. 1 n. by 64.

16. Multiply 57 acres 3 roods 20 rods by 100.

17. Multiply 17 tons 40 ft. 512 in. by 500.

18. Multiply 50 gals. 2 qts. 1 pt. 1 gill by 25.

19. Multiply £84 15s. 3d. 2 qr. by 12.

20. Multiply 7 tons 1800 lbs. 12 oz. by 2.5.

21. Multiply 5 y. 212 d. 10 h. 15 m. by 100.

**212. MODEL OF A RECITATION.**

1. If 2 lb. 1 oz. 17 dwt. 12 grs. of silver be put into 15 spoons, what would be the weight of each spoon?

lbs.	oz.	dwts.	grs.	
2	1	17	12	
12				
—				
15	)	25		
—				
1	oz.	10		
		20		
—				
15	)	217		
—				
	14	dwts.	7	
			24	
—				
	15	)	180	
—				
1	oz.	14	dwts.	12
				grs.

Each spoon would weigh  $\frac{1}{15}$  as much as 15 spoons. As 15 is not contained in the 2 lbs. reduce them to ounces, making with the 1 oz. 25 ounces, which divided by 15 gives 1 oz. for the quotient, and 10 oz. remainder, which reduced to pennyweights, make with the 17 dwts. 217 dwts., which divided by 15 gives 14 dwts. for the quotient, and 7 dwts. remainder, which reduced to grains, make with the 12 grs. 180 grs., which divided by 15 gives 12 grains for the quotient, —making in all, 1 oz. 14 dwts. 12 grs., which is the answer required.

**213. EXERCISES IN DIVIDING COMPOUND NUMBERS.**

*In like manner, solve and explain the following problems.*

1. What would be the weight of 1 dollar, the weight of 8 dollars being 6 oz. 18 dwts. 16 grs.?
2. How far does that boy live from his school-house, who has to travel 170 m. 2 fur. in attending school twice a day, for 60 days?
3. How long is that room which requires 27 yds. 2 qrs. of carpeting cut into 5 pieces, to carpet it?
4. If 135 acres be fenced off into 16 equal lots, what would be the size of each lot?
5. If a man team to market 25 cords, 5 cord-feet of wood, at 20 loads; how much would that be a load?
6. What is the contents of each of such bottles that 160 of them could be filled from a cask holding 115 gallons?

7. How many apples in a barrel, if 101 bush. 1 pk. make 45 barrels?

8. What would be the weight of a dose of medicine, if  $4\frac{3}{4}$ ,  $5\frac{3}{4}$ ,  $2\frac{9}{16}$ , 12 grs. be taken at 12 doses?

9. If 33 lbs. of steel be put into 256 axes, how much would that be apiece?

10. If 147 bushels cost 47£. 12s. 5d., what does it cost per bushel?

11. If a teacher devote 5 hrs. 30 min. per day to 50 scholars, how much would that be for each scholar?

12. What would be the daily motion of the moon, if it complete a revolution in  $29\frac{1}{2}$  days?

### 244. MODEL OF A RECITATION.

How many rods round a pasture, measuring on the first side  $\frac{11}{32}$  of a mile, on the second 1.17 furlongs, on the third  $2\frac{3}{20}$  furlongs, and on the fourth 1 furlong 18.8 rods.

$$\begin{array}{rclcl} \frac{11}{32} \text{ m.} & = & \frac{11 \times 8 \times 40}{32} \text{ rods} & = & 110 \text{ rods.} \\ 1.17 \text{ fur.} & = & 1.17 \times 40 \text{ rods} & = & 46.8 \text{ "} \\ 2\frac{3}{20} \text{ fur.} & = & 2\frac{3}{20} \times 40 \text{ rods} & = & 86 \text{ "} \\ 1 \text{ fur. } 18.8 \text{ rods} & = & 40 \text{ rods} + 18.8 \text{ rods} & = & 58.8 \text{ "} \end{array}$$

301.6 rods.

These quantities being expressed in different ways, *must*, before they can be added, *be reduced to numbers of the same kind*.

Multiply  $\frac{11}{32}$  m. by 8 to reduce it to furlongs, and that product, also, 1.17 furlongs,  $2\frac{3}{20}$  furlongs, and 1 furlong, by 40 to reduce them to rods; these several quantities, being made alike and added, make 301.6 rods, which is the answer required.

### 245. EXERCISES IN THE USE OF NUMBERS VARIOUSLY EXPRESSED.

*In like manner, solve and explain the following problems.*

- How much is  $\frac{5}{16}$  of a week and  $\frac{1}{3}$  of a day?
- What is the difference between two fields, one of which measures  $2\frac{1}{4}$  acres, the other 1 acre  $2\frac{1}{4}$  rods?
- How much cloth in three remnants, the first measuring 2.4 yards, the second 1 yd. 3 qrs., and the third  $\frac{7}{8}$  of a yard?
- How many cubic inches in 4 bushels, 1.375 bushels and  $\frac{1}{4}$  of a peck?



5. If  $2\frac{3}{4}$  pecks be taken from a bag holding 2.75 bushels ; how much would be left ?

6. How much water in a pail measuring 10.75 quarts, but wanting  $\frac{3}{16}$  of a gallon of being full ?

7. How much silver in a large and small spoon, sugar-tongs, and butter-knife, weighing severally, 2.9 oz., 1 oz.  $12\frac{1}{2}$  dwt.,  $1\frac{1}{2}$  oz. and 18.5 dwt. ?

8. If an apothecary should mix a medicine at a cost of \$.48 per ounce, and should sell it at \$.48 per ounce avoirdupois ; how much would he gain in selling 10 lbs. ?

9. Add  $\frac{4}{15}$  of a ton,  $16\frac{3}{16}$  lbs.,  $\frac{2}{5}$  of a ton, and .83 of a ton together.

10. Subtract  $\frac{4}{5}$  of a shilling from £1.25.

11. What is the difference between 52 wks. 1 d. 6 hrs. and 365.25 days ?

12. If two ships sail from the same point, one north  $18\frac{1}{2}$  degrees, the other south  $25^{\circ} 33\frac{1}{2}'$  ; what then would be the latitude between them ?

### 246. MODEL OF A RECITATION.

How many years, months and days from the first resistance with arms in the American revolution, April 19th, 1775, to the declaration of Independence, July 4th, 1776 ?

To answer this question you must subtract the time between the Christian era and the *earlier* date, which is 1774 years, 3 months and 18 days, from the time between the Christian era and the *later* date, which is 1775 years, 6 months and 3 days, the hours, &c., being disregarded.

years.	mo.	days.
1775	6	3
1774	3	18
1 2 15		

Reduce 1 of the 6 months to days, making, (202,) with the 3 days, 33 days, from which 18 being subtracted, 15 days remain ; 3 months from the other 5 months leave 2 months ; and 4 years from 5 years leave 1 year, making, in all, 1 year, 2 months and 15 days, which is the answer required.

But a more convenient way of obtaining the same result is, instead of writing the *number* of years, months and days, to write the *order* of the year, month and day, that is, *the dates themselves*. Thus, from the 1776th year, 7th month and 4th day, subtract the 1775th year, 4th month and 19th day ;

1776	7	4
1775	4	19
1 2 15		

precisely as so many years, months and days. This increases each number in each denomination by the same quantity, 1, and, consequently, does not affect the difference.

### 247. EXERCISES IN FINDING THE DIFFERENCE OF TIME BETWEEN DATES.

*In like manner, solve and explain the following problems.*

1. How long from the time that Washington entered upon the command of the American army at Cambridge, July 2d, 1775, till the disbanding of the army at West Point, November 3d, 1783?

2. How long was General Harrison's victory at Tippecanoe, November 7th, 1811, before General Jackson's victory at New Orleans, January 8th, 1815?

3. How long from the date of a note, May 10th, 1835, till its payment, June 5th, 1840?

4. How old is that man, June 27th, 1840, who was born March 23d, 1807?

5. What is the date of that note, which was paid December 31st, 1839, 2 y. 3 m. 11 d. after its date?

6. When was that note paid, which was dated August 4th, 1836, and paid 3 y. 3 m. 30 d. after date?

7. How much older is Lizzie, born Sept. 11th, 1843, than Mary, born April 15th, 1846?

8. How long was John absent, having left town July 1st, 1839, and returned August 25th, 1840?

### 248. MODEL OF A RECITATION.

What cost 4 bu. 3 pks. 1 gal. of wheat, at 5s. 6d. per bushel?

The whole cost will be the product of the price of one bushel by the number of bushels; but, *before they can be multiplied together, they must be reduced to simple numbers*; 4 bush. 3 pks. 1 gal. reduced to bushels is 4.875 bushels, (**228**.) and 5s. 6d. reduced to pounds is £.275 (**230**.) Now, since 1 bushel costs £.275, the whole cost will be .275 as many pounds as bushels, which is £1.340625 equal (**231**) to 1£. 6s. 9¾d.

4.875 bushels.
.275 £.
-----
24375
34125
9750
-----
1.340625£ =
1£. 6s. 9¾d.

**249. EXERCISES IN THE REDUCTION OF COMPOUND NUMBERS FOR MULTIPLICATION.**

*In like manner, solve and explain the following problems.*

1. What is the value of 15 acres, 2 roods, 20 rods, \$62.25 being the cost of each acre?
2. What would 12 miles, 3 furlongs, 32 rods of road cost, at 175£. 10s. 6d. per mile?
3. Goliath, measuring  $6\frac{1}{2}$  cubits of 1 ft. 7.168 in. in height, was how tall in feet and inches?
4. What is the cost of 5 yds. 1 qr., 2 nls. of broadcloth, at \$5.50 per yard?
5. What is the value of  $2\frac{1}{2}$  tons,  $1\frac{3}{8}$  tons, and  $2\frac{4}{5}$  tons of hay, at \$12.25 per ton?
6. What will  $4\frac{3}{8}$  tons of iron come to, at 20£. 15s. 6d. per ton?
7. What will  $8\frac{3}{5}$  hogsheads of molasses, at 63 gallons each, come to, at 2s. 6d. per gallon?
8. At 5s. per bushel, what will 4 bush. 2 pks. 1 qt. of corn come to?
9. Bought a silver cup, weighing 9 oz. 4 dwt. 16 grs., at 6s. 8d. per ounce, what was the whole cost?

**250. MODEL OF A RECITATION.**

How many square feet in a square, measuring 16 ft. 6 in. on each side?

$$\begin{array}{r}
 16.5 \\
 16.5 \\
 \hline
 825 \\
 990 \\
 165 \\
 \hline
 \end{array}$$

Since the contents is the product of the length by the breadth, (**195**), and 16 feet 6 inches being 16.5 feet, the contents will be  $16.5 \times 16.5 = 272.25$  square feet, which is the answer required, (**429**, 26.)

272.25 feet.

**251. EXERCISES IN THE MENSURATION OF SURFACES AND SOLIDS.**

*In like manner, solve and explain the following problems.*

1. How many square inches (**195**) on the page of a book 8 inches long and 5 inches wide?
2. How many square yards in a square, measuring  $5\frac{1}{2}$  yards on each side?

3. How many feet in a floor which is  $16\frac{1}{2}$  feet long and 15 feet wide?

4. How many square yards will carpet a floor which is 5 yds. 1 ft. 6 in. long, and 5 yards wide?

5. How many rods in a garden 5 rods,  $2\frac{3}{4}$  yards long, and 4.5 rods wide?

6. How much land in a field 26 rods, 11 feet long, and 6 rods wide?

7. How many feet in a board 17 ft. 9 in. long, and 1 ft. 6 in. wide?

8. If from a square stick of timber 1 foot wide and 1 foot thick, you saw off a piece 1 foot long, that block would contain exactly 1 cubic foot; how many cubic feet in such a stick of timber 16 feet long?

9. How many boards 1 inch thick could be made of that stick, allowing no waste in sawing?

10. How many cubic inches in one of the boards?

11. How many cubic inches in all of the boards?

12. How many cubic inches in a stick of timber 1 foot wide and thick, and 16 feet long?

13. How many feet in a stick of timber 24 feet long, 1.8 feet wide, and 1.5 feet thick?

14. How many feet in 2 sticks of timber, each 36 feet long, 2 ft. 6 in. wide, and 2 ft. 3 in. thick?

15. How many feet in a load of wood 8 ft. long, 3 ft. 6 in. wide, and 3 ft. 9 in. high?

16. How many feet in a load of gravel 7 ft. 6 in. long, 4 ft. 3 in. wide, and 2 ft. 3 in. high?

17. How many yards of gravel must be removed to make a cellar 2.5 yards deep, 6 yards long, and 5.6 yards wide?

18. How many yards of stone work in a wall  $38\frac{1}{2}$  yards long, 4 ft. 6 in. high, and .8 of a yard thick?

19. How many feet in a room 17 ft. 6 in. long, 15 ft. 3 in. wide, and 10 ft. 9 in. high?

20. How many cord-feet in a load of wood 8 feet long, 4 feet wide, and 4 feet high?

21. How many cords of wood in a pile 32 feet long, 4 feet wide, and 7 feet high?

## 252. ILLUSTRATION OF THE MODE OF ABRIDGING THE PROCESS OF SOLVING PROBLEMS.

1. What is the value of a pile of wood 64 feet long, 4 feet wide, and 6 ft. 6 in. high, at \$5.25 per cord?

In questions like this, involving both multiplication and division, it will be most convenient, and will generally much abridge the process, *to express all the operations before performing any of them.* Thus; the length 64 feet multiplied by the

$$64 \times 4 \times 6.5 \div 16 \div 8 \times 5.25 = \$68.25.$$

breadth 4 ft. will give the square contents of the base, which multiplied by the height 6 ft. 6 in., or 6.5 feet, will give the cubic contents (196) in feet; this divided by 16 will give the contents in cord-feet, and this quotient divided by 8 will give the contents in cords, which multiplied by the price of 1 cord, will give the whole value, or the answer required.

The whole process being thus expressed and explained, perform the operations indicated by the signs, in such order as will require the fewest figures; thus, divide the 64 by the 16; the quotient, 4, multiply by the 4; the product, 16, divide by the 8; multiply 6.5 by the quotient, 2, and multiply \$5.25 by that product, 13, making \$68.25, which is the answer required.

Perhaps it will be more convenient still, to express the process in a fractional form, (86,) by making the divisors factors of the denominator, and then to reduce the fraction

$$\frac{64 \times 4 \times 6.5 \times 5.25}{16 \times 8} = \$68.25.$$

to its lowest terms. (121.) Thus, the 16 in the denominator, being a factor of the 64 in the numerator, may be canceled

from both terms (121); and 4, the other factor of 64, multiplied into the other 4 of the numerator, makes 16, of which the 8 in the denominator is a factor; consequently, 8 may be canceled from both terms; and 2, the other factor of 16, multiplied into 6.5 makes 13, which multiplied into \$5.25 makes \$68.25, as before.

### 253. EXERCISES IN SOLVING PROBLEMS INVOLVING BOTH MULTIPLICATION AND DIVISION.

*In like manner, solve and explain the following problems.*

1. How many cords of wood in a pile 40 feet long, 4 feet wide, and 9 ft. 3 in. high?

2. What is the value of a load of wood, measuring 8 feet in length, 4 ft. 6 in. in width, and 5 ft. 3 in. in height, at \$8 per cord?

3. What is the value of a stick of timber, measuring 50 feet in length, 2 ft. 6 in. in width and thickness, at \$4 per ton?

4. What would be the cost of digging a cellar 19 ft. 6 in. long, 15 feet wide, and 10 ft. 6 in. deep, at \$.25 per yard?

5. How many acres in a pasture 36 rds. 8.25 ft. long, and 30 rods wide?

6. How many yards in a floor 28 ft. 9 in. long, and 22 ft. 4 in. wide?

7. How many yards, in length, of carpeting, which is 4 ft. 6 in. wide, will cover a floor 17 feet long, and 15 ft. 6 in. wide?

8. How many days would Samuel have to go to school, twice per day, to travel 1000 miles, if he live 5 furlongs from school?

9. How many times would a wagon wheel, 13 ft. 9 in. in circumference, revolve in running 25 miles, 6 furlongs?

10. How many times could a coal-basket, holding 1 bush. 1 gal. 2 qts., be filled from a coal-cart, containing 65 bush. 1 pk. 2 qts.?

11. What would a hogshead of cider, containing 62 gals. 2 qts. come to, at \$.04 per bottle of 1 pt. 2 gills?

12. What is the value of a lot of spoons, weighing 9 lbs. 10 oz. 4 dwt., each spoon weighing 16 dwt. 10 grs., and worth \$1.25?

13. How many loads of hay, each weighing 1750 lbs., in a stack, weighing 16 tons, 875 lbs?

14. How many pills may be made of a mixture of  $10\frac{3}{4}$  ℥, each weighing 1℥, 10 grs.?

15. In 67£. 11s. 7d., how many crowns, at 6s. 7d. each?

16. How many yards of English cassimere, at 12s. 8d. per yard, may be bought for 395£. 4s. sterling?

17. What part of £1, or 20s. is 15s.?

18. If a yard of broadcloth cost 17s. 6d.; what part of a yard might be bought for 13s. 6d.?

19. What part of £1 15s. 9d. is 15s. 9d.?

**254.** MODEL OF A RECITATION

Reduce £64 17s. 6d. of sterling money, and of Canada, New England, New York, Pennsylvania, and Georgia, currencies to Federal money; and the results back again as before.

$$\begin{array}{r} \text{£}64.875 \\ \quad 40 \\ \hline 9) 2595.000 \\ \hline \text{\$}288.33\frac{1}{3} \\ \quad 9 \\ \hline 40) 2595.00 \end{array}$$

£64.875 = £64. 17s. 6d.

Reduce 17s. 6d. to the decimal of a pound, (**230**,) and, since in sterling money (**205**) one pound equals \$4 $\frac{1}{3}$ , there will be 4 $\frac{1}{3}$ , or  $\frac{40}{9}$  times as many dollars as pounds, which gives \$288.33 $\frac{1}{3}$ .

Since one dollar equals £ $\frac{9}{40}$ , there will be  $\frac{9}{40}$  as many pounds as dollars; which gives £64.875.

$$\begin{array}{r} \text{£}64.875 \\ \quad 4 \\ \hline 4) \text{\$}259.5000 \\ \hline \text{£}64.875. \end{array}$$

Since, in Canada currency, (**205**,) one pound equals \$4, there will be 4 times as many dollars as pounds; which gives \$259.50.

Since 1 dollar equals £ $\frac{1}{4}$ , there will be  $\frac{1}{4}$  as many pounds as dollars; which gives £64.875.

$$\begin{array}{r} 3) \text{£}64.875 \\ \hline \text{\$}216.25 \\ \quad .3 \\ \hline \text{£}64.875. \end{array}$$

Since, in N. England currency, (**205**,) one pound equals \$3 $\frac{1}{3}$ , there will be 3 $\frac{1}{3}$ , or  $\frac{10}{3}$  times as many dollars as pounds; divide by 3 to obtain  $\frac{10}{9}$ , and remove the point one place farther to the right to obtain  $\frac{10}{3}$ ; which gives \$216.25.

Since \$1 = £.3, there will be .3 as many pounds as dollars, or £64.875.

$$\begin{array}{r} 4) \text{£}64.875 \\ \hline \text{\$}162.18\frac{3}{4} \\ \quad .4 \\ \hline \text{£}64.875. \end{array}$$

Since, in New York currency, (**205**,) £1 = \$2 $\frac{1}{2}$ , there will be 2 $\frac{1}{2}$ , or  $\frac{5}{2}$  times as many dollars as pounds; which gives \$162.18 $\frac{3}{4}$ .

Since \$1 = £.4, there will be .4 as many pounds as dollars; which gives £64.875.

$$\begin{array}{r}
 £64.875 \\
 \phantom{£}8 \\
 \hline
 3 \ ) \ 519.000 \\
 \hline
 \$173. \\
 \phantom{\$}3. \\
 \hline
 8 \ ) \ 519. \\
 \hline
 £64.875.
 \end{array}$$

Since, in Pennsylvania currency, (205,)  $£1 = \$2\frac{2}{3}$ , there will be  $2\frac{2}{3}$ , or  $\frac{8}{3}$  times as many dollars as pounds; which gives \$173.

Since  $\$1 = £\frac{3}{8}$ , there will be  $\frac{8}{3}$  as many pounds as dollars; which gives £64.875.

$$\begin{array}{r}
 £64.875 \\
 \phantom{£}30 \\
 \hline
 7 \ ) \ 1946.250 \\
 \hline
 \$278.03\frac{4}{7} \\
 \phantom{\$}7 \\
 \hline
 30 \ ) \ 1946.25 \\
 \hline
 £64.875.
 \end{array}$$

Since, in Georgia currency, (205,)  $£1 = \$4\frac{2}{7}$ , there will be  $4\frac{2}{7}$ , or  $\frac{30}{7}$  times as many dollars as pounds; which gives \$278.03 $\frac{4}{7}$ .

Since  $\$1 = £\frac{7}{30}$ , there will be  $\frac{30}{7}$  as many pounds as dollars; which gives £64.875.

## 255. EXERCISES IN THE REDUCTION OF CURRENCIES.

*In like manner, solve and explain the following problems.*

1. One dollar is what part of a pound in sterling money, and in Canada, New England, New York, Pennsylvania, and Georgia currencies?

2. What part of one dollar is one pound of sterling money, and of each of the currencies?

3. How many dollars in £1 of sterling money, and of each of the currencies?

4. Reduce £25 10s. from sterling to federal money.

5. Reduce \$25.375 to sterling money.

6. How much Federal money would pay for a farm, in Canada, worth £500.

7. If a Canadian lumber merchant sell, in New Orleans lumber that cost him £875 for \$3750, whether, and how much, would he gain, or lose?



8. If a farm, in Cambridge, Massachusetts, which, in 1740, cost £125 7s. 6d., be now worth \$3000, how much has it increased in value?

9. How many dollars should a New York merchant receive for 125 yards of flannel, at 3s. 6d. per yard?

10. If a wholesale dealer, in Philadelphia, receive \$1500 for a quantity of cloth, at 3s. 9d. per yard; how many yards is the quantity?

11. If a Georgia planter sell his wheat at 3s. 6d. per bushel, and receive \$387.50; how many bushels would he sell?

12. Where can the same kind of penknives be bought the cheapest, if 2s. 3d. apiece be the price?

13. How much Federal money would a horse cost in each of the several currencies; if the price be £20 18s.?

14. Reduce \$.25 to each of the several currencies.

15. Reduce 1s. 6d. of the several currencies to Federal money.

*Note.* Whenever any of the denominations of English money occur in the following pages, they will be in New England currency, unless otherwise specified.

### 256. MODEL OF A RECITATION.

1. A merchant sold 3545 yards of cotton cloth, at 9d. per yard; what was the amount of it in Federal money?

Since the price of 1 yard was  $\frac{1}{8}$  of a dollar, (206,) the amount of the whole quantity must have been  $\frac{1}{8}$  as many dollars as there were yards; therefore, divide (92) the number of yards by 8 to ascertain how many dollars there were in the amount.

$$\begin{array}{r} 8) 3545 \\ \hline \$443.125. \end{array}$$

2. A merchant paid \$35.31 $\frac{1}{4}$  for cotton cloth, at 4 $\frac{1}{2}$ d. per yard; how many yards did he purchase?

Since the price of 1 yard was  $\frac{1}{16}$  of a dollar, (206,) he must have purchased 16 times as many yards as he paid dollars (151); therefore, multiply the number of dollars that he paid by 16 to ascertain how many yards he purchased.

$$\begin{array}{r} \$35.31\frac{1}{4} \\ 16 \\ \hline 565 \text{ yards.} \end{array}$$

**257. OBSERVATION.**

Hence, OBSERVE, that, (**256**), in the following questions, and whenever the multiplier, or divisor, is such that it can be reduced to an aliquot part of a dollar, the process may be much abridged, by using the aliquot part.

**258. EXERCISES IN THE USE OF ALIQUOT PARTS.**

In like manner, solve and explain the following problems.

1. What cost 4872 oranges, at 3d. apiece ?
2. How many pounds of sugar, at 6d. per pound, may be purchased with \$12.58 $\frac{1}{3}$  ?
3. How many dollars would it take to pay for 144 yards of calico, at 1s. per yard ?
4. How many times is 1s. 3d. contained in \$5 ?
5. What is the value of 1728 bushels of apples, at 1s. 6d. a bushel ?
6. How many bushels of potatoes would it take to come to \$24.66 $\frac{2}{3}$ , at \$.33 $\frac{1}{3}$  per bushel ?
7. What would be the cost of 24 yards of muslin, at 2s. 3d per yard ?
8. Bought 36 yards of bombazine, at 2s. 6d. per yard. What was the bill ?
9. How many pairs of half-hose, at \$.45 $\frac{1}{2}$  a pair, may be bought for \$11 ?
10. What would be the cost of 40 yards of linen, at 3s. per yard ?
11. Sold children's shoes, at 3s. 3d. a pair, to the amount of \$54.16 $\frac{2}{3}$  ; how many pairs were sold ?
12. How many palm-leaf hats, at 3s. 6d. apiece, may be bought with \$14.58 $\frac{1}{3}$  ?
13. What may I receive for 576 lbs. of wool, at \$.62 $\frac{1}{2}$  a pound ?
14. How much flannel, at 4s. a yard, may be bought with \$4.66 $\frac{2}{3}$  ?
15. If the expense of cultivating an acre of corn be \$20, what would be the profits from a field of 12 acres, each yielding 50 bushels, worth 4s. 6d. per bushel ?
16. If a farmer sell his rye at \$.83 $\frac{1}{3}$  per bushel, and receive \$95 for it, how many bushels would he sell ?
17. How many days, at 5s. 3d. per day, must a man work to earn \$63.87 $\frac{1}{2}$  ?

18. If a merchant sell 4 dozen pairs of gloves, at 5s. 6d. a pair, what would he receive for them ?

### 259. MODEL OF A RECITATION.

At 7s. 6d. a bushel, what would 100 bushels of wheat come to ?

$$4.) \quad \$100 = \text{cost at } \$1. \quad \text{per bushel.}$$

$$\quad \quad 25 = \text{cost at } \$ .25 \quad \text{per bushel.}$$

$$\hline \$125 = \text{cost at } \$1.25, \text{ or } 7\text{s. } 6\text{d. per bushel.}$$

Since 7s. 6d., the price of 1 bushel, is  $\$1\frac{1}{4}$ , (206,) the number of bushels would also be the number of dollars in the cost at 1 dollar per bushel,

and  $\frac{1}{4}$  of the number of bushels would be the number of dollars in the cost, at  $\frac{1}{4}$  of a dollar per bushel ; therefore, write the number of bushels, and to it add  $\frac{1}{4}$  of itself, and the sum will be equal to the whole cost in dollars.

### 260. EXERCISES IN MULTIPLYING BY UNITS AND ALIQUOT PARTS.

*In like manner, solve and explain the following problems.*

- How much would 12 pairs of ladies' shoes come to, at 6s. 6d. a pair ?
- At 6s. 9d. a pair for silk hose, what would be the price per dozen ?
- What would be the cost of 54 gallons of oil, at 7 shillings per gallon ?
- How much would  $5\frac{1}{2}$  pounds of green tea, at 8s. a pound, amount to ?
- Bought 2.875 yards of satin, at 8s. 3d. per yard ; what was the cost ?
- How much would 11 pitchforks, at 9s. apiece, amount to ?
- Multiply 1840 by  $1\frac{1}{2}$ .
- What would 12 weeks' work come to, at 10s. 6d. per day, Sundays excepted ?
- How much would  $2\frac{1}{5}$  yards of cassimere cost, at 11s. 3d. per yard ?
- What would be the cost of 52 weeks' board, at 15s. per week ?

11. Paid for 18 weeks' board, at 13s. 6d. per week ; how much was the bill ?

**261.** ILLUSTRATION OF THE PRINCIPLE OF REDUCING FRACTIONS BY INSPECTION.

Since 100 cents make the *unit*, 1 dollar, any number of cents are so many hundredths of a unit ; thus,  $12\frac{1}{2}$  cents is \$.125. But  $12\frac{1}{2}$  cents is a ninepence, or  $\frac{1}{8}$  of a dollar (206) ; therefore, the decimal for any number of eighths will be the number of cents in so many ninepences ; and, for any number of twenty-fourths, sixteenths, twelfths, and sixths, the decimal, in hundredths, will be the number of cents in so many threepences, fourpence-halfpennies, sixpences, and shillings, respectively.

Also, any decimal, corresponding with the number of cents in any such part of a dollar, may be reduced to a common fraction, by writing the part instead of the decimal.

**262.** MODEL OF A RECITATION.

1. Reduce  $\frac{5}{16}$  to an equivalent decimal.

$$\frac{5}{16} = .3125$$

Fourpence-halfpennies being sixteenths of a dollar, the decimal for  $\frac{5}{16}$  will be the number of cents in 5 fourpence-halfpennies, which is  $31\frac{1}{4}$  ; consequently, the decimal required is .3125.

2. Reduce .4183 to an equivalent common fraction.

$$.4183 = \frac{5}{12}$$

The hundredths, in this decimal, being the same as the number of cents in 2s. 6d. = 5 sixpences, and sixpences being twelfths (206) of a dollar, this decimal is equivalent to  $\frac{5}{12}$ , which is the answer required.

**263.** EXERCISES IN REDUCING FRACTIONS BY INSPECTION.

*In like manner, solve and explain the following problems.*

1. Reduce  $\frac{1}{24}$  to a decimal.

2. Reduce .2083 to a common fraction.

3. What are the decimals equivalent to  $\frac{7}{24}$ ,  $\frac{1}{24}$ , and  $\frac{13}{24}$  ?

4. What are the common fractions equivalent to .7083, .7916, and .9583 ?

5. Reduce  $\frac{1}{16}$  to a decimal.
6. Reduce .1875 to a common fraction.
7. What are the decimals equivalent to  $\frac{7}{16}$ ,  $\frac{9}{16}$ , and  $\frac{11}{16}$ ?
8. What are the common fractions equivalent to .8125 and .9375?
9. Reduce  $\frac{1}{12}$  to a decimal.
10. Reduce  $.58\bar{3}$  to a common fraction.
11. What is the decimal equivalent to  $\frac{11}{12}$ ?
12. What are the common fractions equivalent to .375, .625, and .875?
13. What are the decimals equivalent to  $\frac{1}{8}$  and  $\frac{5}{8}$ ?
14. What are the decimals equivalent to  $\frac{1}{4}$  and  $\frac{3}{4}$ ?
15. Reduce  $.33\bar{3}$  and  $.6\bar{6}$  to common fractions.
16. Reduce 5 inches to the decimal of a foot.
17. Reduce 5 ounces to the decimal of a pound avoirdupois.
18. How many ounces in  $.58\bar{3}$  of a pound Troy?
19. Reduce 7 grains to the decimal of a pennyweight.
20. How many furlongs in .625 of a mile?

---

## IX. PROPORTION.

### 264. ILLUSTRATION OF RATIOS.

When two quantities of the same kind are compared with regard to their relative value, one of them will be less than, equal to, or greater than, the other; and will contain the other less than once, exactly once, or more than once.

The *Ratio* of one quantity to another of the same kind, is the quotient resulting from the division of the latter by the former; the division being *expressed* in a fractional form, or, more frequently, with the dividend following the divisor with this sign ( : ) between.

: is the *sign* for the ratio of two quantities. It indicates the ratio of the *antecedent*, or the quantity preceding the sign, to the *consequent*, or the quantity which follows the sign.

The ratio of two numbers shows *what part* the dividend is of the divisor. Thus, in comparing 7 dollars with 12 dollars, 4 fathoms with 8 yards, and 11 with 3, we find that 7 dollars is  $\frac{7}{12}$  of 12 dollars, and contains 12 dollars  $\frac{12}{7}$  of one, time,

and that their ratio is  $12 : 7$ ; that 4 fathoms, being equal to 8 yards, is  $\frac{8}{8}$  of 8 yards, and contains 8 yards  $\frac{8}{8}$  of one time, or exactly once, and that their ratio is  $8 : 8$ , which is called the *ratio of equality*, since the two terms of the ratio are equal; and, finally, that 11 is  $\frac{11}{3}$  of 3, and contains 3  $\frac{11}{3}$  of one time, or  $3\frac{2}{3}$  times, and that their ratio is  $3 : 11$ .

Hence, (**87**,) to ask what *part* of 12 dollars is 7 dollars, is the same as to ask what is the *ratio* of 12 dollars to 7 dollars, or of 12 to 7, since  $\frac{7}{12}$  is the *part* of 12 that 7 is, and also the *ratio* of 12 to 7.

Consequently, any fraction is the ratio of its denominator to its numerator; and in writing a ratio fractionally, the first number is made the denominator, or divisor, and the second the numerator, or dividend. Thus,  $12 : 7$  is read, the ratio of 12 to 7, and is the same as  $\frac{12}{7}$ .

## 265. EXERCISES IN FINDING THE RATIOS OF NUMBERS.

*In like manner, solve and explain the following problems.*

1. What part of 7 is 3, and what is the ratio of 7 to 3?
2. What part of 5 is 12, (**87**,) and what is the ratio of 5 to 12?
3. What part of 8 is  $\frac{4}{5}$ , (**112**,) and what is the ratio of 8 to  $\frac{4}{5}$ ?
4. What part of 10 is  $3\frac{1}{2}$ , (**112**,) and what is  $10 : 3\frac{1}{2}$ ?
5. What part of  $\frac{2}{3}$  is 4, (**153**,) and what is  $\frac{2}{3} : 4$ ?
6. What part of  $11\frac{3}{4}$  is 5, (**152**,) and what is  $11\frac{3}{4} : 5$ ?
7. What part of  $\frac{7}{8}$  is  $\frac{3}{7}$ , (**155**,) and what is  $\frac{7}{8} : \frac{3}{7}$ ?
8. What part of  $12\frac{1}{2}$  is  $6\frac{1}{4}$ , (**155**,) and what is  $12\frac{1}{2} : 6\frac{1}{4}$ ?
9. What part of .1875 is .125, (**189**,) and what is .1875 : .125?
10. What part of 6.25 is .625, (**188**,) and what is 6.25 : .625?
11. What part of 1.16 is .83, (**184**,) and what is 1.16 : .83?
12. What part of 12 hours is 5 h. 15 m., (**228**,) and what is 12 h. : 5 h. 15 m.?
13. What part of 1£ 10s. is 13s. 6d., (**230**,) and what is 1£ 10s. : 13s. 6d.?
14. What part of 16s. 6d. is \$2.50, (**254**,) and what is 16s. 6d. : \$2.50?

**266.** MODEL OF A RECITATION.

1. Multiply 25 by the ratio of 7 to 3.

The ratio of 7 to 3 being  $\frac{7}{3}$ , to multiply 25 by the ratio of 7 to 3 is the same as to multiply it by  $\frac{7}{3}$ , that is, (**144**), to take  $\frac{7}{3}$  of 25, making

$$25 \times \frac{7}{3} = 7\frac{5}{3} = 10\frac{2}{3}$$

10 $\frac{2}{3}$ , which is the answer required.

2. Multiply 8 $\frac{7}{16}$  by 63 : 40.

8 $\frac{7}{16}$  =  $\frac{135}{16}$ , and 63 : 40 =  $\frac{9}{8}$ ; therefore, multiply the denominator by 63, to obtain  $\frac{1}{63}$ , (**114**), and multiply the numerator by 40, to obtain  $\frac{540}{63}$ . But both terms

$$\frac{135}{16} \times \frac{40}{63} = \frac{75}{14} = 5\frac{5}{14}$$

of this fraction having the common factors 9 and 8, reduce the fraction to its lowest terms, (**121**), before performing the operations indicated by the signs, (**252**.)

3. If a man travel 30 miles in 7 hours, what distance would he travel in 12 hours ?

If in 7 hours he travel 30 miles, in 1 hour he would travel  $\frac{1}{7}$  of 30 miles, or  $\frac{30}{7}$  miles, (**94**), and in

$$\frac{30 \times 12}{7} = \frac{360}{7} = 51\frac{3}{7} \text{ miles.}$$

12 hours he would travel 12 times as far, or  $\frac{30 \times 12}{7} = \frac{360}{7} = 51\frac{3}{7}$  miles.

*A shorter explanation.* 12 hours being  $\frac{12}{7}$  of 7 hours, he would travel in 12 hours  $\frac{12}{7}$  of the distance that he would in 7 hours.  $\frac{12}{7}$  of 30 miles is  $\frac{30 \times 12}{7} = \frac{360}{7} = 51\frac{3}{7}$  miles, (**148**.)

4. If 5 tons of hay keep 60 sheep through the winter, how much would keep 75 sheep the same time ?

75 sheep being  $\frac{5}{6}$  of 60 sheep, they would require  $\frac{5}{6}$ , or  $\frac{5}{6}$ , as much hay.  $\frac{5}{6}$  of 5 tons is  $\frac{5 \times 5}{6} = \frac{25}{6} = 4\frac{1}{6}$  tons.

$$\frac{5 \times 5}{6} = \frac{25}{6} = 4\frac{1}{6} \text{ tons.}$$

**267.** EXERCISES IN MULTIPLYING BY RATIOS.

*In like manner, solve and explain the following problems.*

1. If a piece of linen cost \$24, what would  $\frac{1}{2}$  of a piece cost ?

2. If 3 chaldrons of coal cost \$36, what part of \$36, and how much, would 1 chaldron cost ?

3. At \$4.20 per box of lemons, what part of \$4.20, and how much, would  $\frac{3}{4}$  of a box cost ?
4. At \$7.50 per cord, what part of \$7.50, and how much, would  $\frac{2}{3}$  of a cord of wood cost ?
5. At \$.75 per bushel, what part of \$.75, and how much, would  $4\frac{2}{3}$  bushels of corn cost ?
6. If 6 horses eat 18 bushels of oats in a week, what part of 18 bushels, and how much, would 5 horses eat ?
7. If 25 lbs. of sugar cost \$2.25, what would be the cost of 60 lbs. ?
8. If 5 tons of hay cost \$87.50, what part of \$87.50, and how much, would 12 tons cost ?
9. At \$54 for 9 barrels of flour, what part of 9 barrels, and how much, could be purchased for \$186 ?
10. If a vessel sail 480 miles in 5 days, how long would it take her to sail 3000 miles ?
11. If 30 cords of wood cost \$200, what part of \$200, and how much, would 75 cords cost ?
12. If 3 books cost  $\frac{7}{8}$  of a dollar, what part of  $\frac{7}{8}$  of a dollar and how much, would 8 books cost ?

### 268. REDUCTION OF COMPLEX FRACTIONS.

A *complex fraction* is a fraction in which either term, or both terms are fractions, or mixed numbers. It may be reduced to a simple fraction by multiplying both terms (**121**) by the denominators of the terms. Thus,  $\frac{28\frac{3}{5}}{8\frac{1}{8}}$ , or  $\frac{14\frac{3}{5}}{\frac{65}{8}}$ , are complex fractions, and by multiplying both terms by 5 and 8, or 40, we have  $\frac{143 \times 8}{65 \times 5} = \frac{1144}{325}$ .

If the denominators of the terms of a complex fraction have a common multiple (**131**) less than their product, multiply both terms by that least common multiple. Thus, in  $\frac{7}{\frac{5}{8}}$ , by multiplying both terms by 24, we have the simple fraction  $\frac{7 \times 3}{5 \times 2} = \frac{21}{10}$ .

### 269. MODEL OF A RECITATION.

16. If  $8\frac{1}{2}$  lbs. of butter cost \$1 $\frac{4}{11}$ , what would be the price of 28 $\frac{3}{4}$  lbs. at that rate ?



$$\frac{\$15 \times 8 \times 143}{11 \times 65 \times 5} = \frac{\$24}{5} = \$4.80.$$

for the price of  $\frac{3}{8}$  lb. or 1 lb. (**156**); then, since the price of  $28\frac{3}{5}$  lb. or  $14\frac{3}{5}$  lb. is required, divide the price of 1 lb.  $\frac{\$15 \times 8}{11 \times 65}$ , by 5 for the price of  $\frac{1}{5}$  lb. and multiply that quotient,  $\frac{\$15 \times 8}{11 \times 65 \times 5}$ , by 143 for the price of  $14\frac{3}{5}$  lb. or  $28\frac{3}{5}$  lb. (**149**), making  $\frac{\$15 \times 8 \times 143}{11 \times 65 \times 5} = \frac{\$24}{5} = \$4.80$ , which is the answer required.

In reducing this fraction,  $\frac{15 \times 8 \times 143}{11 \times 65 \times 5}$ , to its lowest terms, (**121**) we divide both terms by 11 by canceling the 11 in the denominator by the 11 which is a factor of 143 in the numerator; 13, the other factor of 143, we cancel by the 13 which is a factor of 65 in the denominator; and 5, the other factor of 65, we cancel by the 5 which is a factor of 15 in the numerator, giving  $\frac{3 \times 8}{5}$ , or  $\frac{24}{5}$ .

*Note.* In canceling equal factors, there will be less liability to mistake, and greater facility in reviewing the process, if one continued line be drawn through the two numbers containing the factor to be canceled.

*A shorter explanation.* If  $\$1\frac{4}{11}$  or,  $\$1\frac{5}{11}$ , the price of  $8\frac{1}{8}$  lb. or  $\frac{65}{8}$  lb. be divided by  $\frac{65}{8}$ , (**156**) the quotient,  $\frac{\$15 \times 8}{11 \times 65}$ , will be the price of 1 lb.; and if this price of 1 lb. be multiplied by  $28\frac{3}{5}$ , or  $14\frac{3}{5}$ , the number of pounds whose price is required, (**149**) the product  $\frac{\$15 \times 8 \times 143}{11 \times 65 \times 5} = \frac{\$24}{5} = \$4.80$ , must be the answer required.

*Or shorter still.*  $28\frac{3}{5}$  lb. being  $\frac{28\frac{3}{5}}{8\frac{1}{8}}$ , or  $\frac{14\frac{3}{5}}{\frac{65}{8}}$  of  $8\frac{1}{8}$  lb. or  $\frac{65}{8}$  lb. would cost  $\frac{14\frac{3}{5}}{\frac{65}{8}}$  of the price of  $\frac{65}{8}$  lb.  $\frac{14\frac{3}{5}}{\frac{65}{8}}$  of  $\$1\frac{4}{11}$ , or  $\$1\frac{5}{11}$ , is  $\frac{\$15 \times 8 \times 143}{11 \times 65 \times 5} = \frac{\$24}{5} = \$4.80$ , as before.

**270. OBSERVATION.**

OBSERVE, that the process, by either explanation, (**269**) is the same, and consists of multiplying the given price of a given quantity BY THE RATIO OF THE GIVEN QUANTITY TO THE REQUIRED QUANTITY, or by the PART of the given quantity that

*the required quantity must be. Labor often may be saved by mentally reducing the ratio to simpler terms, (121,) before writing it.*

### 271. EXERCISES IN MULTIPLYING BY COMPLEX RATIOS.

*In like manner, solve and explain the following problems.*

1. If 37 yards of broad cloth cost \$185, what would  $5\frac{3}{4}$  yards cost?
2. If  $\frac{2}{5}$  of a cask of wine cost \$12.50, what would 6 such casks cost?
3. At \$3 $\frac{3}{4}$  for 4 $\frac{3}{4}$  yards of satin, what would be the cost of 25 yards?
4. If 12 days' work cost \$16 $\frac{2}{3}$ , what would  $5\frac{2}{5}$  days' work cost?
5. If  $\frac{7}{8}$  of a bushel of corn cost \$ $\frac{5}{8}$ , what is that a bushel?
6. If 1 $\frac{7}{8}$  barrels of flour serve a family 1 $\frac{3}{4}$  weeks, how long would 7 $\frac{1}{2}$  barrels serve them?
7. If a company of workmen mow 72 $\frac{3}{4}$  acres in 12 $\frac{2}{3}$  days, how many acres would they mow, at the same rate, in 8 $\frac{1}{2}$  days?
8. If 3 yds. 3 qrs. of cassimere cost \$10, what would 5 yards cost?
9. If 18 gals. 3 qts. of wine cost \$33.75, what would 43 gals. 3 qts. cost?
10. If 2 roods, 25 rods of land cost \$42, what would 5 acres, 3 roods cost, at that rate?
11. If £ $\frac{9}{20}$  sterling money make \$2, how much sterling money is equal to \$12 $\frac{1}{2}$ ?

### 272. ILLUSTRATION OF THE INVERSE RATIO.

If 5 men could build a wall in 32 days, in how long time could 9 men build it?

It would take 1 man 5 times as long as it would 5 men, or 5 times 32 days; but it would take 9 men only  $\frac{1}{9}$  as long as it would 1 man, or  $\frac{1}{9}$  of 5 times 32 days, which is  $\frac{5}{9}$  of 32 days, or  $\frac{32 \times 5}{9} = 16\frac{2}{9} = 17\frac{2}{9}$  days, the answer required.

### 273. OBSERVATION.

OBSERVE, (272,) that, though 9 men are  $\frac{9}{5}$  of 5 men, it would NOT take them  $\frac{9}{5}$  of the time that it would take 5 men to build the wall, but rather,  $\frac{5}{9}$  of that time; but  $\frac{5}{9}$  is  $\frac{9}{5}$

**INVERTED.** Hence,  $\frac{3}{4}$  in this example, and the ratio corresponding to it in similar cases, being called a **DIRECT RATIO**,  $\frac{4}{3}$  and the ratio corresponding to it in similar cases, is called an **INVERSE RATIO**.

#### 274. MODEL OF A RECITATION.

If 12 cows consume a quantity of hay in 90 days, how many cows would consume the same hay in 30 days?

To consume the same hay in 30 days would require  $\frac{90}{30}$ , or (121) 3 times as many cows as would consume it in 90 days. 3 times 12 cows are 36 cows, the answer required.

#### 275. EXERCISES IN MULTIPLYING BY INVERSE RATIOS.

*In like manner, solve and explain the following problems.*

1. If 9 horses consume a ton of hay in 32 days, how long would it take 12 horses to consume the same hay?

2. If 72 men could do a job of work in 15 months, how many men, working at the same rate, would do the same job in 2 years?

3. If a barrel of flour last a family of 6 persons 12 weeks, how long would a barrel last them if the family be increased to 8 persons?

4. If a pail holding 10 quarts be emptied 200 times to fill a cistern, how much would that vessel hold which must be emptied 75 times to fill the same cistern?

5. 4s. 6d. sterling money being equal to 5s. Canada currency, how much sterling money would cancel a debt of £18 in Quebec?

6. How much Canada currency would cancel a debt of £36 in London?

7. 5s. Canada currency being equal to 6s. N. E. currency, how much Canada currency is equal to £45 N. E. currency?

8. How much sterling money is equal to £36 N. E. currency?

9. 6s. N. E. currency being equal to 8s. N. Y. currency, how many N. E. pounds are equal to 72 N. Y. pounds?

10. A piece of land 8 rods wide and 20 rods long is an acre; then how long must that acre be which is 12 rods wide?

11. A board 9 in. wide and 16 in. long being a square foot, how wide must that board be which contains 1 sq. foot, and is 16 feet long?

12. If a stick of timber, the end of which contains 216 sq. inches, must be  $37\frac{1}{2}$  feet long to be a ton, how long must a stick be to measure a ton, the end of which contains 288 sq. inches?

13. If the contents of a cylindrical tube, which measures 18 inches in length and 144 sq. inches on one end, be emptied into another tube the end of which should measure 16 sq. inches, how high would the water rise?

14. How many yards of cloth  $\frac{3}{4}$  of a yard wide would be equal to  $12\frac{1}{2}$  yards  $1\frac{1}{2}$  yards wide?

15. How many yards of cloth,  $1\frac{3}{4}$  yds. wide, would be equal to  $91\frac{1}{2}$  yds.  $\frac{7}{8}$  of a yard wide?

16. What quantity of wheat, at \$1.25 a bushel, should be given for 10 barrels of flour, at \$5.25 a barrel?

17. What quantity of sugar, at  $5\frac{1}{3}$ cts. a pound, would pay for board 12 weeks, at \$2.75 a week?

18. In how many weeks, at \$1000 per annum, could a man earn as much as another man could in 13 weeks, at \$700 per annum?

## 276. ILLUSTRATION OF THE PRINCIPLES OF PROPORTION.

A large and a small map of the U. S. in order to be correct representations of the country, must be of the *same shape*; and the states, mountains, lakes, rivers, cities, towns, &c., must have the *same relative distances* on each map; that is, all the distances on each map, must be *in proportion* to the corresponding distances on the other map. Thus; if New York is  $\frac{1}{2}$  as far from Washington as Boston is on one map, it must also be  $\frac{1}{2}$  as far from W. as B. is on the other map.

If then, on the larger map, the two distances of B. and N. Y. from W. be 12 inches, and  $\frac{1}{2}$  of 12 inches, or 6 inches, and on the smaller map, the distance of B. from W. be 4 in., the distance of N. Y. from W. *must be*  $\frac{1}{2}$  of 4 inches, or 2 in. That is, the ratio (264) of the two distances of B. and N. Y. from W. on one map, must be equal to the ratio of the corresponding distances on the other map. Thus,  $12 : 6 = 4 : 2$ . This expression constitutes what is called a *proportion*.

Observe, then, that a proportion is composed of two equal ratios, and that a ratio is the relation of two quantities of the *same kind*, in regard to what part (87) of the first, the second is, or how many times the first is contained by the

second Thus, in the proportion  $12 : 6 = 4 : 2$ , the first ratio  $12 : 6$ , or  $\frac{6}{12}$ , is equal to the second ratio  $4 : 2$ , or  $\frac{2}{4}$ , since each is equal to  $\frac{1}{2}$ . This proportion is read: The ratio of 12 to 6 equals the ratio of 4 to 2; or 12 is to 6 as 4 is to 2; or, as 12 is to 6 so is 4 to 2.

The four quantities forming a proportion are called *proportionals*, or, *the terms of the proportion*.

The first and fourth terms of a proportion are called *the extremes*, and the second and third, *the means*.

Also, the first terms, or divisors in *ratios*, are called *the antecedents*, and the second terms, or dividends, are called *the consequents*.

Two equal fractions may become a proportion, by placing the denominators for antecedents, and the numerators for consequents. And, *any four numbers, arranged like proportionals, form a correct proportion, if the product of the means be equal to the product of the extremes*, since these products, in a correct proportion, will always be equal; for, in a correct

$$12 : 6 = 4 : 2$$

$$\begin{array}{l} \frac{6}{12} = \frac{2}{4} \\ \frac{6}{12} \times \frac{4}{4} = \frac{2}{4} \times \frac{12}{12} \\ \frac{24}{48} = \frac{24}{48} \end{array}$$

proportion, the two ratios, or fractions being equal, if they be reduced to a common denominator, (**139**), by multiplying both terms of each by the denominator of the other, *the numerators will be equal also*. But one of these numerators

is the product of the means, and the other is the product of the extremes.

This truth is of great practical utility in the solution of problems which involve proportion; since, by its application, any three terms of a proportion are sufficient for ascertaining the remaining term. For, if the term wanting be an extreme, it may be ascertained by dividing the product of the means, (which is also the product of the extremes, one of which is known,) by the known extreme, (**117**); or, if the term wanting be a mean, it may be ascertained by dividing the product of the extremes, (which is also the product of the means, one of which is known,) by the known mean. Thus, in the proportion,  $12 : 6 = 4 : 2$ , the product of the means divided by the *first* extreme, is  $\frac{4 \times 6}{12} = 2$ , the *second* extreme; or divided by the *second* extreme, is  $\frac{6 \times 4}{2} = 12$ , the *first* extreme; and the product of the extremes divided by the *first* mean, is  $\frac{2 \times 12}{6} = 4$ , the *second* mean; or, divided by the *second* mean, is  $\frac{12 \times 2}{4} = 6$ , the *first* mean.